



HAKIMI ENGINEERING & INDUSTRIAL SUPPLY ENTERPRISE

P20S

WELDING MACHINE













✉ hakimenterprise2153@gmail.com
🌐 www.hakimenterprise Gujarat.in








Shop No. 2, Shed No. 902/903 A,
Nakshatra Arcade, Makarpura,
GIDC Road, Vadodara-10

Mr. Mohammed Najmuddin
☎ +91 97145 90776
📞 +91 93288 59096

Mr. Kayed Zoher Mohammedi
☎ +91 91067 95738

TOTAL item No.	CATEGORY	Picture	Product name	Code	Description	Description & Features	MRP
TAC920132	AIR TOOLS		Crown staple	6925582198720	TOTAL TOOLS CROWN STAPLE TAC920132	Staple size:13mm 5000pcs/color box Suitable for TAT8131-3 Ga20,1.2X0.6mm Staple crown:11.2mm Packed by color box	460
INDUSTRIAL T83301-3	AIR TOOLS		Brad nailer	6925582197945	TOTAL TOOLS BRAD NAILER TAT83301-3	Load capacity:100pcs Brad size:10-30mm Ga18,1.25x1.00mm Without safety trigger Only with Nitto type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) Packed by color box	2500
TAT83501	AIR TOOLS		Air Brad nailer	6925582167535	TOTAL TOOLS AIR BRAD NAILER TAT83501	Load capacity:100pcs Brad size:15-50mm Ga18,1.25x1.00mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) With 1000pcs brad nails Packed by color box	4695
TAT81501	AIR TOOLS		2 IN 1 combo Air brad nailer	6925582167528	TOTAL TOOLS 2 IN 1 COMBO AIR BRAD NAILER TAT81501	Load capacity:100Pcs Brad size:15-50mm Ga18,1.25X1.0mm Staple size:16-40mm Ga18,1.25X1.0mm Staple crown:5.7mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) With 1000pcs brad nails With 1000pcs staples Packed by color box	4695
TAT8641	AIR TOOLS		Air concrete nailer	6925582197327	TOTAL TOOLS AIR CONCRETE NAILER TAT8641	Load capacity:70pcs Nails length:18-64mm Nails diameter: φ2.2mm With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Operation pressure:0.5-0.8Mpa(75-116Psi) Packed by color box	6150
INDUSTRIAL T8131-3	AIR TOOLS		Air stapler	6925582197952	TOTAL TOOLS AIR STAPLER TAT8131-3	Load capacity:100Pcs Staple size:6-13mm Ga20,1.2X0.6mm Staple crown:11.2mm Without safety trigger Only with Nitto type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) Packed by color box	2500
TPEF1561	AIR TOOLS		Exhaust fan	6925582173369	TOTAL TOOLS EXHAUST FAN TPEF1561	100% copper wire motor Voltage(V/Hz):220-240/50 Air volume(CMH):210 Size:150mm(6") Power:15W Front part:New PP plastic frame & blades Style : Pull cord Without plug Packed by color box	1315
TAT91512	AIR TOOLS		AIR SANDER	6941639854524	TOTAL TOOLS AIR SANDER TAT91512	Sanding pad:6"(150mm) Air Inlet(PT):1/4" With Europe type connector, USA type connector, Nitto type connector and Italy type connector. No-load Speed RPM:10500 Air Hose(ID):3/8" Air Cons:3cfm(84l/min) Air pressure:90PSI,6.2bar Packed by color box	6900
TAMWH25032	WELDING MACHINE		Magnetic Welding Holder	6925582198102	TOTAL TOOLS MAGNETIC WELDING HOLDER TAMWH25032	Magnetic Welding Holder Pull Force: 25 Lbs Specifications : 3" Product Dimensions : 120*83*14.4mm Weight: 304g Angles: 45°,90°,135° Material: Magnet and Steel Packed by double blister	290
TAMWH50042	WELDING MACHINE		Magnetic Welding Holder	6925582198096	TOTAL TOOLS MAGNETIC WELDING HOLDER TAMWH50042	Magnetic Welding Holder Pull Force: 50 Lbs Specifications : 4" Product Dimensions : 155*102*17.4mm Weight: 591g Angles: 45°,90°,135° Material: Magnet and Steel Packed by double blister	480
TAMWH75052	WELDING MACHINE		Magnetic Welding Holder	6925582198089	TOTAL TOOLS MAGNETIC WELDING HOLDER TAMWH75052	Magnetic Welding Holder Pull Force: 75 Lbs Specifications : 5" Product Dimensions : 189.5*122.2*25.4mm Weight: 1041g Angles: 45°,90°,135° Material: Magnet and Steel Packed by double blister	875

TOTAL item No.	CATEGORY	Picture	Product name	Code	Description	Description & Features	MRP
TAMWH25036	WELDING MACHINE		Magnetic Welding Holder	6941639852681	TOTAL TOOLS MAGNETIC WELDING HOLDER TAMWH25036	Multi-angle Magnetic Welding Holder Pull Force: 25 Lbs Specifications : 3" Product Dimensions : 117*90*17.1mm Weight: 300g Angles: 30°,45°,60°,75°,90°,105°,120°,135°,150° Material: Magnet and Steel Packed by double blister	325
TAMWH50046	WELDING MACHINE		Magnetic Welding Holder	6941639849087	TOTAL TOOLS MAGNETIC WELDING HOLDER TAMWH50046	Multi-angle Magnetic Welding Holder Pull Force: 50 Lbs Specifications : 4" Product Dimensions : 178*90*17.2mm Weight: 542g Angles: 30°,45°,60°,75°,90°,105°,120°,135°,150° Material: Magnet and Steel Packed by double blister	495
TAMWH75056	WELDING MACHINE		Magnetic Welding Holder	6941639855460	TOTAL TOOLS MAGNETIC WELDING HOLDER TAMWH75056	Multi-angle Magnetic Welding Holder Pull Force: 75 Lbs Specifications : 5" Product Dimensions : 144*110*25mm Weight: 1008g Angles: 30°,45°,60°,75°,90°,105°,120°,135°,150° Material: Magnet and Steel Packed by double blister	925
TBC1601	WELDING MACHINE		Battery charger	6925582176308	TOTAL TOOLS BATTERY CHARGER TBC1601	Input voltage(V):220-240 Frequency (HZ):50/60 Charging voltage(V):12/24 Rated current(A):9/4 Boost current(A):12 Reference capacity(A):28-180 Insulation class:H Weight(Kg):5.6 Packed by carton box	7750
TWAH5006	WELDING MACHINE		Electrode holder	6925582185638	TOTAL TOOLS ELECTRODE HOLDER TWAH5006	TOTAL Style New design Rated current:500A Netherlands type Suitable for TOTAL MMA welding machine(below 500A) Packed by carton box	710
TWAH8006	WELDING MACHINE		Electrode holder	6925582186659	TOTAL TOOLS ELECTRODE HOLDER TWAH8006	TOTAL Style New design Rated current:800A Suitable for TOTAL MMA welder(below 630A) Packed by carton box	730
TWAH10006	WELDING MACHINE		Electrode holder	6925582186666	TOTAL TOOLS ELECTRODE HOLDER TWAH10006	TOTAL Style New design Rated current:1000A Suitable for TOTAL MMA welding machine(below 630A) Packed by carton box	870
TW21606	WELDING MACHINE		Inverter MMA Welding machine	6925582195231	TOTAL TOOLS INVERTER MMA WELDING MACHINE TW21606	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-160 Duty cycle(%):160A@40% LCD display No-load voltage(V):85 Max.output current(A):160 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box	12950
TW21306	WELDING MACHINE		Inverter MMA Welding machine	6925582182279	TOTAL TOOLS MMA WELDING MACHINE TW21306	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-130 Duty cycle(%):130A@40% No-load voltage(V):85 Max.output current(A):130 Diameter of electrode(mm):1.6-3.2 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box	12950
TW21806	WELDING MACHINE		Inverter MMA welding machine	6925582182286	TOTAL TOOLS MMA WELDING MACHINE TW21806	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-180 Duty cycle(%):180A@40% No-load voltage(V):85 Max.output current(A):180 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box	14990

TOTAL item No.	CATEGORY	Picture	Product name	Code	Description	Description & Features	MRP
TW21302	WELDING MACHINE		Inverter MMA welding machine	6941639801412	TOTAL TOOLS INVERTER MMA WELDING MACHINE TW21302	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):15-130 Duty cycle(%):130A@30% LCD display No-load voltage(V):75 Max.output current(A):130 Diameter of electrode(mm):1.6-3.2 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by color box	11250
TW21602	WELDING MACHINE		Inverter MMA welding machine	6941639801429	TOTAL TOOLS INVERTER MMA WELDING MACHINE TW21602	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):15-160 Duty cycle(%):160A@30% LCD Display No-load voltage(V):75 Max.output current(A):160 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by color box	14900
TW21605	WELDING MACHINE		Inverter MMA welding machine	6925582160383	TOTAL TOOLS MMA WELDING MACHINE TW21605	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ):50/60 Output current(A):10-160 Duty cycle(%):160A@60% No-load voltage(V):65 Max.output current(A):160 Diameter of electrode(mm):1.6-4.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box	18950
TW22005	WELDING MACHINE		Inverter MMA welding machine	6925582160390	TOTAL TOOLS MMA WELDING MACHINE TW22005	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ) :50/60 Output current(A):10-200 Duty cycle(%):200A@60% No-load voltage(V):70 Max.output current(A):200 Diameter of electrode(mm):1.6-5.0 With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box	21950
TCUT401	WELDING MACHINE		Inverter plasma cutter	6941639851639	TOTAL TOOLS INVERTER PLASMA CUTTER TCUT401	IGBT Inverter technology Input voltage(V):1~220-240 Frequency (HZ) :50/60 Output current(A):15-40A Cut thickness:≤12mm Duty cycle(%):40% No-load voltage(V):400 Working gas pressure(Mpa) : 0.45-0.5 With 1pcs plasma torch and copper filter element With 1pcs earth clamp with cable With 1pcs air pipe Packed by carton box Ideal for cutting stainless steel,iron,Alloy steel etc	34500
THLAD06041	LADDER		Household Ladder	6925582191974	TOTAL TOOLS 4 STEP HOUSEHOLD LADDER THLAD06041	Material:Aluminum Steps : 4 steps Distance between two step : 219mm Distance between top step and handle : 611mm Distance from ground to top step : 877mm Top aluminum step. size : 260x250x30mm Approx.Wt:3.3kg Max.Load: 150kg Packed by shrink	4290
THLAD06051	LADDER		Household Ladder	6925582186277	TOTAL TOOLS 5 STEP HOUSEHOLD LADDER THLAD06051	Material:Aluminum Steps : 5 steps Distance between two step : 219mm Distance between top step and handle : 611mm Distance from ground to top step : 1097mm Top aluminum step. size : 260x250x30mm Approx.Wt:3.9kg Max.Load: 150kg Packed by shrink	5090