








# ABE 580+



# Battery 580 Htools



## **CORDLESS TOOLS**



## **CORDED POWER TOOLS**



## **GENERATORS**



## **BENCH TOOLS**



## **WELDING MACHINES**



## India's first One-Stop Tools Station One-Stop Tools Station





## **GARDEN TOOLS**



## **POWER TOOLS ACCESSORIES**



## **MEASURING TOOLS**



## AIR TOOLS





## HAND TOOLS



## **SAFETY PRODUCTS**



#### Angle grinder

#### TG1071008



Voltage:220-240V~50/60Hz Input power:710W No-load speed:11000rpm Disc diameter:100mm Spindle thread:M10 With 1pcs auxiliary handle Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1	
PCS		6

## Angle grinder

#### TG1081006



Voltage:220-240V~50/60Hz Input power:800W No-load speed:12500rpm Disc diameter:100mm Spindle thread:M10 With 1pcs auxiliary handle Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

#### Angle grinder

#### TG10711556



Voltage:220-240V~50/60Hz Voltage:220-240V-50/60H: Input power:750W No-load speed:12000rpm Disc diameter:115mm Spindle thread:M14 With 1pcs auxiliary handle Disc not included Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Angle grinder

#### TG109125565



Voltage:220-240V-50/60Hz Input power:900W No-load speed:5000-12000rpm Disc diameter:125mm Spindle thread:MI4 Variable speed control With Ipcs auxiliary handle Disc not included Packed by color box

Unit	PACK/QTY	Qty/Ctn
	7	
PCS		6

#### Angle grinder

## TG1121256-3

#### 1010W Ø125mm



Voltage:220-240V-50/60Hz Input power:1010W No-load speed:5000-12000rpm Disc diameter:125mm Spindle thread:MI4 Variable speed control With Ipcs auxiliary handle Disc not included Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

## Angle grinder

#### TG10710056



Voltage:220-240V~50/60Hz Input power:750W No-load speed:12000rpm Disc diameter:100mm Spindle thread:M10
With 1pcs auxiliary handle
Disc not included
Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1	10
PCS	1	10

#### Angle grinder

#### TG10910056



Voltage:220-240V-50/60Hz Input power:900W No-load speed:12000rpm Disc diameter:100mm Spindle thread:M10 With 1pcs auxiliary handle Disc not included Disc not included Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	6
PCS	1	6

#### Angle grinder

#### TG10912556

INDUSTRIAL



Voltage:220-240V~50/60Hz Voltage:220-240V-50/60H2 Input power:900W No-load speed:12000rpm Disc diameter:125mm Spindle thread:M14 With 1pcs auxiliary handle Disc not included Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	-	6

#### Angle grinder

Ø100mm

Ø125mm

## TG1121006

#### 1010W



Voltage:220-240V~50/60Hz Input power:1010W No-load speed:12500rpm Disc diameter:100mm Spindle thread:M10 With 1 pcs auxiliary handle Disc not included Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	6

INDUSTRIAL

#### Angle grinder

## TG11512526

1500W





Voltage:220-240V-50/60Hz Input power:I500W No-load speed:II000rpm Disc diameter:I25mm Spindle thread:MI4 With Ipcs auxiliary handle With Iset extra carbon brushes Disc not included Packed by color box

	(/QTY	Qty/Ctn
PCS	1	4

#### Angle grinder

#### TG11515026

1500W Ø125mm



Voltage:220-240V~50/60Hz Input power:1500W No-load speed:11000rpm No-load speed:IIOU0rpm Disc diameter:ISOmm Spindle thread:M14 With Ipcs auxiliary handle With Iset extra carbon brushes Disc not included Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	7	
PCS		4

## Angle grinder

#### TG1252306

# 2400W Ø230mm(9")

Voltage:220-240V-50/60Hz Input power:2400W No-load speed:6400rpm Disc diameter:230mm Spindle thread:MI4 With Ipcs auxiliary handle With Iset extra carbon brushes Disc not included Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

#### Rotary hammer

#### TH306236

230mm(9")

#### 650W Ø22mm(7/8")



Voltage:220-240V~50/60Hz voitage:z20-240V~50/60Hz Input power:650W No-load speed:0-1700rpm Impact rate:0-5500bpm Impact energy:1.73 Max.drilling capacity: Concrete:22mm Concrete:22mm Steel:Jāmm Wood:25mm SDS plus chuck system With 3 SDS-PLUS drills With 1set extra carbon brushes Packed by BMC

Unit	PACK/QTY	Qty/Ctn
DCC		/.

#### Rotary hammer

#### TH308268-2

#### 800W Ø26mm(1")



Con 1 unidad de mandril de Cambio rápido

Voltage:220-240V-50/60Hz Input power:800W No-load speed;0-1100rpm Impact rate:0-4000bpm Impact energy:Z.51 Max.drilling capacity. Concrete:26mm Steel:13mm Wood:30mm Wood:30mm พงดดเวษาmm SDS plus chuck system With 1pcs keyless quick-change chuck With 3 drills and 2 chisels With 1set extra carbon brushes Packed by BMC

	PACK/QTY	Qty/Ctn
PCS	'	4

#### Rotary hammer

## TH110286

#### 1050W Ø28mm



Voltage:220-240V~50/60Hz Input power:1050W No-load speed:900rpm Impact rate:4000bpm Impact energy:5J Max.drilling capacity: Concrete:28mm Steel:13mm Wood:40mm Wood:40mm SDS plus chuck system
With 3 drills and 2 chisels
With 1set extra carbon brushes
Packed by BMC

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

## Angle grinder

#### TG12223026



Voltage:220-240V-50/60Hz Input power:2200W No-load speed:6600rpm Disc diameter:230mm Spindle thread:M14 With Ipcs auxiliary handle With Iset extra carbon brushes Disc not included Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	2

#### Polisher

#### TP1141806

## 1400W



Voltage:220-240V~50/60Hz Input power:1400W No-load speed:1500-4500rpm Polishing pad diameter:180mm Variable speed control Aluminum gear box Lock-off switch With Ipcs Dishing pad With Ipcs polishing pad With Ipcs polishing bonnet With Isc spolishing bonnet With Isc spolishing bonnet With Isc sextra carbon brushes Packed by color box

PACK /QTY	Qty/Ctn
,	
l l	4
	PACK/QTY

#### Rotary hammer

#### TH308268

#### 800W



Voltage:220-240V-50/60Hz Input power:800W No-load speed:0-1100rpm Impact rate:0-4000bpm Impact energy:2.SJ Max.drilling capacity: Concrete:26mm Steel:J3mm Wood:30mm SDS plus chuck system With 3 drills and 2 chisels With 1set extra carbon brushes Packed by BMC

Unit	PACK /QTY	Qty/Ctn
PCS	1	4

#### Rotary hammer

#### TH110266

#### 1050W Ø26mm(1")



Voltage:220-240V~50/60Hz Input power:1050W No-load speed:1100rpm Impact rate:3800bpm Impact energy:4.5J Max.drilling capacity: Concrete:26mm Steel:13mm Wood:40mm Wood:40mm SDS plus chuck system With 3 drills and 2 chisels Packed by BMC

Unit	PACK /QTY	Qty/Ctn
	7	
PCS		2

INDUSTRIAL

#### Rotary hammer

## TH1153216

## 1500W Ø32mm(1-1/4")



Voltage:220-240V~50/60Hz Input power:I500W No-load speed:380rpm Impact rate:4400bpm Impact energy.5.51 Max.drilling capacity: Concrete:32nm Wood:40mm SDS plus chuck system Anti-vibration system With 3 drills and 2 chiesls With 1set extra carbon brushes Packed by BMC

Unit

	PACK/QTY	Qty/Ctn
PCS	·	2

#### Cordless impact drill

#### TIDLI2002



Voltage:20V
No-load speed:0-400/0-1500rpm
Max impact rate:22500bpm
Max torque:45Nm
Chuck capacity:0.8-10mm
Torque settings:(8+1+1)
Auto-lock keyless chuck
Mechanical 2-speed gear
Spindle lock function
Integrated LED work light
Include:
50 Pcs accessories
2 Pcs 2.0Ah battery pack(TFBLI2001)
1 Pcs charger(TFCLI2001E)
Charge volts:220-240V-50/60Hz

Unit	PACK/QTY	Qty/Ctn
DCC	1	_

#### TDLI200515



## Cordless drill

Voltage: 20V
No-load speed: 0-400/0-1500rpm
Max torque: 45Nm
Plastic chuck
Chuck capacity: 0.8-10mm(1/32-3/8")
Torque settings: 15+1
Mechanical 2-speed gear
Spindle lock function
Integrated LED work light
Include:
1 Pcs Cr-V 65mm bit
Battery and charger sold separately
Packed by color box Voltage: 20V

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless drill

#### TDLI200528



Voltage: 20V
No-load speed: 0-400/0-1500rpm
Max torque: 45Nm
Plastic chuck
Chuck capacity: 0-8-10mm
Torque settings: 15+1
Mechanical 2-speed gear
Spindle lock function
Charge volts: 220-240V~50/60Hz
Integrated work light
LED battery power indicator
Include:
2 Pcs 2.0Ah battery pack(TFBLI20011)
1 Pcs charger(TFCLI2001)
47 Pcs accessories

Unit	PACK/QTY	Qty/Ctr
	,	_

#### Cordless impact drill

Cordless impact wrench

#### TIDLI201455

TIDLI20012



Voltage: 20V No-load speed: 0-400/0-1500rpm Max impact rate: 22500bpm Max torque: 45Nm Metal chuck

Metal chuck Chuck capacity: 0.8-10mm Torque settings: 18+1+1 Mechanical 2-speed gear Spindle lock function

aprincie lock tunction Auto-lock keyless chuck Integrated LED work light Include: 1 Pes Cr-V 65mm bit 3 Pcs masonry drill bits Battery and charger sold separately

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless impact drill

#### TIDLI1232



Voltage:12V
No-load speed:0-400/0-1500rpm
Max impact rate:22500/min
Max torque:20NM
Chuck capacity:0.8-10mm
Torque settings:18+1+1
Mechanical 2-speed gear
Charge volts:220-240V-50/60Hz
Integrated work light
With 2pcs 1.5Ah battery pack
With 1pcs Charger
With 1pcs Charger
With 1pcs Cr-V 65mm bit
With 3pcs masonny drill bits
Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

## Cordless impact drill



Voltage:20V
No-load speed:0-400/0-1500rpm
Max impact rate:22500/min
Max torque:45NM
Chuck capacity:0.8-10mm
Torque settings:18-1+1
Mechanical 2-speed gear
Charge volts:220-240V-50/60Hz
Integrated work light
LED battery power indicator
With 1pcs charger
With 2pcs 2.0Ah battery pack
With 1pcs Cr-V 65mm bit
With 3pcs masonry drill bits
Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless impact wrench

## TIWLI2050



Brushless motor
Voltage: 20V
Square drive: 1/2"
No-load speed: 0-1200/0-1800/0-2200rpm
Impact rate: 0-2400/0-2800/0-3300bpm
Fastening torque: 500Nm
Nut-Busting torque: 650Nm
Integrated work light
Include:
3 Pcs sockets(21,22,24mm)
2 Pcs 4.0Ah battery pack(TFBLI20021)
1 Pcs charger(TFCLI2001)
1 Pcs charger(TFCLI2001)
Charge volts:220-240V-50/60Hz
Packed by carrying case

Unit	PACK/QTY	Qty/Ctn
DCS	1	5



INDUSTRIAL

Brushless motor
Voltage:20V
Square drive:1/2"
No-load speed: 0-1600/0-2100/0-2400rpm
Impact rate: 0-1500/0-1800/0-2200bpm
Fastening torque:850Nm
Nut-Busting torque:000Nm
Integrated LED work light
Include:
3 Pcs deep sockets(22,24,27mm)
2 Pcs 4:0Ah battery pack(TFBLI20021)
1 Pcs charger(TFCLI2041)
1 Pcs charger(TFCLI2041)
1 Pcs darger(TFCLI2041)
Packed by carrying case

Unit	PACK/QTY	Qty/Ctn
DCS	1	/





720S) (11 mm) 300N.m

Voltage:20V
No-load speed:0-450/0-1900/min
Max.torque:55NM
Chuck capacity:20-13mm
Torque settings:23+1
Auto-lock keyless chuck
Mechanical 2-speed gear
Spindle lock function
20V Lithium-ion 2.0Ah batteries
With 2pcs battery pack
With 1pc 1Hr charger
Charge volts:110V-240V-50/60Hz
Integrated work light
LED battery power indicator
With 47pcs accessories

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### TIWLI2038



Brushless motor Brushless motor
Voltage: 20V
Square drive: 1/2°
No-load speed: 0-1300/0-2300rpm
Impact rate: 0-2000/0-3300bpm
Max torque: 300Nm
Integrated LED work light
Include:
2 Pcs sockets(19,21mm)
2 Pcs 2,0Ah battery pack(TFBLI20011)
1 Pcs charger(TFCLI2001)
1 Pcs drives: 220-240V-50/60Hz
Packed by carrying case

Cordless impact wrench

Cordless impact driver

Cordless heat gun

Unit	PACK /QTY	Qty/Ctn
PCS	1	5

#### Cordless impact wrench

Cordless drill

#### TIWLI2001

TDLI2003

#### TIRLI2002



	P20S	Пана 170N.m
rpm om		I TUTAL



Brushless motor
Voltage:20 V
Hex shank:6.35mm
No-load speed:0-1300/0-2100rpm
Impcat rate:0-2000/0-3300bpm
Max torque:170Nm
Integrated LED work light
Include:
2 Description bits

2 Pcs screwdriver bits

2 Pcs Screwdiner bits 3 Pcs nut setters 2 Pcs 2.0Ah battery pack(TFBLI2001) 1 Pcs charger(TFCLI2001E) Charge volts:220-240V-50/60Hz Packed by canvas bag

Unit	PACK /QTY	Qty/Ctn
PCS	1	5

#### Cordless angle grinder

Unit

PCS

#### TAGLI21104

TFCLI2003

Qty/Ctn

5



Brushless Motor Brushiess Motor
Voltage;20V
No-load speed;3000/6000/9000rpm
Disc diameter;100mm
Spindle thread;M10
Disc not included
Battery and charger sold separately
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

PACK/QTY

205	.er.	EC1674	 -	-1

#### TBLI2002



Voltage:20V Temperature:300/550°C Airflow:100/200 L/min

Airtiow:100/200 L/min Include:
1 Pcs reduction nozzle
1 Pcs reflector nozzle
1 Pcs flat nozzle
1 Pcs flat nozzle
Battery and charger sold separately
Packed by color box

Unit	PACK /QTY	Qty/Ctn
DCC	1	10

#### Cordless angle grinder

#### TAGLI1001



INDUSTRIAL



Input voltage:220-240V~50/60Hz Output voltage:2IV Output current:4A Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	20
DCS		20

Battery and

Voltage:20V No-load speed:8500rpm Disc diameter:100mm Spindle thread:M10 Battery and charger sold separately Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1	
PCS		6

#### Cordless blower

## TABLI20018



Battery and charger sold separately Voltage:20V No-load speed:0-9000/0-18000rpm Max.air volume:2.7m³/min 2 speed adjustment Variable speed trigger Battery and charger sold separately Packed by color box Voltage:20V

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Cordless rotary hammer

## TRHLI22012



INDUSTRIAL Brushless motor Voltage:20V No-load speed:0-1350rpm Impact rate:0-4700bpm Impact rate:0-4700bpm
Impact energy:21
Max.drilling capacity:
Concrete: 22mm
Steel: 13mm
Wood: 28mm
Integrated work light
SDS plus chuck system
With 2pcs 4.0Ah battery pack
With 1pcs charger
With 3pcs drills and 1pcs chisel
Charge volts:220-240V-50/60Hz

Unit	PACK /QTY	Qty/Ctn
PCS	1	4

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### TSGLI2001



Voltage:20V Spraying Pressure:0.1-0.2Bar Max.flow:600ml/min Max.viscosity:40DIN-s Container capacity:800ml With 1 pcs viscosity measuring cup With 1 pcs nozzle cleaning needle Battery and charger sold separately Packed by color box

Unit PACK/QTY PCS



Voltage:20V Vacuum pressure(KPa):>9 Kpa Capacity:0.81 Power(W):120W Multiple cyclone Pure copper wire motor HEPA filter

Lithium-ion vacuum cleaner

Chain saw bar

Saw chain

Cordless gauge straight shear

HEPA filter
Charge volts:220V-240V-50/60Hz
Charge time:1.2H
Working time:35min low speed level
Working time:38min high speed level
Jpcs:20Ah battery pack
Jpcs Charger for 2.0Ah battery pack
Jpcs metal tube
Jpcs crevice nozzle

Unit

PACK /QTY PCS

#### Saw chain

Cordless spray gun

#### TGTSC50801



Qty/Ctn

8

#### TGTSB50801





Qty/Ctn

6



Chain Pitch:3/8" Chain Gauge:0.043" Drive Links: 33 links Suitable for TGSLI20851/UTGSLI20851 chain saw Packed by double blister

> Unit PACK/QTY Qty/Ctn PCS 50

# 8

Bar Length:8" Suitable for TGSLI20851/UTGSLI20851 chain saw Packed by double blister

> Unit PACK/QTY

#### Cordless chain saw

#### TGSLI20128



Brushless Motor Brushless Motor
Voltage;20V
Chain Speed;7,9m/s
Bar length;12"(30cm)
Quick Chain brake function
Auto lubrication
Include:
1 Pcs 12" saw chain
1 Pcs 12" chain saw bar
Battery and charger sold seperately
Packed by color box



Unit	PACK/QTY	Qty/ Ctr
PCS	1	2

#### TGTSC51201





12" Saw chain Chain Pitch:3/8" Chain Gauge:0.050" Drive Links: 44 links Suitable for TGSLI2001 TGSLI20128

TGSLI201286 chain saw Packed by double blister

Unit	PACK /QTY	Qty/Ctn
PCS	1	50

#### Chain saw bar

#### TGTSB51201

#### TSSLI203083



12"Chain Saw Bar Suitable for TGSLI2001 TGSLI20128 TGSLI201286 chain saw Packed by double blister

Unit	PACK /QTY	Qty/Ctn
	1	
PCS		25



Brushless Motor Brushless Motor
Voltage:20V
Cutting diameter:20mm/30mm
Include:
1 Pcs oil bottle(empty)
1 Pcs sharping stone
1 Pcs sheath
1 Pcs 2.0Ah battery pack(TFBLI2001)
1 Pcs charger(TFCLI2001E)
Charge volts:220-240V-50/60Hz
Packed by plastic box



Unit	PACK /QTY	Qty/Ctn
PCS	1	6

#### Cordless grass trimmer

## TGTLI20301



Voltage:20V No-load speed:8200rpm Cutting diameter:300mm Line dia:16mm twisted Line lengths; Edging function Include: 1 Pcs safety goggles 1 Pcs PU coated gloves 1 Pcs 2.0Ah battery pack(IFBLI2001) 1 Pcs charger(IFCLI2001E) Charge volts:220-240V-50/60Hz Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

## Cordless string trimmer and brush cutter

## TSTLI202521



INDUSTRIAL Brushless Motor
Voltage:40V(20V+20V)
No-load speed:0-5000/0-6500rpm
Blade cutting diameter:255mm
Trimmer cuting diameter:330mm
Line dia:2.0mm round
Line length:4m
Two functions:trimmer and bush cutting
Include:
1 Pcs spool line
1 Pcs trimmer head
1 Pcs 3T blade
1 Pcs shoulder strap
2 Pcs 4.0Ah battery pack(TFBLI2002)
1 Pcs dual port charger(TCLI2034E) Brushless Motor

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

# India's first TETTAL

#### Lithium-lon work lamp

#### TWLI2001





Voltage: 20V LED power dissipation: 3.2W Lumens: 225 Battery and charger sold separately Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	12

#### TFLI2002



Voltage:20V LED power dissipation:20W Lumens: High:1500 Low:750 Battery and charger sold separately Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		6

#### Lithium-Ion battery pack

#### TFBLI2002



Voltage:20V Lithium-lon 4.0Ah battery LED battery power indicator Suitable for 20V multiple tools Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	12

#### TFCLI20411



Input voltage:220-240V~50/60Hz Output voltage:21V Output current:4A Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	20

#### zus pattery charge

## TFCLI2082



Input voltage: 220-240V-50/60Hz Output voltage: 20V Output current: 4A+4A Accepts up to 2pcs P20S battery packs Dual active battery ports for individually charging
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	1	20
PCS		20

#### THTLI20461



Voltage:20V
Maximum speed:2800spm
Blade cutting length:460mm
Maximum cutting diameter:18mm
Laser cut blade
Include:
1 Pcs safety goggles
1 Pcs PU coated gloves
1 Pcs PU coated gloves
1 Pcs Canho battery pack(TFBLI2001)
1 Pcs charger(TFCLI2001E)
Charge volts:220-240V-50/60Hz
Packed by color box Voltage:20V

Unit	PACK/QTY	Qty/Ctn
PCS		2

#### Lithium-Ion battery pack

Cordless hedge trimmer

#### TFBLI2001





Voltage:20V Lithium-lon 2.0Ah battery LED battery power indicator One battery fits all 20V multiple tools Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS		20

#### TFCLI2001



Input voltage:220-240V~50/60Hz Output voltage:20V Output current:2A Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCC	1	20

#### TCLI2034



Input voltage: 220-240V-50/60Hz Output voltage: 2IV Output current: 4A Accepts up to 2pcs P20S battery packs Dual active battery ports for simultaneously charging. charging
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

#### Cordless drill

## TDLI200215



Voltage:20V No-load speed:0-400/0-1500rpm Max torque:45NM Chuck capacity:0.8-10mm Torque settings:15+1 Mechanical 2-speed gear Charge volts:220-240V~50/60Hz Integrated work light LED battery power indicator

With 2pcs 2.0Ah battery pack (TFBLI2001) With 1pcs charger (TFCLI2001E) With 1pcs Cr-V 65mm bit Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless drill

#### TDL12002

P20S



Voltage:20V
No-load speed:0-400/0-1500rpm
Max torque:45Nm
Chuck capacity:0.8-10mm
Torque settings:15+1
Auto-lock keyless chuck
Mechanical 2-speed gear
Spindle lock function
Integrated LED work light
Include:
47 Prs accessories

47 Pcs accessories 2 Pcs 2.0Ah battery pack(TFBLI2001) 1 Pcs charger(TFCLI2001) 1 Charge volts:220-240V-50/60Hz Packed by canvas bag

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless rotary hammer

#### TRHLI1601



Voltage:20V
No-load speed: 0-900rpm
Impact rate: 0-5100bpm
Impact energy: 1.53
Maxdrilling capacity:
Concrete: 16mm
Steel: 10mm
Wood: 20mm
Integrated work light
SDS plus chuck system
3 Pcs drills
Battery and charger sold separately
Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCC	1	/.

#### Cordless circular saw

#### TSLI1401





Voltage: 20V No-load speed: 3600rpm Blade diameter: 140mm(5-1/2") Cutting capacity:45°degree:28mm 90°degree:40mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 140mm blade Battery and charger sold separately Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Cordless random orbit sander

#### TROSLI2001



Voltage:20V No-load speed:10000rpm Bottom size:125mm Bottom and charger sold separately Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
DCS		/1

#### Cordless tile vibration machine

## TTVLI20101



Voltage:20V
Vibrational frequency:0-10000rpm
Adsorption force:50kg
Suction Cup Diameter:125mm
Speed adjustment:12-speed
Charge volts:220-240V-50/60Hz
With 1pcs 2.0Ah battery pack(TFBLI20011)
With 1pcs charger(TFCLI2001)
With a pair of Kneepads
Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless auto air compressor

#### TACLI2001



Voltage:20V Max.pressure:150PSI/10BAR With 1PCS ball adaptor With 1PCS tire vale adaptor Battery and charger soid separately Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	4

#### Cordless rotary hammer

#### TRHLI2201



Brushless motor Voltage: 20V No-load speed: 0-1350rpm Impact rate: 0-4700bpm Impact energy: 21 Max.drilling capacity: Concrete: 22mm Wood: 28mm Wood: 28mm vvood: 28mm Integrated work light SDS plus chuck system 3 Pcs drills 1 Pcs chisel Battery and charger sold separately Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	4

#### Cordless reciprocating saw

#### TRSLI1151

and charger

sold separately



Voltage:20V No-load speed:0-2800rpm Cutting capacity:

With 1pcs metal saw blade With 1pcs wood saw blade Battery and charger sold separately Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	4

#### Cordless glue gun

#### TGGLI2001

Battery and charger

sold separately



Voltage:20V Gluing capacity:13-18g/min Glue stick.diameter:11.2mm Heat-up time:60sec With 3 pcs 150mm glue sticks Battery and charger sold separately Packed by double blister

Unit	PACK/QTY	Qty/Ctn
		36
PCS	9	50

#### Cordless auto air compressor

## TACLI2002



Voltage:20V
Max.pressure:160PSI/11BAR
With 3PCS LED light
Digital display
Automatic stop at the specified pressure
Powered by vehicle or by Lithium-Ion battery
With 3m cord with cigarette lighter
With 1PCS ball adaptor
With 1PCS tire vale adaptor
With 1PCS air bed adaptor
Battery and charger sold separately
Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	4

#### Cordless impact driver

#### TIDLI228181



Voltage:18V No-load speed:0-2000rpm Impact rate:0-2800bpm Max torque:120NM Hex shank:6.35mm With LED light LED battery power indicator Charging time: 2hour Charge volts: 220-240V-50/60Hz With 2pcs battery pack With 48pcs accessories Packed by BMC

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless impact drill

#### TIDLI12202



Voltage: 12V
No-load speed: 400/0-1500rpm
Max impact rate: 22500bpm
Max torque: 20Nm
Plastic chuck
Chuck capacity: 0.8-10mm(1/32-3/8")
Torque settings: 18+1+1
Integrated LED work light
Include:
1 Pcs Cr-V 65mm bit
3 Pcs masonry drill bits
2 Pcs 1.5Ah battery pack(TBL112153)
Battery charging port-USB type-C
Charger sold separately
Packed by carrying case

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless impact drill

#### TIDLI1228



Voltage:12V No-load speed:0-400/0-1500rpm Max impact rate:0-22500bpm Max torque:25Nm Plastic chuck Chuck capacity:0.8-10nm Torque settings:18+1+1 Mechanical 2-speed gear Integrated LED work light LED battery power indicator Include: 1 Pcs Cr-V 65mm bit 3 Pcs masony drill bits 2 Pcs 1.5Ah battery pack(TBLI12ISI) 1 Pcs charger (TCLI1207I)

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Cordless screwdriver

#### TSDLI0402



Voltage:4V Hex Shank:1/4" No-load speed:240rpm Max torque:4Nm Integrated work light Charge level indicator Include: 10Pcs 25mm Cr-V bits+Holder 1Pcs mannetic hit holder Pcs magnetic bit holder Pcs Mirco-USB cable Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

#### Cordless screwdriver

## TSDLI04425



Voltage: 4V Hex shank: 1/4" No-load speed: 240rpm Max torque: 4N.m Two positions adjustable handle Charging via USB type-C cable(cable sold charging via Oba type-C cable separately) Integrated work light Include: 20 Pcs 25mm Cr-V bits+holder 2 Pcs 50mm Cr-V bits+holder 1 Pcs Connector Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

#### Cordless drill

#### TDLI12428



Voltage:12V No-load speed:0-750rpm Max torque:20Nm Plastic chuck Chuck capacity:0.8-10mm(1/32-3/8") Torque settings:15+1 Integrated work light Include: 1 Pcs 1.5Ah battery pack(TBLI12153) Battery charging port: USB type-C Charger sold separately Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1	10
PCS		10

#### Lithium-Ion battery pack

#### TBLI12153



Voltage: 12V Lithium-lon 1.5Ah battery Charging port: USB type-C One battery fits all 122 multiple tools Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	20

#### Lithium-Ion battery pack

#### TBLI12151



Voltage:12V Lithium-lon 1.5Ah battery LED battery power indicator Suitable for 12V multiple tools Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	20

#### Cordless screwdriver

## TSDLI0442



Voltage: 4V Hex shank: 1/4" No-load speed: 240rpm Max torque: 4Nm Two positions adjustable handle Charging via USB type-C cable(cable sold Charging via Osa kype-c capie separately) Integrated LED work light Include: 16 Pcs 25mm Cr-V bits+holder 2 Pcs 50mm Cr-V bits+holder 1 Pcs connector Packed by carrying case

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

#### Cordless screwdriver

## TSDLI04062



Voltage:4V Hex Shank:1/4" Hex Shank: I/4"
No-load speed: 240rpm
Max torque: 5N.m
Integrated work light
Charge level indicator
Charging via USB type-C cable(cable sold separately) Include: 40 Pcs 25mm Cr-V bits+Holder 1 Pcs 50mm Cr-V bit 1 Pcs 74mm Cr-V bit 1 Pcs connector Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

#### Cordless grinder

#### TMGLI0801



Voltage: 8V No-load speed: 5000-28000rpm Charging via USB type-C cable(cable sold separately)
Collet size: 3.2mm
Variable speed control
67 Pcs accessories
1 Pcs safe guard Packed by canvas bag

Unit	PACK/QTY	Qty/Ctn
PCS	'	10

#### Charger

#### TCLI120502



Input voltage: 220-240V~50/60Hz Output voltage: 5V Output current: 2A Charging port: USB type-A Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS		10.0

#### Cordless impact driver

#### TIRLI1201



Voltage: 12V No-load speed: 0-2000rpm Impact rate: 0-2800bpm Max torque: 100Nm Hex shank: 6.35mm Integrated work light Include: 1 Pcs Cr-V 65mm bit 2 Pcs 1.5Ah battery pack(TBLI12152) 1 Pcs charger(TCLI12071) Charge volts: 220-240V-50/60Hz Packed by carrying rase

Unit	PACK/QTY	Qty/Ctn

#### Cordless drill

#### TDLI1221



Voltage:12V No-load speed:0-400/0-1500rpm Max torque:25NM Chuck capacity:0.8-10mm Torque settings:15+1 Charge Volts:220-240V-50/60Hz Integrated work light LED battery power indicator

With 1pcs 1.5Ah battery pack (TBL112151) With 1pcs charger (TCL112071) With 1pcs Cr-V 65mm bit Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1 1	- 0.
DCS		10

#### Impact drill

## TG1061356

#### 680W



Voltage:220-240V~50/60Hz Input power:680W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	'	10

#### Cordless vacuum cleaner

#### TVLI2026



Voltage: 12V
Dust capacity: 0.5L
Vacuum pressure: >7kpa
Battery type: ISR18650-2000mAh
Non-removable battery
USB type-C charger system: 5V 2A
Include:
1 Pcs charger
1 Pcs crevice nozzle
1 Pcs dust brush with soft bristles
Packed by color box Voltage: 12V

Unit	PACK/QTY	Qty/Ctn
PCS	'	8

#### USB type-C to type-C cable

#### TIUCC02



USB C to USB C cable Cable length:1M Max. charge current:3A Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS		12 0

#### Lithium-Ion battery pack

#### TBLI12152





Volts:12V Lithium-lon 1.5Ah battery One battery fits all S12 multiple tools Packed by color box

Unit	PACK/QTY	Qty/Ctn
DOC		20

## Cordless impact drill

#### TIDLI1222



Voltage:12V No-load speed:0-400/0-1500rpm Max impact rate:0-5500/0-20000bpm Max torque:25NM Chuck capacity:0.8-10mm Torque settings:18+1+1 Auto-lock keyless chuck Mechanical 2-speed gear Charge Volts:220-240V-50/60Hz Integrated work light LED battery power indicator

With 2pcs 1.5Ah battery pack (TBL112151) With 1pcs charger (TCL112071) With 1pcs Cr-V 65mm bit With 3PCS masonry drill bits

PACK/QTY	Qty/Ctn
1 PCS	5

## Impact drill

## TG1061356-2

#### 680W



Voltage:220-240V~50/60Hz Voltage:220-240V\*S0/60H2 Input powerfs80W No-load speed:0-3000rpm Max.drilling capacity:13mm 13mm keyless chuck Variable speed control Forward/Reverse switch Hammer function Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	'	10

## TG1061336



Voltage:220-240V~50/60Hz Input power:650W No-load speed:0-3000rpm No-load speed:0-3000/pm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function With 1set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		5

#### Impact drill

Impact drill

#### TG1081316

#### 810W



Voltage: 220-240V-50/60Hz Input power: 810W No-load speed: 0-2800rpm Max.drilling capacity: 13mm Variable speed control Forward/Reverse switch Hammer function With 1set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Impact drill

#### TG109136

#### 850W



Voltage:220-240V-50/60Hz Input power:850W No-load speed:0-2700rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function With Iset extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

## Electric drill

#### TD45656







Voltage:220-240V-50/60Hz Input power:450W No-load speed:0-4300rpm Max.drilling capacity:6.5mm Variable speed control Froward/Reverse switch With lset extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		10

#### Mixer

TD614006



Voltage:220-240V-50/60Hz Input power:1400W No-load speed:0-500rpm/0-750rpm Mixing pad thread:M4 Aluminum gear box Integrated work light With Ipcs mixing pad With Iset extra carbon brushes Packed by color box

Unit	PACK /QTY	Qty/ Ctn
PCS	1	2

#### Impact Drill

#### TG106136



Voltage:220-240V-50/60Hz Input power650W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function With 1set extra carbon brushes Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1	
PCS		5

#### Impact drill

#### TG108136

#### 750W



Voltage:220-240V-50/60Hz Input power:750W No-load speed:0-3000rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function With 1set extra carbon brushes Packed by color box

Unit	PACK /QTY	Qty/Ctn
	7	
PCS		5

INDUSTRIAL

INDUSTRIAL

INDUSTRIAL

#### Impact drill

#### TG111136

## 1010W



Voltage:220-240V-50/60Hz Input power:1010W No-load speed:0-2800rpm Max.drilling capacity:13mm Variable speed control Forward/Reverse switch Hammer function Aluminum gear box With Iset extra carbon brushes Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	5

## Electric drill

#### TD2051026-2



Voltage:220-240V-50/60Hz Input power500W No-load speed:0-3300rpm Max.drilling capacity:10mm 10mm keyless chuck Variable speed control Froward/Reverse switch With Iset extra carbon brushes Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	5

#### Impact wrench

## TIW10101



Voltage:220-240V~50/60Hz Input power:1050W No-load speed:2300rpm Max torque:550NM Square drive:1/2" Aluminum gear box with rubber With 6pcs sockets[71,81,92,123,24mm) With 1pcs 125mm adaptor With 1sex extra carbon brushes Packed by BMC

Unit	PACK /QTY	Qty/Ctn
	1	
PCS		2

#### Rotary hammer

#### TH115326



Voltage:220-240V-50/60Hz
Input power:I500W
No-load speed:350rpm
Impact rate:4400bpm
Impact are:4400bpm
Impact energy:5.51
Max.drilling capacity:
Concrete:32mm
Wood:40mm
Wood:40mm
Wood:40mm
SDS plus chuck system
Anti-vibration system
Chisel-locking system
With 3 drills and 2 chisels
With 1set extra carbon brushes
Packed by BMC
Unit

Unit

PACK/QTY Qty/Ctn PCS 2

#### TH118366

## 1800W 36mm(1-7/16")



Voltage:220-240V~50/60Hz Input power:1800W No-load speed:850rpm Impact rate:4200bpm Impact energy:7.03 Max.drilling capacity: Concrete:36mm Steel:13mm Wood:42mm Steel:Jämm
Wood:42mm
SDS plus chuck system
Chisel-locking system
Double Anti-vibration system
With 3 drills and 2 chisels
With 1set extra carbon brushes
Packed by BMC

PACK/OTY Qty/Ctn PCS 2

#### Rotary hammer

Ø38mm

#### TH116386





Voltage:220-240V~50/60Hz Input power:1600W No-load speed:550rpm Impact rate:3850bpm Impact energy9.01 Max.drilling capacity: Concrete:38mm Core bit:100mm SDS MAX chuck system Anti-vibration system Anti-vibration system With 2 drills and 2 chiels With 1set extra carbon brushes Packed by BMC

Unit

	PACK/QTY	Qty/Ctr
PCS		2

#### Demolition breaker

Unit

Rotary hammer

#### TH2130016



Demolition breaker

Voltage:220-240V~50/60Hz Voltage:220-240V-50/60Hz Input power:1300W Impact rate:3800bpm Impact force:20J Anti-vibration system HEX chuck system HEX chuck system Ykgs demolition breaker With 2pcs chisels With 1set extra carbon brushes Packed by BMC

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

#### Demolition breaker

#### TH215002

#### 1500W 10.5kg(22lbs)



Voltage:220-240V-50/60Hz Input power:I500W Impact rate:1000-1900bpm Impact force:6-25J Anti-vibration system Auto-stop carbon brushes Constant electronics power Chisel-locking system 5DS-MAX chuck system 10Kgs demolition breaker With 2pcs chisels With Iset extra carbon brushes Packed by BMC

Unit	PACK/QTY	Qty/Ctn
DCC	1	,

#### TH220502



Voltage:220-240V-50/60Hz Input power:2200W Impact rate:950bpm Impact force:753 Anti-vibration system Auto-stop carbon brushes HE-molition system 47ff/HBber cable With 2pcs chisels With 1set extra

carbon brushes Packed

Unit	PACK/QTY	Qty/Ctn
DCC	1	

## Heat gun

#### TB20056

2000W





Voltage: 220V-240V-50/60Hz Input power: 2000W Temperature: 50/50-600°C/50-600°C Airflow: 450/500/450 L/min Adjustable temperature with LCD display for precise control Cable length:2M Include: Include: 1 Pcs reduction nozzle

1 Pcs reflector nozzle 1 Pcs flat nozzle 1 Pcs scraper Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

## Aspirator blower



INDUSTRIAL



Voltage: 220-240V~50/60Hz Input power: 400W No-load speed: 14000rpm Max.blowing rate: 3.2m³/min Cable length: 2m Include: 1Pcs dust bag Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS	1	4

#### Aspirator blower

## TB6036





Voltage: 220-240V-50/60Hz Input power: 650W No-load speed: 0-16000rpm Blowing rate: 0-4.0m³/min Variable speed control Cable length: 2m Include: 1Pcs dust bag Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	4

#### Aspirator blower

## TB2086

TB4036



Voltage:220-240V~50/60Hz Input power:800W No-load speed:0-15000rpm Blowing rate:0-4.5m²/min Variable speed control Include: 1 Pcs dust bag 1 Pcs flexible tube 2 Pcs surtion pozzles 2 Pcs suction nozzles 1 Set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Circular saw

#### TS11418526

## 1400W 185mm(7-1/4")



Voltage: 220-240V-50/60Hz Input power:1400W No-load speed:4800rpm Blade diameter:185x20mm Cutting capacity: 45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1set extra carbon brushes With Ipcs 185mm blade Packed by color box

Unit	PACK/QTY	Qty/ Ctn
200	1	
PCS		,

#### TS1141856

#### 1400W



Voltage: 220-240V-50/60Hz Input power:1400W No-load speed:4800rpm Blade diameter:185x20mm Cutting capacity 45 degree:45mm 90 degree:65mm Adjustable cutting depth Adjustable bevel cutting With 1pcs 185mm blade Packed by color box

Unit	PACK/QTY	Qty/Ctn	
	1		
PCS		2	

#### Circular saw

#### TS1161856



Voltage:220-240V-50/60Hz Input power:1600W No-load speed:5000rpm Blade diameter:185x20mm Cutting capacity: 45 degree:45mm 90 Adjustable degrangStepth Adjustable bevel cutting With 1set extra carbon brushes With 1pcs 185mm blade Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	2

#### Circular saw

Circular saw

#### TS1222356



Voltage:220-240V-50/60Hz Input power:2200W No-load speed:3800rpm Blade diameter: 258x25.4mm Cutting capacity: 45 degree:65mm 90 degree:80mm Cutting housing.adj.6dj.stal.blevel cutting With 1set extra carbon brushes With 1pcs 235mm blade Packed by color box

Unit	PACK /QTY	Qty/Ctn
OTHE	1	Qty/Ctri
PCS	'	2

INDUSTRIAL

#### Multi function saw

#### TMFS7501

#### 750W 125mm(5")



Voltage:220-240V~50/60Hz Input power:750W No-load speed:4700rpm Cutting capacity: 45 dearee:31mm 90 degree:47mm With 1pcs 125x22,2mm TCT blade With 1pcs 125x22.2mm diamond cutting disc With 1set extra carbon brushes

Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	4

## TS206656



Voltage:220-240V-50/60Hz Input power:570W No-load speed:800-3000rpm Cutting capacity: Wood:65mm Steel:8mm Variable speed control 4 step pendulum function With 3pcs saw blades With 1set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	5

## Jig saw

## TS206806



Voltage:220-240V-50/60Hz Input power.650W No-load speed:800-2800rpm Cutting capacity: Wood:80mm Steel:8mm Variable speed control 4 step pendulum function With Spcs saw blades With Iset extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	5

#### TS2081006



Voltage:220-240V-50/60Hz Input power:800W No-load speed:800-3000rpm Cutting capacity: Wood:100mm Steel:10mm Variable speed control 4 step pendulum function Aluminum base With Spcs saw blades With Spcs saw blades With Spcs save speed:200 prosesses packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

INDUSTRIAL

#### Jig saw

## TS2081356



Voltage:220-240V~50/60Hz Input power:800W No-load speed:800-3100rpm Cutting capacity: Wood:35mm Stoel:10mm Wood:135mm Steel:10mm Variable speed control 4 step pendulum function Aluminum base Aluminum gear box With Spcs saw blades With Iset extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

#### Palm sander

Jig saw

Jig saw

## TF2231106





Voltage 220-240V~50/60Hz Voltage 220-240V-50/60Hz Input power:240W No-load speed:14000rpm Sottom base:110mmx100mm With 5pcs sand papers(TAC74914112) With 1set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Finishing sander

#### TF1301826

#### 320W

90x180mm



Voltage: 220-240V-50/60Hz Input power:320W No-load speed:14000rpm Bottom base:90mmxl80mm Aluminum durable base With Spcs sand papers(TAC749241-1) With Iset extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/ Ctn
0.00	1	_
PCS		6

#### Rotary sander

#### TF2041506

#### 450W Ø150mm



Voltage:220-240V~50/60Hz Input power:450W No-load speed:4000-13000rpm Dia of sanding pad:150mm Velcrops base
Variable speed control
With 5pcs sand papers (TAC731501)
With 1set extra carbon brushes
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	6

#### Multi tool blade set

#### TAKTMT1502

## 15PCS/SET





x10



15pcs/set lspcs/set lpcs BIM(M2) Segment saw blade, Dia.87mm(3-7/16") lpcs Delta sanding Pad, size:80mm

Aluminum-Oxide delta sandpaper for 10pcs

Wood, size:80mm(3-1/8")
1pcs CRV Radial flush-cut wood saw blade, size:34mm(1-5/16")
1pca Bi-Metal standard flush-cut metal

lpca BI-Metal statitudia (163), sawblade, size:34mm(1-5/16") lpcs Rigid scraper, size:50mm(2") Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	10	40

#### Electric router

#### TR111226





Voltage:220-240V~50/60Hz Input power:2200W No-load speed:14000-20000rpm Collet size:6mm,8mm;12mm;1/4";1/2" Plunge capacity:0-60mm Variable speed control With Ipcs speed control With Ipcs template guide With Ipcs template guide With lipcs straight guide With sextra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/ Ctn	
	,		
DCS		2	

#### Biscuit jointer

## TS70906



Voltage:220V-240V~50/60Hz Voltage:220V-240V~50/60Hz Input power:950W No load speed: 11000rpm Blade diameter:100mm With 15pcs biscuit dowels With 1set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	4

#### Finishing sander

#### TF1302206

#### 220x110mm



Voltage:220-240V~50/60Hz Input power:350W No-load speed:11000rpm Bottom base:220mmx110mm Aluminum base
With 5pcs sand papers(TAC74926115)
With 1set extra carbon brushes
Packed by color box

Unit	PACK /QTY	Qty/Ctn
PCS	1	6

#### Multi-function tools

#### TS3006



#### 300W



Voltage: 220-240V~50/60Hz Input power:300W No-load speed:10000-20000rpm With 1pcs flexibel scraper blade With 1pcs cutting blade With 1pcs segment saw blade With 1pcs delta sand pad With 3pcs sand papers Pack by color box

Unit	PACK/QTY	Qty/Ctn
	,	
PCS		8

INDUSTRIAL

INDUSTRU

INDUSTRIAL

#### Electric router

#### TR111216



Voltage:220-240V~50/60Hz 

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

## Laminate trimmer

#### TLT6001



Voltage:220-240V-50/60Hz Input power:600W No-load speed: 34500rpm Collet size: 6mm and 1/4" Include: 2Pcs template guide 1Pcs WoRDORFER deller all 1Pcs linear guide 1Set roller components 1Set extra carbon brushes Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

## HVLP spray gun

## TT5006

## 550W



Voltage:220-240V-50/60Hz Input power:550W Spraying Pressure:0.1-0.2Bar Max flow:850ml/min Max. viscosity:120DIN-5 Container capacity:800ml Power cord length:2.0m Accessories: Accessories:
1x viscosity measuring cup
1x nozzle cleaning needle
1x shoulder strap
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### HVLP spray gun

#### TT5006-2

# 550W

Voltage:220-240V~50/60Hz Input power:550W Spraying Pressure:0.1-0.2Bar Max flow:850ml/min Max. viscosity:120DIN-s Power cord length:2.0m 800ml Aluminum container Accessories: lx viscosity measuring cup lx nozzle cleaning needle lx shoulder strap Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		4

#### TDWS7501





Voltage:220-240V~50/60Hz 

lset extra carbon Packed by color box

Unit	PACK /QTY	Qty/Ctn
	FACK/QII	QLy/Cti1
PCS		2

#### Drywall sander

#### TWS10501

Stainless Tank



Voltage:220-240V-50/60Hz
Input power:1050W
No-load speed:600-2600rpm
Grinding pad diameter:215mm
Sanding paper diameter:225mm
Tube diameter:32mm
Dust hose diameter:33mm
Integrated work light
With 12pcs sand papers
With 3pcs connection adapters
With 2m flexible pipe
With 1pcs extension bar
With 1pcs dust bag
With 1set settra carbon brushes
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	2

#### Marble cutter

Diamond disc

Diamond disc for asphalt and concrete cutting

Drywall sander

#### TS3141102



Voltage:220-240V~50/60Hz Input power:1400W No-load speed:13000rpm Diameter of blade:110x20mm Max.cutting capacity:34mm Adjustable cutting depth Include lpcs dry diamond disc Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Wall chaser

#### TWLC1256



Voltage:220-240V-50/60Hz
Input power:I500W No-load speed:0500rpm Disc diameter:I25mm Spindle thread:MI4 Cutting depth:3-29mm Cutting width:8-30mm With 1pcs chisel With 1pcs auxiliary handle With Iset extra carbon brushes With 4pcs cutting discs Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	1	

#### TAC111254

125



125(5")X22.2mm Blade width:7.5mm Match with TWLC1256 & UTWLC1256 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	25	10 0

#### Concrete cutter

#### TPC9203556

## TAC2113551

#### INDUSTRIAL

INDUSTRIAL

#### 2800W

## Ø335mm



Voltage:220-240V~50/60Hz Input power:2800W Blade size:355mmx25.4mm No-load speed:4800rpm Max.cutting depth:120mm With Iset extra carbon brushes With Ipcs 355mm cutting disc With Ipcs 55m water pipe Packed by carton box

Unit	PACK/QTY	Qty/ Ctn	
	1		
DCS		1	

## 355



355mm(14")X25.4mm Blade width:12mm Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCC		10
PCS	5	10

#### Mini grinder

## TG513326



Voltage:220-240V-50/60Hz Input power:ISOW No-load speed:i0000-35000rpm Collet size:3.2mm/2.3mm Variable speed control With 1pcs flexible shaft With 109pcs accessories With 1set extra carbon brushes Packed by BMC

Unit	PACK/QTY	Qty/ Ctn
PCS	1	5

#### Mini grinder

## TG2006



Voltage:220V-240V~50/60Hz Input power:200W No-load speed:10000-40000rpm Collet size:3.2mm/2.3mm LCD display Variable speed control With Ipcs flexible shaft With I49pcs accessories With Ipcs safe guard With Ipcs cutting guide With Ipcs cutting guide With Set extra carbon brushes Packed by BMC

Unit	PACK/QTY	Qty/Ctn
PCS	,	
PCS		5

#### Accessories of mini drill

#### TAKMG4208

#### 420PCS/SET



420 Pcs accessories of mini drill set

420 Pcs accessories of mini drill set
1.40pcs Sand ring
2.7pcs Baize
3.2pcs Bullet felt
4.1pcs Cloth wheel
5.4pcs Rubber polishing wheel
6.6pcs Twist drill,3pcs milling cutter
7.1pcs Diamond saw blade,1pcs stainless
steel Saw blade
8.3pc Fixed rod for grinding wheel
9.10pcs King kong grinding
needle 10.10pcs Diamond grinding
needle 10.10pcs Diamond grinding
head 11.9pcs Grinding head 12.9pcs
Brush 13.4pcs Chuck

Unit	PACK/QTY	Qty/Ctn
SET	10	20

#### Glass and stone working set for mini drill

#### TAKMG2012



12Pcs glass and stone working set Shank size:1/8" 3Pcs diamond drill 4pcs grinding stone 4Pcs impregnated wheel 1Pcs mandrel Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	20	40

#### leaning and polishing set for mini drii

#### TAKMG6020



20Pcs cleaning and polishing set 20Pcs cleaning and polish Shank size:1/8" 2pcs mandrel 3pcs nylon brush 1Pcs wire brush 9Pcs Polishing Wheel 2Pcs Impregnated Wheel 1Pcs wool bullet 1Pcs grinding stone 1Pcs polishing compound Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	20	40

#### Die grinder

#### TG504062

400W





Voltage:220-240V-50/60Hz Input power:400W No-load speed:15000-26000rpm Collet size:6mm Variable speed control Aluminum gear housing With 1set extra carbon brushes With 3pcs mounted points Packed by color box

Unit	PACK/QTY	Qty/Ctn
	7	
PCS		10

INDUSTRIAL)

#### Heat gun

## 2000W

TB20036



Voltage:220-240V-50/60Hz Input power:2000W Temperature:480°C/560°C Airflow:250/380 L/min Include: I Pcs reduction nozzle I Pcs refector nozzle I Pcs sraper: I Pcs scraper I Pcs scraper Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

#### General use set for mini drill

#### TAKMG7072



73Pcs general purpose set Shank size:1/8" 4Pcs sanding Band 2Pcs grinding stone Ipcs nylon brush 2pcs mandrel IPcs High Speed Cutter 4Pcs Polishing Wheel IPcs Reinforced Cut-Off Wheel IPcs nolishing compound IPCs polishing compound 36Pcs Cut-Off Wheel 20Pcs sanding Disc Ipcs sanding drum with mandrel Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	20	40

#### Sanding and grinding set for mini drill

#### TAKMG5031



32Pcs sanding and grinding set Shank size:1/8" IPcs Cut-Offf wheel IPcs abrasive buff 9Pcs sanding Band 4pcs grinding stone ISPcs sanding Disc Ipcs mandrel Ipcs sanding drum with mandrel Packed by plastic box

Unit PACK/QTY Qty/Ctn SET 40 20

#### Wood carving and sanding set for mini drill

#### TAKMG1030



31Pcs wood carving and sanding set Shank size:1/8" 3Pcs carving Bit 5Pcs sanding Band 20Pcs sanding Disc IPcs drill Bit 1Pcs mandrel 1pcs sanding drum with mandrel Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	20	40

#### Accessories for die grinder

#### TAKB0501



Accessories for die grinder Suitable for Die grinder TG55061 IPCS Cylindrical 16\*25mm IPCS Bullet type 20\*21mm IPCS Cone 20\*32mm IPCS T-Type 24\*10mm IPCS Round 20\*20mm Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
SFT	25	10.0

## Heat gun

## TB2006



## 2000W



Voltage:220-240V-50/60Hz Input power:2000W Temperature:50°C/580°C/570°C Airflow:500 /300/500 L/min Include: 1 Pcs reduction nozzle 2 Pcs reflector nozzle 1 Pcs flat nozzle 1 Pcs screen

Unit	PACK/QTY	Qty/Ctn
PCS	1	8

#### Cut off saw

#### TS92035526

#### 2350W

Ø355mm



Voltage:220-240V-50/60Hz Input power:2350W Blade size:355mmx25.4mm No-load speed:3800rpm Max.cutting capacity: 100mm in round pipe 100mmx100mm in square steel 120mmx100mm in restangle Max.cutting steel bar:50mm With lest extra carbon brushes With lpcs 355mm cutting disc Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		1

#### Cut off saw

#### TS92435526

2400W



Voltage:220-240V-50/60Hz Input power:2400W No-load speed:3900pm Blade size:355mmx25.4mm Max.cutting capacity: 100mm in round pipe 100mmx100mm in square steel 120mmx100mm in rectangle Max.cutting steel bar:50mm With Ipcs 355mm cutting disc Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

#### Table saw

#### TS526043

#### 2600W Ø254mm



Voltage:220-240V-50/60Hz

Tinput
power:2600W No-load speed:4800rpm
Blade size:254mmx25.4mm Max cutting
capacity: 45 degree:60mm 90
degree:86mm Main table
size:643mmx649mm Extension table size
left: 643mmx65mm Extension table size
left: 643mmx65mm Extension table size
right:643mmx10mm Extension table
size(rear): 549mmx60mm Positive stops at
90° and 45° 44-leg steel stand for rigidity
and stability 1 Set extra carbon brushes
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Tile cutter

## TS6112501

## 1100W



Voltage:220-240V~50Hz Input power:1100W No-load deed:2950rpm Blade ze:250mmx25.4mm Table speed:2950rpm size:250mmx25.4mm size:1060mmx510mm

Max.cutting width:920mm
Max.cutting depth: 45
degree:48mm Saw 90
degree:60mm range:0°.45°
Worktable bevel range:0°.45°
Packed by carton box

Unit	PACK/QTY	Qty/ Ctn	
	,		
DCS		1	

#### Drill press

## TDP207502



Voltage:220-240V~50Hz Input power:750W No-load speed:180-2770rpm Max.drilling capacity:20mm Spindle speed settings:16 Column diameter:70mm Table size:290mmx290mm Base size:460mmx270mm Machine height:1600mm Machine net weight:50Kgs Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

#### Cut off saw

#### TS9243558





Voltage:220-240V~50/60Hz Voltage:220-240V-50/60Hz Input power:2400W No-load speed:3900rpm Blade size:555mmx25.4mm Max.cutting capacity. 100mm in round pipe 100mmx100mm in square steel 120mmx100mm in restangle Max.cutting steel bar:50mm With 1pcs 355mm cutting disc Packed by color box

Unit	PACK /QTY	Qty/Ctn
	7	0 3,
PCS		1

#### Mitre saw

#### TS42163051



Voltage:220-240V-50Hz Input power:1600W No-load speed;2800rpm Blade size:305mmx30mm Induction motor Max.cutting capacity:60mmx185mm Mitre cuts 0-45°left and right Bevel cuts up to 45°to the left With 2pcs extension bars With 1pcs TCT blade With 1pcs dust bag Packed by color box

Unit	PACK/QTY	Qty/Ctn
	,	
PCS		1

#### Tile cutter

#### TS6082001

#### 800W



Voltage:220-240V~50Hz
Input power:800W No-load speed:2950rpm Blade size:200mmx25.4mm
Max.cutting width:620mm
Max.cutting depth: 90 degree:36mm Saw body tilting range:0°-45° Worktable bevel range:0°-45° Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### **Drill press**

## TDP133501



Voltage:220-240V-50Hz Input power:350W No-load speed:580-2650rpm Max.drilling capacity:13mm Adjustable working table Spindle speed settings:5 Spindle travel:50mm Column diameter:46mm Table size:160mmx160mm Base size:291mmx183mm Net weight:19Kgs Machine height:590mm Packed by color box

Unit	PACK/QTY	Qty/Ctn	
PCS	1	1	

#### Bench grinder

## TBG15015

#### 150W



Voltage:220-240V-50Hz Input power:150W No-load speed;2950rpm Wheel size:150mm Adjustable work rest Heavy duty aluminum base Include lset eye shields Include plos tool storage box Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Bench grinder

#### TBG35020

#### 350W 200mm(8") Heavy Duty Aluminum Base



Voltage:220-240V~50Hz Input power350W No-load speed:2950rpm Wheel stze:200mm Adjustable work rest Heavy duty aluminum base Include liset eye shields Include lipes tool storage box Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	7	
PCS		1

#### TS730301





Voltage:220-240V-50Hz Input power:350W Max.cutting depth:80mm Max.cutting width:230mm Table size:300mm:300mm Table tilting range:0°-45° Blade length:1575mm Blade width:635mm Blade width:635mm Blade teeth:61Fl Blade thickness:0.3mm Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Diamond drilling machine

#### TDDM28001



Voltage:220-240V-50/60Hz Input power:2800W No-load speed:800rpm Max. drilling diameter:200mm Spindle thread:M22 With drilling stand With 1 set carbon brushes With leakage protection switch Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Electric hoist

Band saw

#### TLH1952



Voltage:220-240V~50Hz Input power:900W Lifting weight:250Kgs(Single line) 500Kgs (Double line)

Lifting height:18m(Single line),9m(Double line)
Lifting speed:10m/min(Single line),5m/min
(Double line) Emergency stop switch

Thermal protection terminal Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

#### Plastic tube welding tools

#### TT328151





Voltage:220V-240V~50/60Hz Rated power:800W/I500W Welding diameter:20-63mm Working temperature:0-300°C Applying to:PP-R,PB,PE,PE-RT

Applying 10:PP-R,PB,PE,PE-RI With 6pcs welding sockets:20,25,32,40,50,63mm With 1pcs specutier With 1pcs screwdriver With 1pcs tape With 1pcs hex key Packed by metal box

Unit	PACK /QTY	Qty/Ctn
	,	
DCC		7

## Glue gun

#### TT101116

#### 20W(Max.100W)



Voltage:220-240V~50/60Hz Input power:20W(100W) Gluing capacity:15-22g/min Glue stick diameter:11.2mm With 2pcs 150mm glue sticks Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCC	6	36

#### Glue gun stick

Soldering gun with solder feeder

#### TACGT2061

## 11x200mm



Meterial: petroleum resin Diameter:11.2mm Length: 20cm With 6 pcs stick Packed by blister card

Unit	PACK/QTY	Qty/ Ctn
SET	10	12 0

#### TET1100831



Voltage:220-240V~50/60Hz Input power:100W
Preheat.time:20 seconds
Straight, tip head
Temperature can be adjusted by rotating and

thermostatic

Suilt-in ceramic heating element for fast and stable heating, easy to replace With a piece of stand and protect cap Long life replaceble tip Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	25	50

INDUSTRIAL

## Electric soldering iron

Electric soldering iron

## TET160732





Voltage:220-240V~50/60Hz Input power:90W Preheat.time:20 seconds Straight, tip head with Solder Wire Feeder

Temperature can be adjusted by rotating and

thermostatic
Built-in ceramic heating element for fast and stable heating, easy to replace
Long life replaceble tip
Packed by sliding card

Unit PACK/OTY Qty/Ctn 48 PCS 24

## TET1406



Voltage:220-240V~50/60Hz Input power:40W Preheat.time:3~5minutes Straight,tip head With a piece of support Long life replaceble tip Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	25	50

#### Electric soldering iron

#### TET1606



Voltage:220-240V~50/60Hz Input power:60W Preheat.time:3-5-minutes Straight,tip head With a piece of support Long life replaceble tip Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
Offic	TACK/QIT	50
PCS	25	50

#### Inverter MMA welding machine

#### TW21606



IGBT inverter technology Input voltage(Y):7-220-240 Output Frequency(Hz):50/60 Duty currence(A):W186/A@40% LCD display No-Max.output of

load voltage(V):85 Anti-stick/Hot current(A)/ARC-force Wint) Pless electrode electrode(ব্যৱসামিতি এচ)e With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box voltage(V):85

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		4

#### Inverter MMA welding machine

#### TW21302



IGBT inverter technology Input voltage(V):1~220-240 Frequency(Hz):50/60 Output current(A):15-130 Duty cycle(%):130A@45% LCD display No-load voltage(V):75 Maxoutput current(A):30 Diameter of electrode(mm):1.6-3.2 Anti-stick/Hot start/Arc-force With 1pcs earth clamp with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Inverter MMA welding machine

#### TW21605



IGBT inverter technology Input voltage(V):1~220-240 Frequency(Hz):50/60 Output current(A):10-160 Duty cycle(%):160A@60% LCD display No-load voltage(V):65 Max output current(A):160

No-load voltage(V)/65
Maxoutput current(A):160
Diameter of electrode(mm):1.6-4.0
Anti-stick/Hot start/Arc-force
With Ipcs electrode holder with cable
With Ipcs earth clamp with cable
With Ipcs wire brush and Ipcs helmet
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

INDUSTRIAL

## Inverter MMA welding machine

## TW25005



IGBT inverter technology Input voltage(N):380-400 Phase:Three Frequency(H2):50/60 Output current(A):20-500 Duty cycle(%):500A@60% No accessories included No-load voltage(N):75 Included No-load voltage(N):75 Diameter of electrods(mm):25-60 Darked by current(A):500 Diameter of electrode(mm):2.5-6.0 Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

#### Electric soldering iron

#### TFT2606





Voltage:220-240V~50/60Hz Input power:60W Preheat.time:3~5minutes Bent,flat head With a piece of support Long life replaceble tip Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	25	50

#### Inverter MMA welding machine

#### TW21806



IGBT inverter technology Input voltage(V):1-220-240 Frequency(Hz):50/500 Output current(A):10-180 Duty cycle(%):180A@40% LCD display No-load voltage(V):85 Max.output current(A):180 Diameter of electrode(mm):1.6-4.0 Anti-stick/Hot start/Kar-Grice With 1pcs earth clamp with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Inverter MMA welding machine

#### TW21602



IGBT inverter technology Input voltage(V):1-220-240 Frequency(Hz):50/60 Output current(A):15-160 Duty cycle(%):160A@45% LCD display No-load voltage(V):75 No-load voltage(V):7/5
Max.output current(A):160
Diameter of electrode(mm):16-4,0
Anti-stick/Hot start/Arc-force
With Ipcs electrode holder with cable
With Ipcs earth clamp with cable
With 19cs wire brush and 1pcs helmet
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

INDUSTRIA

#### Inverter MMA welding machine

## TW22005



IGBT inverter technology Input voltage(V):1~220-240 Frequency(Hz):50/60 Output current(A):10-200 Duty cycle(%):200A@60% LCD display No-load voltage(V):70 Max output current(A):200 No-load voltage(V)/70
Maxoutput current(A)/200
Diameter of electrode(mm):16-5.0
Anti-stick/Hot start/Arc-force
With Ipcs electrode holder with cable
With Ipcs earth clamp with cable
With Ipcs wire brush and Ipcs helmet
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

#### Inverter MMA welding machine

## TW21306



IGBT inverter technology Input voltage(V):1-220-240 Frequency(Hz):50/60 Output current(A):10-130 Duty cycle(%):130A@40% LCD display No-load voltage(V):85 Maxoutput current(A):30 Diameter of electrode(mm):1.6-3.2 Anti-stick/Hot start/Kar-Grize With 1pcs electrode holder with cable With 1pcs earth clamp with cable With 1pcs wire brush and 1pcs helmet Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### Inverter plasma cutter

#### TCUT401



IGBT inverter technology Input voltage(V):1~220-240 Frequency(Hz):50/60 Output current(A):15-40A

Duty cycle(%):40% No-load voltage(V):400 Working gas pressure(Mpa):0.45-0.5 With 1pcs plasma torch and copper filter

with 1pcs earth clamp with cable With 1pcs air pipe Packed by color box Ideal for cutting stainless steel,iron,alloy steel

etc		
Unit	PACK/QTY	Qty/Ctn
PCS	'	1

#### Electrode holder

#### TWAH5006



Unique design new design Rated current:500A Netherlands type Suitable for MMA welding machine(Below 500A)
Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		30

#### Electrode holder

#### TWAH10006





Unique design new design Rated current:1000A Suitable for MMA welding machine(Below 630A) Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCC	1	70

#### Magnetic welding holder

#### TAMWH75052



Magnetic Welding Holder Pull Force: 75 Lbs Specifications: 5" Product Dimensions

Weight: 1041g Angles: 45°,90°,135° Material: Magnet and Steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	18

#### Magnetic welding holder

## TAMWH50046



Multi-angle Magnetic Welding Holder Pull Force: 50 Lbs Specifications

Product Dimensions: 178\*90\*17.2mm

Weight: 542g

Angles: 30°,45°,60°,75°,90°,105°,120°,135°,150

Material: Magnet and Steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	30

#### Electrode holder

#### TWAH3006



Unique design new design Rated current:300A Suitable for MMA welding machine Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	40
PCS		40

#### Electrode holder

#### TWAH8006



Unique design new design Rated current:800A Suitable for MMA welder(Below 630A) Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	30
PCS		30

#### Magnetic welding holder

#### TAMWH50042



Magnetic Welding Holder Pull Force: 50 Lbs Specifications: 4" Product Dimensions: 155\*102\*17.4mm

Weight: 591g Angles: 45°,90°,135° Material: Magnet and Steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCC	_	30

#### Magnetic welding holder

#### TAMWH25036



Multi-angle Magnetic Welding Holder Pull Force: 25 Lbs Specifications: 3" Product Dimensions: 117\*90\*17.1mm

Weight: 300g Angles: 30°,45°,60°,75°,90°,105°,120°,135°,150

Material: Magnet and Steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
		48
PCS	6	40

#### Magnetic welding holder

## TAMWH75056



Multi-angle Magnetic Welding Holder Pull Force: 75 Lbs Specifications:5" Product Dimensions:144\*110\*25mm Weight: 1008g

Anales:

30°,45°,60°,75°,90°,105°,120°,135°,150

Material: Magnet and Steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	18

#### Battery charger

#### TBC1501







Input voltage(V):1~220-240 Frequency(Hz):50/60 Charging voltage(V):6/12 Rated current(A):6 Reference capacity(Ah):40-90 Insulation class:H Weight(kg):3.4 Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		4

#### Booster cable

#### PBCA12001

#### 200A



Current: 200AMP Clamp size: 15.6x9.1cm Cable material :copper coated aluminum Cable outside diameter:8mm Cable length: 2.5m Packed by color box

Unit	PACK/QTY	Qty/Ctn
SFT	1	
OE1		12

#### Booster cable with lamp

#### PBCA16008L



Current: 600AMP With LED lamp
Clamp size :18x11cm
Cable material :copper coated aluminum
Cable outside diameter:10mm Cable length :3m Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	8

#### Gasoline generator

#### TP130005-1



Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):3.0
Rated output(kW):2.8
Rated speed(rpm):3000
Engine:4 stroke,OHV
Displacement(mL):210
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil-Electric
Aluminum coil alternator
Fuel tank(L):15
Dry weight(kg):46.5
Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
DCS	1	1

#### Gasoline generator

## TP135006E



Rated voltage(V):220-240 Rated frequency(Hz):50 Max.output(kW):3.5 Rated output(kW):2.8 Rated speed(rpm):3000 Engine:4 stroke,OHV Displacement(mL):208 Cooling system/Air-cooled Displacement(mL)20s Cooling system:Air-cooled Ignition system:T.C.I Starting system:Recoil+Electric Copper coil alternator Fuel tank(L):15 Dry weight(kg):51 With 1 set auxiliary handle and wheels Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Battery charger

#### TBC1601



Input voltage(V):220-240 Frequency(Hz):50/60 Charging voltage(V):12/24 Rated current(A):9/4 Boost current(A):12 Reference capacity(Ah):28-180 Insulation class:H Weight(Rg):5.6 Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		4
PCS	ı	4

#### Booster cable

#### PBCA16008

#### 600A



Current: 600AMP Clamp size:18x10cm Cable material :copper coated aluminum Cable outside diameter:10mm Cable length:3m Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET	1	8

#### Gasoline generator

#### TP130005





Rated voltage(V):220-240
Rated frequency(H2):50
Max.output(kW):3.0
Rated output(kW):28
Rated speed(rpm):3000
Engine's 4stroke,OHV
Displacement(mL):210
Cooling system-Air-cooled
Ignition system-T.C.I
Starting system-Recoil
Aluminum coil alternator
Fuel tank(L):15
Dry weight(kg):42
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

INDUSTRIAL

#### Gasoline generator

#### TP135006





Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):35
Rated output(kW):28
Rated speed(rpm):3000
Engine's 4stroke,OHV
Displacement(mL):208
Cooling system:Air-cooled
Ignition system:Recoil
Starting system:Recoil
Topper coil alternator
Fuel tank(L):15
Dry weight(kg):42
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

## Gasoline generator

## TP155001





Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):5.5
Rated output(kW):5.5
Rated output(kW):5.0
Rated speed(pm):3000
Engine:4 stroke,OHV
Displacement(mL):389
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil+Electric
Copper coil alternator
Fuel tank(L):25
Dry weight(kg):77
With 1 set auxiliary handle and wheels
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline generator

#### TP165006



100% Copper Coil Alternator

Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):6.5
Rated output(kW):6.5
Rated output(kW):5.0
Rated speed(pm):3000
Engine:4 stroke,OH2
Displacement(mL):4:20
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil+Electric
Copper wire alternator
Fuel tank(L):25
Dry weight(kg):80
With 1 set auxiliary handle and wheels
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### TP190006



100% Copper Coil Alternator

Rated voltage(V):220-240
Rated frequency(Hz):50
Max.output(kW):9.0
Rated output(kW):75
Rated speed(pm):3000
Engine:4 stroke,OHV
Displacement(In):457
Cooling system:Air-cooled
Ignition system:T.C.I
Starting system:Recoil+Electric
Copper coil alternator
12V 14ah maintenance-free battery
Fuel tank(L):25
Dry weight(kg):95
With 1 set auxiliary handle and wheels

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

## Gasoline generator

#### TP1150006



Rated voltage(V):220-240 Rated frequency(Hz):50

Rated frequency(rrz,rsv
Phasesingle
Max.output(kW):12.0
Rated output(kW):11.0
Rated speed(rpm):3000
Engine:V Twin cylinde, 4-stroke, OHV, air

cooled

cooled Displacement(mL):713 THD at full load-5% One push start with battery Digit meter(Hrs,Hz,V) Ignition system:T.C.I Starting system:Electric Copper coil alternator

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline generator

Gasoline generator

#### TP1200006



Rated voltage(V):220-240 Rated frequency(Hz):50

Rated frequency(nrz,zo)
Phasesingle
Max.output(kW):19.0
Rated output(kW):17.0
Rated speed(rpm):3000
Engine:V Twin cylinde, 4-stroke, OHV, air

cooled cooled
Displacement(mL):999
THD at full load<5%
One push start with battery
Digit meter(Hrs,Hz,V)
Ignition system:T.C.I
Starting system:One push start with battery
Copper coil alternator

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline generator

#### TP1200006T



Rated voltage: 220-240/380-415 Rated frequency: 50Hz Phase: three Max output: 19.0kW @380-415V Rated output: 17.0kW@380-415V Max output: 6.3kW@220-240V Rated output: 5.7kW@220-240V Rated speed: 3000rpm

Rated speed: Soutpm Engine: Vimir cylinde, 4-stroke, OHV, air cooled Displacement: 999cc THD at full load<5% One push start with battery Digit meter(Hrs,Hz,V) Ignition system: T.C.I

Unit	PACK/QTY	Qty/Ctr
PCS	1	1

#### Inverter gasoline generator

#### TP355001



Inverter technology Rated voltage: 220-240V Rated frequency: 50Hz Max.output: 5.5kW Rated output: 5.0kW

Digit meter(Hrs,Hz,V) With 3-in-1 indicator light (overload + output +

oil alarm light)
With Ipcs DC 12V 2pcs integrated USB
Engine: single cylinder,4 stroke, OHV
Copper coil alternator
Ignition system: T.C.I
Rated speed: variable
With ECO mode

PACK /QTY

Qty/Ctn

#### Inverter gasoline generator

## TP375001



Inverter technology Rated voltage: 220-240V Rated frequency: 50Hz Max.output: 7.5kW Rated output: 7.2kW

Digit meter(Hrs,Hz,V)

With reset switch With 3-in-1 indicator light (overload + output +

oil alarm light) With 1pcs DC 12V ;2pcs integrated USB Engine: single cylinder,4 stroke, OHV Copper coil alternator Ignition system: T.C.I Rated speed: variable

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

#### Inverter gasoline generator

Inverter gasoline generator

Unit

#### TP3120001



Inverter technology Rated voltage: 220-240 Rated frequency: 50Hz Max.output: 11.0kW Rated output: 10.0kW

Digit meter(Hrs,Hz,V) Digit meter(Hrs,Hz,V) With reset switch With 3-in-1 indicator light (overload + output +

oil alarm light) With 1pcs DC 12V ;2pcs integrated USB Engine: single cylinder,4 stroke, OHV Copper coil alternator Ignition system: T.C.I

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

INDUSTRIAL

#### Inverter gasoline generator

## TP515006



Inverter technology Rated voltage: 220-240V Rated frequency: 50Hz Max.output: 1.1kW Rated output: 1.0kW

Starting system: recoil Rated current: 4.3A Noise(7m)@50% load: <=62dB Run time@50% load: 8.0h Output speed: 3300-4800rpm

PCS

Copper coil alternator Outlets: 1pcs 250V 16AMP;1pcs 12V DC 5AMP Engine: single cylinder,4 stroke,OHV,air-cooled PACK /OTY Otv/Ctn Unit

## TP523006



Inverter technology Rated voltage: 220-240V Rated frequency: 50Hz Max.output: 2.0kW Rated output: 1.8kW Starting system: recoil Rated current: 7.8A

> Noise(7m) @50% load <=64dB Run time@50%load: 6.2h Output speed: 3300-5000rp-

m/4100-5000rpm Copper coil alternator Low oil shutdown Outlets:1pcs 250V 16AMP ;1pcs;1pcs 12V Unit

PACK /OTY Otv/Ctn PCS

TP547506E

#### Inverter gasoline generator

#### TP535006

3.2kW J. LOW

S.OH

TUTAL

100% Copper Coil Air

Inverter technology Rated voltage: 220-240V Rated frequency: 50Hz Max.output: 3.2kW Rated output: 3.0kW Starting system: recoil Rated current: 13A Noise(7m) @50% load <=68.3dB

Run time@50%load: 6h Output speed: 3300-4800rpm Low oil shutdown Copper coil alternator Outlets:2pcs 250V 16AMP;1pcs 12V DC

8AMD:2ncs integrated LISB

OAIVIP,Zpcs	integrated 03b	
Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline water pump

#### TP3101



Suction&Discharge port diameter:25mm,1" Max.flow:100L/min Max.head lift:16m Awa.suction head;7m Low oil system 2.5HP gasoline engine displacement:105cc Fuel tank:12L Starting system:Recoil Packed by carton box

Unit	PACK /QTY	Qty/ Ctn
	1	
PCS		

#### Gasoline water pump

#### TP3302



Suction&Discharge port diameter:80mm,3" Max.flow:1000L/min Max.head lift:32m Max.suction head:8m 7.0HP gasoline engine displacement:208cc Fuel tank:3.6L Starting system:Recoil Packed by carton box

Unit	PACK/QTY	Qty/Ctn
DCC	1	1

#### Gasoline high pressure water pump

#### TP3201H



Gasoline high pressure water pump with double impeller Suction port diameter:50mm,2" Discharge port diameter:50mm,2" Discharge port diameter:50mm,2"/40mm,1.5" Max.flow;3001/min Max.head lift:75/80/80m Max suction head:7m 7.5HP gasoline engine Displacement:212cc Fuel tank:3.6L Starting system:Recoil Packed by carton box

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

#### Air compressor

## TCS1110152



Voltage:220-240V-50Hz Input power: 1100W(1.5HP) Tank:ISL(4Gal) Oil free system Noise: 67db Aluminium wire motor No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

## Inverter gasoline generator

# 4.0kW CTHID

100% Copper Coil Alt

Inverter technology Rated voltage:220-240V Rated frequency:50Hz Max.output:4..0kW Rated output:3.8kW Rated Current:16.5A

Noise( 7m)@50% load<=69.6dB Starting system:recoil+electric Run Time @ 50% Load:8.5h Output Speed:3300-4800rpm Copper coil alternator Outlets:2pcs 250V 16AMP;1pcs 12V DC

8amp Engine:Single cylinder,4 stroke,OHV,Air-cooled Unit PACK/QTY Qty/Ctn

#### Gasoline water pump

#### TP3202



1

Suction&Discharge port diameter:50mm,2" Max.flow:550L/min Max.head lift:32m Max.suction head:8m 7.0HP gasoline engine Displacement:208cc Fuel tank:3.6L Starting system:Recoil Packed by carton box

Unit	PACK /QTY	Qty/Ctn
DCC	1	1
PCS		

#### Gasoline water pump

#### TP3401



Suction&Discharge port diameter:100mm,4" Max.flow:1500L/min Max.head lift:30m Max.suction head:8m 9.0HP gasoline engine Displacement:270cc Fuel tank:6.0L Starting system:Recoil Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

## Air compressor

#### TCS1110062



Voltage:220-240V~50Hz Input power: 1100W(1.5HP) Tank:6L(1.6Gal) Oil free system Noise: 67db Aluminium wire motor No-load speed:2850rpm Operation pressure:max.8bar

Packed by carton box

PCS

Unit	PACK/QTY	Qty/Ctn

#### Air compressor

## TCS1110242



Voltage:220-240V-50Hz Input power: 1100W(1.5HP) Tank:241.(6.3Gal) Oil free system Noise: 67db Aluminium wire motor No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

TCS2240508

#### Air compressor

#### TCS1120508





Voltage:220-240V~50Hz Input power:1200W (1.6HP) Tank:50L(13.2Gal) Oil free system Oil free system Noise: 75db Copper wire motor No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box

Unit	PACK/QTY	Qty/Ctn	
DCS	1	1	

## Air compressor



50L 2.4kW (3.2HP)

Voltage:220-240V~50Hz Input power:2×1200W (3.2HP) Tank:50L(13.2Gal) Oil free system Noise: 75db Copper wire motor No-load speed:2850rpm Operation pressure:max.8bar Packed by carton box

Unit	PACK /QTY	Qty/Ctn
	7	-0-5/
PCS		1

#### Air spray gun

#### TAT10401



Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type

connector, Nitto type connector and Italy

Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Air cons:4.2-7.1cfm(119-201l/min) Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Air spray gun

#### TAT10402



Standard nozzle:1.5mm Pattern width:180-250mm Paint capacity:400cc Suitable for base coat With Europe type connector, USA type

connector, Nitto type connector and Italy type connector. Optional nozzle:1.5-2.0mm Operation pressure:3-4bar Air cons:3.5-6.0cfm(99-1701/min) Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	10

#### Air spray gun

#### TAT11001



Standard nozzle:1.5mm Pattern width:140-180mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type

connector, Nitto type connector and Italy type connector

Optional nozzle:1.2-1.8mm Operating pressure:3-4bar Air cons:4.2-7.1cfm(119-2011/min) Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

## Air spray gun



Standard nozzle:1.8mm Pattern width:200-250mm Paint capacity:1000cc Suitable for base coat With Europe type connector, USA type

connector, Nitto type connector and Italy type connector. Optional nozzle:1.4-2.5mm Operating pressure:3-4bar Air cons:4.6-7.1cfm(130-2001/min) Packed by color box

Unit	PACK/QTY	Qty/Ctn
	,	10

#### Air spray gun

#### TAT10601



Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:600cc Suitable for finishing coat With Europe type connector, USA type

connector, Nitto type connector and Italy

Optional nozzle:1.3-2.5mm Operating pressure:2-3.5bar Air cons:4.2-7.1cfm(119-2001/min) Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

## HVLP spray gun

#### TAT11004

TAT11002

/\_Ø 1.8mm



Standard nozzle:1.4mm Pattern width:180-250mm Paint capacity:1000cc Suitable for finishing coat With Europe type connector, USA type

connector, Nitto type connector and Italy type connector.

Optional nozzle:1.3-2.5mm Operating pressure:2.5-3.5bar Air cons:4.2-7.1cfm(119-2001/min) Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Air spray gun

## TAT10605



INDUSTRIAL TOP GRADE SPRAY GUN

Standard nozzle:13mm
Pattern width:180-260mm
Paint capacity:600cc
Suitable for finishing coat,Professional for spray car.

spray car.
With Europe type connector, USA type
connector, Nitto type connector and Italy
type connector.
Operating pressure:20bar
Air cons:5-9cfm(I41-253I/min)
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Air tire inflating gun

## TAT11601



Air tire inflating gun Max pressure:8.5Bar(120PSI) With Europe type connector, USA type connector, Nitto type connector and Italy type connector. Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

TAT3031-3

#### TAT20751



Nozzle size:215mm Washing capacity:0.75L
With Europe type connector, USA type
connector, Nitto type connector and Italy type connector.

Operation pressure:4bar Packed by color box(one color box packs two pieces of TAT20751)

Unit	PACK/QTY	Qty/Ctn
	2	
PCS	2	10

## Air impact wrench

Air washing gun

#### TAT40122



Square drive:12.5mm(1/2") No-load speed:7000/min
Max.torque:610Nm(450Ft-lb)
Weight: 2.6KG
Twin hammer mechanism
With 3 pcs socket (17mm,19mm,21mm)
With 51 pcs socket (17mm,19mm,21mm)

With Europe type connector, USA type connector, Nitto type connector and Italy type connector.

type connector. Air Consumption:142.5I/min(5.0cfm) Air Pressure:6.3bar(90psi) Length:187mm(7.3") Weight:2.6kgs(5.7lbs) Air Inlet:1/4" Air hose:3/8"

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

#### Air impact wrench

#### TAT40342





Square drive:19mm(3/4") No-load Square drive:19mm(3/4") No-load speed:4000 rpm Maxtorque:1600Nm(1180ft) Twin hammer mechanism With hammer mechanism With high speed:4000 pp. 1000 p

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Air impact wrench

#### TAT40111



Square drive:25.4mm(1") No-load speed:3600/min Max.torque:3100Nm(2220Ft-lb) Weight: 18.5KG With universal Air Air Sonector. 502545MPHipu326Fam(16121/72<sup>in</sup>)Air Abse:300000006666 by Gapacity

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		1

#### Air ratchet wrench

## TAT10121





Square Drive: 12.7mm(1/2") Mo-load speed:160RPM
Max.torque:68N.m(50Ft-Lb)
With Europe type connector, USA type
connector, Nitto type connector and Italy type connector. rype connector.
Front Exhaust
Capacity Bolt Size:1/2"(13mm)
Air Inlet (NPT): 1/4"
Air Hose(ID): 3/8"
Air Cons.3cfm(85.5/min)
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

## Air blow gun



Nozzle length:16mm Only with Nitto type connector. Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	25	50

#### 10 Pcs 1/2" deep impact socket set

#### THKISD12102L



10 Pcs 1/2" deep impact socket set size:10.12.13.14.15.17.19.21.22.24mm length:78mm Material:CrMo treatment Packed by BMC

ì	Unit	PACK /
	CET	_

/QTY

#### Air impact wrench

#### TAT41112



Square drive:25mm(I")
No-load speed:4000 rpm
Max.torque:1800Nm(1528ft)
Twin hammer mechanism
With universal connector.
Air Consumption:256(/min(9cfm)
Air Pressure:6.3bar (90psi)
Length:23/4mm(9.2")
Weight:5.9kgs(13lbs)
Air Inlet:5/8"
Air hose:1/2"
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Air sander

## TAT91512



Sanding pad:6"(I50mm) Air Inlet(PT):1/4" With Europe type connector, USA type connector, Nitto type connector and Italy type connector.

No-load Speed RPM:10500 Air Hose(ID):3/8" Air Cons:3cfm(84l/min) Air pressure:90PSI,6.3bar Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

## 2 IN 1 combo brad nailer

## TAT81501



Load capacity:100Pcs Brad size:15-50mm Ga18.1.25X1.0mm Staple size:16-40mm Gal8,1.25X1.0mm Staple crown:5.7mm

With Europe type connector, USA type

with Europe type connector, SSA type connector, Nitto type connector and Italy type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) With 1000pcs brad nails With 200pcs staples Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	5

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

TAT8641

#### TAT83501

# Ga18 15-50mm

Load capacity:100pcs Brad size:15-50mm Ga18,1.25x1.00mm

Ouick-release nosepiece for fast clearing of

jams.
With Europe type connector, USA type
connector, Nitto type connector and Italy
type connector.
Operation pressure:0.4-0.7Mpa(60-100Psi)
With 1000pcs brad nails
Packed by color box

Unit	PACK /QTY	Qty/Ctn
	1	-0-5/
PCS		5

#### Brad nailer

Air brad nailer

#### TAT83301-3

#### Ga18

Wood



Load capacity:100pcs Brad size:10-30mm Ga18;1.25x1.00mm Without safety trigger Only with Nitto type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) Packed by color box

Unit	PACK/QTY	Qty/Ctn
	,	20
PCS		20

#### Brad nail

#### TAC918201

#### 20x1.25x1.0mm/<sub>18Ga</sub>/ 5000PCS



Brad Lenght:20mm 5000pcs/color box Suitable for TAT81501, TAT83501,

January In IAT81501, IAT83501,
TAT83301, TAT83301-3, TCBNLI2005,
TCBNLI2008, TCBNLI5005, TCBNLI5008
Gal8,125X1.0mm
Packed by color box



Unit	PACK/QTY	Qty/Ctn
SET	1	20

#### Brad nail

#### TAC918301





Brad Lenght:30mm 5000pcs/color box Suitable for TAT81501, TAT83501,

TAT83301, TAT83301-3, TCBNLI2005, TCBNLI2008, TCBNLI5008, TCBNLI5008 Ga18,1.25X1.0mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
	7	20
SET		20

#### Crown staple

## TAC920062



Staple size:6mm 5000pcs/color box Suitable for TAT8131-3 Ga20,1.2X0.6mm Staple crown:11.2mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
SFT	1	30
SET		

#### Air concrete nailer



Load capacity:70pcs Nails length:18-64mm Nails diameter:  $\omega$ 2.2mm

With Europe type connector, USA type connector, Nitto type connector and Italy type connector.

Operation pressure:5-8bar(75-116Psi) Packed by color box

Unit PACK/QTY Qty/Ctn PCS 6

#### Brad nail

#### TAC918151



Brad Lenght:15mm 5000pcs/color box Suitable for TAT81501, TAT83501,

TAT83301, TAT83301-3, TCBNLI2005, TCBNLI2008, TCBNLI5008 Ga18,1.25X1.0mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
	1	20
SET		20

#### Brad nail

#### TAC918251

#### 25x1.25x1.0mm/<sub>18Ge</sub>/ 5000PCS



Brad Lenght:25mm 5000pcs/color box Suitable for TAT81501, TAT83501,

TAT83301, TAT83301-3, TCBNLI2005, TCBNLI2008, TCBNLI5008, TCBNLI5008 Ga18,1.25X1.0mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
CET	1	20

## Air stapler

#### TAT8131-3



Load capacity:100Pcs Staple size:6-13mm Ga20,12X0.6mm Staple crown:11.2mm Without safety trigger Only with Nitto type connector. Operation pressure:0.4-0.7Mpa(60-100Psi) Packed by color box



		-	-	٠,
71	n.	-		1
•	•	-	4	1
٨	r		4	ı

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

#### Crown staple

## TAC920082



Staple size:8mm 5000pcs/color box Suitable for TAT8131-3 Ga20,1.2X0.6mm Staple crown:11.2mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
	,	70
SET	1	30

#### Crown staple

#### TAC920102





Staple size:10mm 5000pcs/color box Suitable for TAT8131-3 Ga20,1.2X0.6mm Staple crown:11.2mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
SET	1	30

#### Air grease lubricator

#### THT118302



Capacity:30L

Drum application:330\*430mm Pressure ratio: 50:1 Working pressure:6-8bar Max.free flowrate:850g/min Max.fluid pressure:400bar

Max.fluid pressure:400bar Cylinder dia:70mm Air consumption:250L/min@6.2bar 1/4" inlet and outlet air regulator with water filtering device Grease hose:5M Weight:15KG

Packed by carton box

Unit PACK/QTY Qty/Ctn PCS

#### Air hose

#### THT11101-3



Material:PU Length:10M Only with Nitto type connector. Inner diameter: 5mm External diameter: 8mm Packed by

Unit	PACK/QTY	Qty/Ctn
PCS	5	25

#### Water pump

#### TWP17506



100% Copper Wire Motor

Peripheral Pump Voltage:220-240V~50Hz Rated power:750W(1.0HP) Max.head:52m Max.flow:50L/min Max.suction:8m Pipe diameter:1"xl" Copper wire motor
Stainless steel welding shaft: 304+45#
Electrophoresis pump body Brass impeller 0.3m length cable Packed by carton box

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

#### Water pump

## TWP215006



Centrifugal pump Voltage:220-240V~50Hz Rated power:1500W(2.0HP) Max.head:45m Max.flow:140L/min Max.suction:8m Pipe diameter!"X" copper wire motor Stainless steel welding shaft: 304+45# Electrophoresis pump body Stainless steel impeller 0.3m length cable Packed by carton box Copper wire motor

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Crown staple

#### TAC920132



Staple size:13mm 5000pcs/color box Suitable for TAT8131-3 Ga20,1.2X0.6mm Staple crown:11.2mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
	1	30
SET		30

#### Air grease lubricator

#### THT118452



Capacity:45L Drum application:365\*430mm Pressure ratio: 50:1 Working pressure:6-8bar Max.free flowrate:850g/min Max.fluid pressure:400bar Max.fluid pressure:400bar Cylinder dia:70mm Air consumption:250L/min@6.2bar 1/4" inlet and outlet air regulator with water filtering device Crease hose:5M Weight:21KG Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Water pump

#### TWP15506



Peripheral Pump Voltage:220-240V~50Hz Rated power:550W(0.75HP) Max.head:45m Max.suction:8m Pipe diameter!"%!" Copper wire motor Stainless steel welding shaft: 304+45# Electrophoresis pump body Brass impeller Brass impeller 0.3m length cable Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Water pump

## TWP27506



Centrifugal pump Voltage:220-240V-50Hz Rated power:750W(1.0HP) Max.head:30m Max.flow:120L/min Max.suction:8m Pipe diameter:1"xl" Copper wire motor Stainless steel welding shaft : 304+45# Electrophoresis pump body Stainless steel impeller 0.3m length cable Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Water pump

## TWP215002

## 1500W



Centrifugal pump Voltage:220-240V-50Hz Rated power:IS00W(2.0HP) Max.head:ISIm Max.flow:450L/min Max.suction:Bm Pipe diameter:2"x2" Copper wire motor Stainless steel impeller 0.3m lenoth; able 0.3m length cable Packed by plywood case

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Water pump

#### TWP37506



Self-priming Jet Pump Voltage:220-240V-50Hz Rated power:750W(1.0HP) Max.head:5llm Max.suction:9m Pipe diameter:1"x" Copper wire motor Stainless steel welding shaft:304+45# Electrophoresis pump body Stainless steel impeller 0.3m length cable Packed by carton box Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Automatic pump control

#### TWPS101



Rated voltage:220-240V Frequency:50/60Hz Staring pressure:1.5bar Maximum power allowed: 1100W Max.current:10A Max.pressure:10bar Pipe diameter:1"x1" Protection degree:1P65 Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		12

#### Automatic pump control

#### TWPS102



Rated voltage:220-240V Frequency:50/60Hz Staring pressure:1.5bar Maximum power allowed: 1100W Max.current:10A Max.pressure:10bar Pipe diameter:1"x1" Protection degree:1865 Packed by color box

Unit	PACK /QTY	Qty/Ctn
0.00	1	
PCS		12

#### Water pump

Submersible pump

#### TWP47506



Automatic Self-priming Jet Pump Voltage:220-240V-50Hz Rated power:750W(I.0HP) Max.head:5llm Max.flow:55L/min Max.suction9m Pipe diameter:1"x1" Copper.wise.mstor Pipe diameter::Xi"
Copper wire motor
Stainless steel welding shaft: 304+45#
Electrophoresis pump body
Stainless steel impeller
0.3m length cable
lpcs 24L cylindrical tank
lpcs pressure switch
lpcs stainless steel hose

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Submersible pump

#### TWP63706



Voltage:220-240V-50Hz Rated power: 370W(0.5HP) Max.head:17m Max.flow.100L/min Pipe diameter:1" 9m length cable Copper wire motor Stainless steel base Stainless steel screws Stainless steel base Stainless steel screws Stainless steel shaft Thermal protection With float switch For clean water Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

## TWP65506



Voltage:220-240V-50Hz Rated power: 550W(0.75HP) Max.head:25m Max.flow:117L/min Pipe diameter:1" 9m length cable Copper wire motor Stainless steel base Stainless steel sase Stainless steel shaft Thermal protection With float switch For clean water Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Submersible pump

#### TWP64006



Voltage: 220-240V~50Hz Rated power: 400W Max. head: 8m Max. flow: 1171/min Pipe diameter: 1" Copper wire motor 9m length cable With float switch For clean water Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
	7	
PCS		2



Voltage:220V-240~50Hz Rated power:750W(1.0HP) Max.head:8m Max.flow:2171/min Max.depth:7m Pipe diameter:1" Copper wire motor 9m length cable With float switch For dirty water Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

#### Sewage submersible pump

## TWP810001



Voltage:220V-240-50Hz Rated power:1000W Max.head:9m Max. flow:3331/min Max.depth:7m Pipe diameter:2" Copper wire motor 9m length cable With float switch For dirty water For dirty water Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	2

#### Fountain pump

## TWPM501

TWP87506



Voltage:220-240V~50Hz Rated power:50W Max.head:2.5m Max.flow:331/min Max.depth:3m Copper wire motor With 10m cables With 3 types of outlet joints Outlet diameter G1/2" Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	8

#### Sewage submersible pump

#### TWP775016



Voltage:220-240V-50Hz Rated power:750W(10HP) Max.head:13m Max flow:350U/min Pipe diameter:2" Copper wire motor Pump body:Stainless Motor body:Cast iron 9m length cable For dirty water Packed by wooden box

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		1

#### Control box for deep well pump

#### TWP53701-SB



Rated power:220-240V~50Hz Control box for item TWP53701 Over-current protection Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		10

#### Control box for deep well pump

#### TWP55501-SB



Rated power:220-240V~50Hz Control box for item TWP55501 Over-current protection Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Control box for deep well pump

#### TWP57501-SB



Rated power:220-240V~50Hz Control box for item TWP57501 Over-current protection Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Control box for deep well pump

## TWP511001-S B



Rated power:220-240V~50Hz Control box for item TWP511001 Over-current protection Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Sewage submersible pump

#### TWP7150026



Voltage:220-240V-50Hz Rated power:I500W(2.0HP) Max.head:I4.5m Max. flow rate:350Umin Pipe diameter:2" Copper wire motor Pump body:Stainless Motor body:Cast iron 9m length cable Built-in cutting blade For dirty water Control box for protection Packed by wooden box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### 4" Deep well pump

#### TWP55501



Voltage:220-240V-50Hz Rated power:550W(0:75HP) Max.head:64rm Maxflows.0m³/h Pipe diameter:1-1/4" Well pump body:4" Impeller:8 stage Copper wire motor Pump body:Stainless steel 20m length cable Control box not included Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

INDUSTRIAL

INDUSTRIA

INDUSTR

#### 4" Deep well pump

#### TWP57501



Voltage:220-240V-50Hz Rated power:750W(1.0HP) Max.head:80m Max.flows.60m³/h Pipe diameter:1-1/4" Well pump body:4" Impeller:10 stage Copper wire motor Pump body:5tainless steel 20m length cable Control box not included Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### 4" Deep well pump

#### TWP511001



Voltage:220-240V-50Hz Rated power:1100W(1.5HP) Max.head:112m Max.flow.6.0m³/h Pipe diameter:1-1/4" Well pump body.4" Impeller:14 stage Copper wire motor Pump body:Stainless 20m length cables Control box not included Packed by carton box

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

#### 4" Deep well pump

## TWP515001



Voltage:220-240V-50Hz Rated power:1500W(2.0HP) Max.head:135m Max.flowf6.0m³/h pidiameter:1 1/4" Well pump body;4" Impeller:17 stage Copper wire motor Pump body:5tainless steel 20m length cable Control box not included Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		1

#### Control box for deep well pump

#### TWP515001-S B



Rated power:220-240V~50Hz Control box for item TWP515001 Over-current protection Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	7	
PCS		5

#### Control box for deep well pump

#### TWP522001-S B



Rated power:220-240V~50Hz Control box for item TWP522001 Over-current protection Packed by carton box

Unit	PACK /QTY	Qty/ Ctn
	7	-6-5/
PCS	1	5

#### Gasoline grass trimmer and brush cutter

#### TP5524411



Displacement:52cc Rated power:1.4kW Max speed:8000rpm Max cutting path:420mm Fuel inlet pipe:double-deck PUR pipe Easy start Sparking plug:NGK Spool liner:2.4mmx4m Blade diameter:255mm(3teeth) Fuel tank capacity:1200ml Powerful 2-stroke motor With 2 function:trimmer and cutter Air cooled enginesingle cylinder With Line spool TGTLS2545 Bush cutter blade TGTBCB95 PACKU /nQiTt Y

		Qty/Ctn
DCC	,	1

#### Gasoline grass trimmer and brush cutter

#### TP5624411



Displacement:62cc
Rated power:2.4kW
Max speed:9000rpm
Max cutting path:480mm
Fuel inlet pipe:double-deck PUR pipe
Sparking plug:NGK
Spool liner:2.4mmx4m
Blade diameter:255mm(Steeth)
Fuel tank capacity:1200ml
Powerful 2-stroke motor
With 2 function:trimmer and cutter
With Line spool TGLS2545
Bush cutter blade TGTBCB95
Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

#### 4-in-1 Gasoline Hedge trimmer multi tool

## TMT55211



Displacement:52cc Rated power:1.4kW Max speed:10000rpm Max cutting path:420mm Spool Iner:2.4mmx4m Blade diameter:255mm/Steeth) Fuel inlet pipe-double-deck PUR pipe Easy start Sparking plug:NGK Fuel tank capacity:1200ml Powerful 2-stroke motor With Ipcs grass trimmer With Ipcs bush cutter(TGTBCB95) With Ipcs hedge trimmer With Ipcs chain saw

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### 4" Deep well pump

#### TWP522001



Voltage:220-240V-50Hz Rated power:2200W(3.0HP) Max.head:180m Max.flow:6.0m³/h Pipe diameter:1 1/4" Well pump body:4" Impeller:23 stage Copper wire motor Pump body:Stainless steel 20m length cable Control box not included packed by catton box carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline grass trimmer and brush cutter

#### TP5434411



Displacement: 42.7cc
Rated power: 1.25kW
Max speed: 8000 rpm
Max cutting path: 420 mm
Fuel inlet pipe: double-deck PUR pipe
Easy start
Sparking plug: NGK
Spool liner: 2.4mm: 4mm
Blade diameter: 255mm (3teeth)
Fuel tank capacity: 1200ml
Powerful 2-stroke motor
With 2 function trimmer and cutter
Air cooled engine, single cylinder
With Line spool TGTLS: 2545
Bush cutter blade TGTBCB95

PACKU /nQiTt Y

		Qty/Ctn
PCS	1	1

#### Gasoline grass trimmer and brush cutter

## TP5624421



Displacement:62cc
Rated power:2.4kW
Max speed;9000rpm
Max cutting path:480mm
Fuel inlet pipe:double-deck PUR pipe
Sparking plug:NGK
Spool liner:2.4mmx4m
Blade diameter:25smm(3teeth)
Fuel tank capacity:1200ml
Powerful 2-stroke motor
With 2 functiontrimmer and cutter
Air cooled engine,single cylinder
With Line spool TGTLS2545
Bush cutter blade TGTBCB95
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline grass trimmer and brush cutter

#### TP53144141



Displacement:31cc
Rated power:0.7kW
Max speed:9300rpm
Max cutting path:480mm
Fuel inlet pipe:double-deck PUR pipe
Spool liner.24mmx4m
Blade diameter:255mm(Steeth)
Fuel tank capacity:700ml
Powerful 4-stroke motor
With 2 functiontrimmer and cutter
Air cooled engine,single cylinder
With Line spool TGTLS2545
Bush cutter blade TGTBCB95
Packed by color box

Unit	PACK/QTY	Qty/Ctn	
PCS	1	1	

#### Brush cutter blade

## TGTBCB95

#### 255mm(10")



Blade diameter:255mm(10") Blade teeth:three Suitable for TP5434421/TP5434411/TP5524421/T

P5524411/TP5624421/TP5624411/TP 53144141/TMT55211 gasoline grass

trimmer
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	1	50

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### TAC234615



Diameter:230mm(9") Quantity of teeth: 40T Arbor:25.4mm Arbor:25.4mm With Ipcs 20mm reduce ring Only suitable for bush cutter Match with TP445441,TSTLI20018,TST-LI202521,TSTLI20028,TSTLI200285 Packed by double bliste

Unit	PACK/QTY	Qty/ Ctn
	7	
PCS		25

#### Gasoline lawn mower

Bush cutter blade

#### TGT141181



Zongshen brand engine(The best one in China)

Zongshen brand engine(The best one Displacement:14lcc Rated power:3.0Kw/(4HP) Rated speed: 2600rpm Drive type:Hand push 4 stroke engine Cutting height:25-70mm(7 positions) Cutting width:460mm(18") Catchervolume:60L Deck material:steel Wheel size:67/8" Packed by carton box

PCS

Unit	DACK /OTV	Oty/ Ctn

#### Gasoline chain saw

#### TG5451811



Displacement:46cc Rated power:1.8kW Max. diameter:430mm(l8") Sparking plug:NGK Easy start Fuel tank capacity:550ml powerful 2-stroke motor 18" chain ( TGTSCSI801) Chain saw bar (TGTSESI801) Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	2

#### Saw chain

#### TGTSC185



18" Saw chain Suitable for TG945185 gasoline chain saw Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		50

#### Saw chain

## TGTSC181



18" Oregon Saw chain For TG945182 gasoline chain saw Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PCS	1	50

#### Electric lawn mower

#### TGT616151



Voltage:220V-240~50Hz Input Power:1600W Induction motor No-load speed:2800rpm Cutting width:380mm Cutting height: 28/38/48/58/68mm Grass box size:50L With 0:35m power cord Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Gasoline chain saw

#### TG5261011



Displacement:25.4cc Rated power:0.7kW Max. cutting diameter:250mm(10") Sparking plug:NGK Fuel tank capacity:230ml Oil tank capacity:230ml Oil tank capacity:160ml Powerful 2-stroke motor 10" chain (TGTSCS1001) Chain saw bar (TGTSB51001) Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		2

#### Saw chain

#### TGTSC51801



18" Saw chain Suitable for TG5451811 gasoline chain saw Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	1	50

#### Chain saw bar

#### TGTCSB185



18" Chain Saw Bar Suitable for TG945185 gasoline chain saw Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
	1	25
PCS		25

#### Chain saw bar

## TGTCSB181



---- OREGON 325" TETTAL .

18" Oregon Chain Saw Bar Suitable for TG945182 gasoline chain saw Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	1	25

#### Gasoline chain saw

#### TG5602411



Displacement:62cc Displacement.62cc Rated power.24kW Max. cutting diameter.605mm(24") Fuel tank capacity.550ml Oil tank capacity.560ml Powerful 2-stroke motor 24" chain (IGTSCS2401) Chain saw bar (IGTSB52401) Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2



Petrol Engine Engine power:5.1kW(7.0HP) Tilling Scope(mm):1200 Driving model:Gear Driving model:Gear Tilling depth(mm):150-300 Gear shifting:-1,2,0,1 Max. torque(N.m/rpm):11/2800 Transmission oil capacity(L):1.6 Accessories:4 pcs,4 groups 3+1 blades;3.5-6 wheels Packed by carton box

Unit	PACK/QTY	Qty/Ctn	
PCS	1	1	

#### Diesel tiller

#### TDC12001



Diesel Engine Engine power:4.05kW(5.2HP) Tilling Scope(mm):1200 Driving model:Gear Tilling depth(mm):150-300 Gear shifting:-1,2,0,1 Max. torque(N.m/rpm):9/2800 Transmission oil capacity(L):1.6 Accessories:4 pcs ,4 groups 3+1 blades;3.5-6 wheels Packed by carton box

Unit	PACK/QTY	Qty/ Ctr
PCS	1	1

#### Diesel tiller

Gasoline tiller

#### TDC13501

TVCRR30201



Diesel Engine Engine power:6.6kW(9HP) Tilling Scope(mm):1350 Driving model:Gear Tilling depth(mm):300

Gear shifting:-1,1,0,2 torque(N.m/rpm):18.5/2800 Transmission oil capacity(L):1.8 Accessories:4 pcs ,4 groups 3+1

blades;4.0-8 wheels Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	,	
PCS	ı	1

#### Vacuum cleaner

#### TVC20258



Voltage: 220V-240V-50/60Hz Power(W):2000W Multiple cyclono Pure copper wire motor Suction power:260-330W Spray paint treating the surface Capacity:2.5L HEPA filter Air flow:2.0-2.3 M3/min

Product size:433\*283\*348mm With speed control function With thermo fuse With soft start 1.5m flexible hose

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

## Robotic vacuum cleaner(Random style)



Random style
The random cleaning path
Product size(D\*H):q3300\*75mm
Vacuum pressure:500-800Pa
Working time:50-70min
Charging time:3-5H
2000mAh Lithium battery 2000mAh Lithium battery Only for dry cleaning Charge volts:110V-240V-50/60Hz Ipcs American outlet plug adapter Without automatically recharge 2pcs cleaning brushes With cliff detect sensors Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Robotic vacuum cleaner(Gyroscope style)

#### TVCRG30261



Schedule the Cyroscope style Schedule the cleaning route size \$4500^75mm Working time:50-70min Charging time:3-54 Capund Library Charge (Leaning Charge Voltage:110V-240V-50/60Hz lpcs American outlet plug adapter With 4pcs side brushes With 1pcs remote control With 1pcs cleaning brush with 1pcs HEPA filter With 1pcs charging base

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

## TVC14122





Voltage: 220V-240V-50/60Hz Input power: 800W Copper wire motor Metal tank Dust capacity12L Air flow1/7m3/min Vacuum pressure:16KPa 1.5m flexible hose Plastic three parts tube lpcs plastic floor brush 1set in 1 brush 2.3m cord length HEPA fliter Wet and dry cleaning Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Vacuum cleaner

## TVC14301



30L





Wet and dry cleaning Voltage: 220V-240V-50/60Hz Input power: 1400W Air flow:1.9CBM/Min Vacuum pressure:16-18KPa Dust capacity:30L With power tools socket Power calble:1.8m Ipcs flexible hose Ipcs floor brush Ipcs plastic tube Ipcs HEPA filter(TVCAIHPO2) Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

## Air-inlet HEPA

Vacuum cleaner

## TVCAIHP02

#### HEPA 12L/30L



Suitable for TVC14122 UTVC14122 TVC14301 UTVC14301 Vacuum cleaner Filter level:F8 Filter by plastic

Unit	PACK/QTY	Qty/Ctn
	1	24
PCS	'	27

## One-Stop Tools Station

#### Vacuum cleaner

#### TVC24751









Wet and dry cleaning Voltage: 220V-240V-50/60Hz Input power: 2X1200W Air flow/3CBM/Min Vacuum pressure:16-17KPa Dust capacity:75L Power calble:5.5m lpcs flexible hose lpcs floor brush Jpcs 2 part metal tube

Ipcs floor brush
Ipcs 2 part metal tube
Ipcs cloth filter
Ipcs metal handle
Ipcs Air-inlet HEPA TVCAIHP03
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Exhaust fan

#### TPEF1561



Voltage(V/Hz):220-240/50 Air volume(CMH):210 Size:150mm(6") Power:15W Power:ISW '
100% copper wire motor
Front part:New PP plastic frame&blades
Style:Pull cord
Without plug
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		12

#### TGT11316



Voltage: 220-240V~50/60Hz Carbon brush motor Carbon brush motor
Pure copper wire
Input power:1400W
Max Pressure:130Bar (1900PSI)
Flow rate:5.5L/min
Auto stop system
1 set water spray gun(TGTSG026)
5m high pressure hose(TGTHPH526)
Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	

#### nign pressure

#### TGT11356



Voltage: 220-240V-50/60Hz
Carbon brush motor
Pure copper wire
Input power:1800W
Max Pressure:150Bar (2200PSI)
Flow rate:6.0L/min
Auto stop system
Ipcs soap bottle
I set water spray gun( TGTSC026)
Sm high pressure hose( TGTHPH526)
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
	1	
PCS		1

INDUSTRIAL |

#### TGT11246







Voltage:220-240V-50Hz
Copper wire induction motor
Input power:2500W
Max Pressure:160Bar (2300PSI)
Flow rate:67L/min
Auto stop system
1pcs soap bottle
1 set water spray gun(TGTSC026)
Sm high pressure hose(TGTHPH526)
Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

#### TVCAIHP03

#### HEPA

#### 75L

Air-inlet HEPA





Suitable for TVC24751 Vacuum cleaner Filter level:F8 Filter efficiency:>95% Packed by plastic bag

Unit	PACK /QTY	Qty/Ctn
01110	1	Q.cy/ Car.
PCS	'	4

#### High pressure washer

#### TGT11236

#### 1500W ... 100Bar 6.7L/min



Voltage: 220-240V-50Hz
Copper wire induction motor
Input power:1500W
Max Pressure:100Bar (1450PSI)
Flow rate:6.7L/min
With self-priming fuction
Auto Stop System
Set water spray gun
IPcs 8m high pressure metal hose
IPcs 15m inlet hose
IPcs Water inlet screw
IPcs hose milet propertor 1Pcs hose quick connector Packed by color box

Voltage: 220-240V~50Hz



DACK /OTV	Qty/Ctn
PACK/QIT	Qty/Ctri
1	1
	PACK/QTY

#### High pressure washer

#### TGT11336





Voltage: 220-240V-50/60Hz Carbon brush motor Pure copper wire Input power: 1600W Max Pressure: 140Bar (2030PSI) Flow rate: 5.5L/min Auto stop system Include: 1.Set water com-Include: 1 Set water spray gun (TGTSG026) 1 Pcs Sm super flexible high pressure hose 1 Pcs water inlet screw Packed by color box

Unit	PACK/QTY	Qty/Ctn
		1

INDUSTR

INDUSTRIAL

#### High pressure washer

#### TGT11226

### 2000W 6L/min





Voltage: 220-240V~50Hz Voltage: 220-240V-50Hz
Copper wire induction motor
Input power:2000W
Max Pressure:ISOBar (2200PSI)
Flow rate:6.0L/min
Auto stop system
Ipcs soap bottle
1 set water spray gun(TGTSC026)
Sm high pressure hose(TGTHPH526)
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	'	1

#### High pressure washer

#### TGT11266







Voltage:220-240V-50Hz
Copper pump
Copper wire induction motor
Input power:2800W
Max Pressure:180Bar (2600PSI)
Flow rate:73L/min
Auto stop system
Ipcs soap bottle
1 set metal storay guin 1 set metal spray gun
5m high pressure hose(steel wired)
Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS	'	1

## India's first 77774 One-Stop Tools Station One-Stop Tools Station

#### TGTSG026



Material:Plastic body Suitable for TCT11316 UTGT11316 TGT11336 UTGT11336 TCT11356 UTGT11356 TGT11376 UTGT11376 TGT11226 TGT11246 UTGT11246 Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
SET	1	
SET		14

#### Integrated rotary nozzle

#### TGTRN360



360° nozzle Integrated rotary nozzle Max. pressure: 18MPa/180bar Suitable for TGT11316/UTGT11316/T-GTII336/UTGTII336/TGTII356/UT-GTII356/T-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246


Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	50

#### Rotary brush

Spray gun

#### THRB8702



Size: 390\*110mm Material: PP/ABS Suitable for TGT11316/UTGT11316/T-GT11336/UTGT11336/TGT11356/UT-GTII336/T-GTII376/T-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246 Packed by paper card

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		20

#### Horizontal brush

#### **TGTHB2791**



Size: 330\*350mm Material: PP/PA66 Suitable for TGT11316/UTGT11316/T-GT11336/UTGT11336/TGT11356/UT-GTII356/T-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246

Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	20
PCS		20

#### Patio brush

#### TGTPB251



Size: 250mm Material: PP/ PA66 With one 400mm Extension rod Suitable for TGT11316/UTGT11316/T-

СП1336/UТСП1336/ТСП1356/UТ-GT11356/T-GT11376/UTGT11376/TGT11226/TGT1 1246/UTGT11246

Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	5

#### Patio brush

#### THPB36201



Size: 280mm Material: PP/PA66 With one 470mm extension rod Suitable for TGTII316/UTGTII316/T-GTII336/UTGTII336/TGTII356/UT-GTII356/T-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246 Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

#### Wheel brush

#### TGTWB1781



length: 390mm For cleaning vehicle wheel Suitable for TGT11316/UTGT11316/T-GT11336/UTGT11336/TGT11356/UT-GTII336/T-GTII376/T-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246 Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
	7	
PCS		20

#### TGTAN4501



length:590mm 45° Angle Suitable for TGTSG026 Packed by paper card Suitable for TGT11316/UTGT11316/T-

GTI1336/UTGTI1336/TGTI1356/UT-GTI1356/T-GTI1376/UTGTI1376/TGTI1226/TGTI 1246/UTGTI1246

Unit	PACK/QTY	Qty/Ctn
PCS	1	50

#### Foam producer

#### TMFP402



Capacity:400ml Capacity:400mL With adjustable function Suitable for TGT11316/UTGT11316/T-GT11336/UTGT11336/TGT11336/T-GT11356/T-GT11376/UTGT11376/TGT11226/TGT1 1246/UTGT11246 Demension:125\*85\*196mm Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	1	25

#### High pressure hose

45° Angle nozzle

#### TGTHPH526



Length:5 Meters Material:PVC Suitable for TGT11316/UTGT11316/T-GT11336/UTGT11336/TGT11356/UT-GT11356/T-GTII356/1-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246 Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	16

## India's first 77774 One-Stop Tools Station One-Stop Tools Station

## TGTPCH751



Length:7.5m Max pressure:150bar(2175psi) With spring head Suitable for TGT11316/UTGT11316/T-

GTII336/UTGTII336/TGTII356/UT-GTII356/T-GTII376/UTGTII376/TGTII226/TGTI 1246/UTGTII246

Packed by color box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		5

#### Gasoline pressure washer

Pipe cleaning hose

#### TGT250105



Pump Type:3-Piston Axial cam Pump-Alumini-

Max Output:6.0HP Max Output:6.0HP
Max. Pressure:214Bar (3100psi)
Flow Rate:8.71/min (2.3GPM)
Engine Type:0HV 4-stroke
Displacement:208cc
Starting System:Recoil
Engine Speed:3600rpm
Fuel volume:3.6L
Oil Volume:0.6L
Fuel Type:Unleaded Gasonline
Loss metal Lance 1 pcs metal lance 1 pcs metal gun 7.6 m pressure hose

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

#### Vibrator poker

#### TPVP1381

#### Ø38mm



Diameter:38mm length:465mm Claw type coupling Vibrating frequency:200Hz ampitude:1.2mm Flexible hose length:6m Suitable for TP630-1,TP630-2 Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
	,	
DOC		7

#### TP9361-2



Gasoline engine Engine power:4.8kW(6.5HP) Weight:78kg With iron pan Rotor diameter:9lcm(36") Blade number:Four Finish blade:35XIScm(6X14") Packed by carton box

Unit	PACK/QTY	Qty/Ctn
	1	
PCS		1

#### HSS drill bit

#### TAC100403



HSS,diameter:4.0mm Total length:75mm Usable length:43mm 10pcs/poly bag Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	100	42 00

#### Folding bucket

#### TGTFB15



Product specification: 15L/250\*320mm Material: metal handle /EVA non-slip handle 1200D Oxford /PVC waterproof coating Temperature range: 0 °C to 65 °C Packed by Label

Unit	PACK/QTY	Qty/Ctn
DCC	1	_
PCS		5

#### Gasoline concrete vibrator

#### TP630-2



Gasoline engine Engine power:4.0kW(5.5HP) Claw type coupling Not included vibrator poker

Suitalbe for item TPVP1381,TPVP1451,T-PVP1601 Packed by carton box

> Unit PACK/QTY Qty/Ctn

#### Vibrator poker

#### TPVP1451

#### Ø45mm



Diameter:45mm length:475mm Claw type coupling Vibrating frequency:200Hz ampitude:1.2mm Flexible hose length:6m Suitable for TP630-1,TP630-2 Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### HSS drill bit

## TAC100303



HSS,diameter:3.0mm Total length:61mm Usable length:33mm 10pcs/poly bag Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	120	50 40

#### HSS drill bit

#### TAC100503



HSS,diameter:5.0mm Total length:86mm Usable length:52mm 10pcs/poly bag Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	100	21 00





## TAC101003



HSS,diameter:10mm Total length:133mm Usable length:87mm 5pcs/Poly bag Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	40	44 0

#### 4341 HSS drill bit

HSS drill bit

#### TAC1201004



HSS 4341 Diameter 10mm 135° Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	60	24.0

#### M2 HSS drill bit

M2 HSS drill bit

#### TAC110501





M2 HSS,diameter:5.0mm Length:86mm Usable length:52mm 10pcs/plastic box Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	200	80 0

#### M2 HSS drill bit



Qty/Ctn

19 20







TAC110601

TAC111001

M2 HSS,diameter:6.0mm Length:93mm Usable length:57mm Packed by plastic tube

Unit PCS

Unit	PACK/QTY	Qty/Ctn
PCS	50	35 0

PACK/QTY

480

## M2 ØBmm

M2 HSS,diameter:8.0mm Length:117mm Usable length:75mm Packed by plastic tube

Unit	PACK/QTY	Qty/Ctn
PCS	50	35.0

#### M2 HSS drill bit

#### Dinter

#### TAC1200401

M2 HSS drill bit





M2 HSS,diameter:10mm Length:133mm Usable length:87mm Packed by plastic tube

Unit	PACK/QTY	Qty/ Ctn
PCS	50	20 0



M2 HSS Diameter:4mm 130° Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	250	50 0

## India's first TTTTAL One-Stop Tools Station One-Stop Tools Station

#### HSS-CO M35 drill bit

#### TAC11203001





M35 HSS,diameter:3mm 2pcs/set High speed steel with 5% cobalt alloy Packed by double bliste

Unit	PACK/QTY	Qty/ Ctn
SET	250	50 0

## Step drill bit



TAC7563501



Size:6-35mm Step:6-10-13-16-19-22-25-29-32-35mm Shankround shank Titanium finishing Material:HSS 4341 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	30	60

#### Step drill bit

#### TAC7563801

#### TAC75104501

#### Step drill bit

Countersink bit

Countersink bit



Size:6-38mm Step:6-8-11-14-17-20-23-26-29-32-35-38m Shank round shank

Titanium finishing Material:HSS 4341 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	30	60

"Size:10-20mm Step:10-11-12-13-14-15-16-17-18-19-20mm Shank:round shank Titanium finishing Material:185 4341 Packed by double blister"

PACK/QTY

20



Size:10-45mm Step:10-15-20-25-30-35-40-45mm Shankround shank Titanium finishing Material:HSS 4341 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
		30
PCS	15	30

#### Step drill bit

#### TAC7510201

HSS 4341

10-20mm

Qty/Ctn

40

#### TAC810831

## 8.3mm





Unit	PACK/QTY	Qty/Ctn
PCS	100	20 0

#### Countersink bit

#### TAC811241

#### 12.4mm



Size:12.4mm Angle:90° Material: HSS Packed by double blister

Unit

PCS

Unit	PACK/QTY	Qty/Ctn
PCS	100	20 0

## TAC812051

TAC210601



Size:20.5mm Angle:90° Material: HSS Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	50	10.0

#### Masonry drill bit

#### TAC260610





Unit	PACK/QTY	Qty/Ctn
PCS	100	40 0

#### Masonry drill bit




#### 6x100mm



6X100mm Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	150	30 0





## India's first TTTAL One-Stop Tools Station One-Stop Tools Station

TAC311003







8 X 210mm,SDS plus The products are suitable for masonry, The products are suitable for masonly, concrete and other drilling operations. The cemented carbide head improves the strength of the bit tip and the product has a long service life. Packed by plastic hanger.

Unit	PACK/QTY	Qty/Ctn
PCS	50	15 0





10 X 210mm,SDS plus The products are suitable for masonry. The products are suitable for masonity, concrete and other drilling operations. The cemented carbide head improves the strength of the bit tip and the product has a long service life. Packed by plastic hanger.

Unit	PACK/QTY	Qty/Ctn
PCS	50	15.0

#### SDS plus hammer drill

SDS plus hammer drill

#### TAC311602



#### TAC311802

#### SDS plus hammer drill

SDS plus hammer drill



16 X 210mm,SDS plus The products are suitable for masonry, The products are suitable for masonry, concrete and other drilling operations. The cemented carbide head improves the strength of the bit tip and the product has a long service life. Packed by plastic hanger.

Unit	PACK/QTY	Qty/Ctn
PCS	25	75

# 20X600mm

18 X 210mm,SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	20	60

#### SDS plus hammer drill

#### TAC312002



#### TAC311403

### SDS plus hammer drill



20 X 210mm,SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCC	3.5	/ [

## 20X600mm



14 X 260mm,SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	40	12 0

#### SDS plus hammer drill

#### TAC312003



#### TAC311804

#### SDS plus hammer drill



20 X 310mm,SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

## 20X600mm

18 X 450mm,SDS plus
The products are suitable for masonry,
concrete and other drilling operations
The cemented carbide head improves the
strength of the bit tip and the product has a
long service life
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
		25
PCS	5	25

#### SDS plus hammer drill

#### TAC312004



#### TAC311805

#### SDS plus hammer drill



# 20X600mm

20 X 450mm,SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	20




18 X 600mm,SDS plus The products are suitable for masonry, concrete and other drilling operations The cemented carbide head improves the strength of the bit tip and the product has a long service life Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

## India's first 72774 One-Stop Tools Station One-Stop Tools Station

TAC310603C



#### TAC310602C



6 X 160mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic banger

Unit	PACK/QTY	Qty/Ctn
PCS	10	25.0

SDS

6X210mm

6 X 210mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic hanger

SDS plus hammer drill

SDS plus hammer drill

SDS plus hammer drill

Tile and glass drill bit

Unit	PACK/QTY	Qty/Ctn
PCS	10	20 0

#### SDS plus hammer drill

#### TAC310802C

#### TAC310803C



8 X 160mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic

Unit	PACK/QTY	Qty/ Ctn
PCS	10	25.0



8X 210mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic

Unit	PACK/QTY	Qty/Ctn
PCS	10	20.0

#### SDS plus hammer drill

#### TAC311002C

#### TAC311003C

INDUSTRIAL



10 X 160mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	25 0



10X 210mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	20 0

#### SDS plus hammer drill

## TAC311202C

#### TACG210412

## INDUSTRIAL



12 X 160mm,SDS plus High quality carbide tip Cross head carbide tip Chrome alloy steel shank Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	25.0



Diameter;4\*74mm Shank:1/4" hex shank Titanium-coated

surface
Functional stability low cutting resistance,
functional stability, high drilling rate
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	50	30.0

MOUSTRIAL

#### Tile and glass drill bit

#### TACG210512

INDUSTRIAL



Diameter;5\*74mm Shank:1/4" hex shank Titanium-coated surface

Functional stability low cutting resistance, functional stability, high drilling rate Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	50	30 0

#### Tile and glass drill bit

#### TACG210612



Diameter;6\*74mm Shank:1/4" hex shank Titanium-coated surface

Functional stability low cutting resistance, functional stability, high drilling rate Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	50	30 0

### India's first TLTTAL One-Stop Tools Station

## India's first 7000 Station One-Stop Tools Station

#### Tile and glass drill bit

#### TACG200812





Diameter;8\*85mm Shank:1/4" hex shank Titanium-coated surface

Surface Functional stability low cutting resistance, functional stability, high drilling rate Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 0

#### Tile and glass drill bit

#### TACG211212





Diameter;12\*87mm Shank:1/4" hex shank Titanium-coated surface

Functional stability low cutting resistance, functional stability, high drilling rate Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	50	30 0

#### 6 Pcs HSS twist drill bits set

#### TACSD0065



Size:2,3,4,5,6,8mm 6pcs HSS 4341 drill bits set Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	12	24

#### TACSD0251





25PCS HSS drill bits Drill bit size:1-13mm/0.5mm Fully ground filten;135° self-centering split point,high quality M2 high speed steel Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
	1	
SFT		10

#### Masonry drill bits set

#### TACSD5051

INDUSTRIAL |



Size: 4X75mm, 5X85mm, 6X100mm, 8X120mm, 10X120mm 5pcs masonry drill bit set Packed by plastic box

Unit	PACK /QTY	Qty/Ctn
Unit	PACK/QTY	- 0.
SET	ı	24

#### Tile and glass drill bit

#### TACG201012



Diameter;10\*85mm Shank:1/4" hex shank Titanium-coated

surface
Functional stability low cutting resistance, functional stability, high drilling rate
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 0

#### HSS twist drill bits set

#### TACSD0125



Size: 2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7,8mm 12pcs HSS twist drill bits set Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	20	40

#### HSS twist drill bits set

#### TACSD0195

INDUSTRIAL

## 19PCS/SET HSS 4341



Size:1,1.5,2,2.5,3,3.5,4,4.5,5,5.5,6,6.5,7, 7.5.8.8.5.9.9.5.10mm 19pcs HSS 4341 twist drill bits set Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	10	40

#### 5 Pcs masonry drill bits set

## TACSD5055



Size: 4X75mm, 5X85mm, 6X100mm, 8X120mm , 10X120mm

5pcs masonry drill bits set Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SFT	40	80

#### Drill bits and screwdriver bits set

#### TACSD3165

#### 16PCS/SET



16PCS drill bits & screwdriver bits set 6pcs HSS twist drill bits SIZE:2,3,3,5,4,5,6mm 4pcs Masonry drill bits SIZE:4,5,6,8mm 6PCS 25mm Screwdriver bits SI.4,5,SL5,PHI,PH2,PZI,PZ2 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	20	40

## India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### TACSD1945



4PCS SDS plus hammer drill bits set Size:6\*110,6\*160,8\*160,10\*160 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	40	80

#### 6 Pcs screw extractor set

4 Pcs hammer drill bits set

#### TACSE0061



Material:Cr-V Size:Size:3~6mm(1#),6~8mm(2#),8~11mm (3#),11~14mm(4#),14~18mm (5#),18~25mm(6#) Hardness:48~52HRC Coarse thread Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	25	50

#### 13 Pcs flat wood drill bits set

#### TACSD70131



13PCS flat wood drill bits set Size:6,8,10,12,14,16,18,20,25,28,30,32, 38mm Shank:1/4" hex Length:152mm Packed by canvas bag

Unit	PACK/QTY	Qty/Ctn
		20
SET	10	20

#### סווום pits display box

#### TAKD2688

#### Drill bits not included



Unique design Size: 340mm\*320mm\*430mm No printing Labels of specifications are supplied in the package Four floors Eight gaps per floor With diameter gauge function Packed by carton box

Unit	PACK/QTY	Qty/Ctn	
	7		
DCS		1	

#### SDS plus chisel

#### TAC15121412

INDUSTRIAL |




14X250 X 40mm,flat,SDS plus Wear-resistant, high hardness and long service life Used in concrete, brick wall,cement Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	1	50

#### Hammer drill bits set

#### TAC190501



5 PCS SDS PLUS drills set Size:

6X110mm,8X110mm,8X160mm,10X160 mm.12X160mm Packed in plastic box

Unit	PACK/QTY	Qty/Ctn
SET	5	30

#### 16 Pcs metal, concrete and wood drill bits set

#### TACSDL11601

#### 16PCS/SET



16pcs drill bits set 6pcs Metal drill bits set SIZE:2,3,4,5,6,8mm 5pcs Concret drill bits SIZE:4,5,6,8,10mm SIZE:4,5,6,8,10mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SFT		
SEI	6	12

#### 120 Pcs accessories set

#### THKTAC01120



120 Pcs accessories setInclude: 6pcs masonry drill bits:3mm,4mm,5mm,6mm,8mm,10mm

19pcs HSS twist drill bits:1mm,1.5mm,2mm,2.5mm,3mm,3.5m m,4mm,45mm,5mm,5.5mm,65mm,6.5mm

8mm,8.5mm,9mm,9.5mm,10mm

8mm,8.5mm,9.5mm,10mm 6pcs wood twist drill bits:3mm,4mm,5mm,6mm,8mm,10mm 52pcs 25mm length screwdriver bits:PH0/1/2/2/3/4; PZ0/1/2/4/4;SL3/4/5/6/3.5/4.5/

55/65;

TX-		
Unit	PACK/QTY	Qty/Ctn
SET	1	
JLI		5

#### SDS plus chisel

#### TAC1511141



# 14x250mm

14X250mm,pointed,SDS plus Wear-resistant, high hardness and long service life

Used in concrete, brick wall,cement Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
	1	50
PCS		50

#### SDS max chisel

#### TAC1521181





18X300mm,pointed,SDS max Wear-resistant, high hardness and long service life

Used in concrete, brick wall,cement Packed by plastic hange

Unit	PACK/QTY	Qty/Ctn
PCS	1	25





#### Abrasive metal cutting disc set

#### TAC2211005



10Pcs/set 10SMM(4")X1.2MM(3/64")X16MM(5/8") Flat centre cutting disc for metal Packed by metal box

Unit	PACK/QTY	Qty/Ctn
SET	10	40

#### Abrasive metal cutting disc set

#### TAC2211255



10pcs/set 10pcs/shrink 125MM(5")X1.2MM(3/64")X22.2MM(7/8") Packed by label RPM:12200r/min Flat centre cutting disc for metal Packed by metal box

Unit	PACK/QTY	Qty/Ctn
SET		40
SET	10	40

#### Abrasive metal cutting disc

#### TAC2211002



100mm(4")X3.0mm(1/8")X16.0mm(5/8") Depressed centre cutting disc for metal and Inox Packed by metal box

Unit	PACK/QTY	Qty/Ctn
DCC	FO	20.0

#### Dry diamond disc

#### TAC2111003



100(4")X16mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	50	10.0

#### Dry diamond disc

#### TAC2111253



125(5")X22.2mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 0

#### Abrasive metal cutting disc

#### TAC2211253



125MM(5")X1.2MM(3/64")X22.2MM(7/8") Flat centre cutting disc for metal RPM:12200r/min Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	100	40 0

#### Abrasive metal cutting disc

#### TAC2213551S A



355mm(14")X3.0mm(1/8")X25.4mm(1") Flat centre Cutting disc for metal and Inox Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	1	25

#### Abrasive metal cutting disc

#### TAC2212301H A



230mm(9")X3.0mm(1/8")X22.2mm(7/8") 25Pcs/carton Depressed centre Cutting disc for metal and Inox Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	25

#### Dry diamond disc

#### TAC2111103



110(4 3/8")X20mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
		10.0
DCS	50	10 0

#### Dry diamond disc

#### TAC2111803



180(7")X22.2mm Blade width:10mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	20	40

## 230 Blade width:10mm Fast Cut

230(9")X22.2mm Blade width:10mm

Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting Packed by color box

Unit	PACK/QTY	Qty/ Ctn
200		20
PCS	10	20

#### Wet diamond disc

Dry diamond disc

#### TAC2121003

TAC2112303



100(4")X16mm Blade width:8mm Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 0

#### Wet diamond disc

#### TAC2121803



Blade width:8mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for wet cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	20	40

#### Ultrathin diamond disc

#### TAC2131051H T





105(4")X20mm Blade width:10mm Metal base thickness:1.0mm Without flange plate Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass) Packed by double blister

Unit	PACK /QTY	Qty/Ctn
Offic	r Acit/Qii	Qty/ Ctil
PCS	50	10.0

#### Diamond cup wheels

#### TAC2411251



Diameter:125mm Blade width:20mm Arbor:22.2mm Packed by double blister

Unit	PACK /QTY	Qty/Ctn
PCS	1	20

#### Turbo diamond disc

#### TAC2132303



230(9")X22.2mm Blade width:10mm

Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for both wet and dry cutting Packed by color box

Unit	PACK /QTY	Qty/Ctn
		20
PCS	10	20

#### Wet diamond disc

#### TAC2121253



Blade width:8mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for wet cutting

Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 0

#### Wet diamond disc

#### TAC2122303



230(9")X22.2mm

Blade width:8mm Designed for stone cutting, including concrete, brick, limestone, granite and marble Suitable for wet cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

#### Ultrathin diamond disc

#### TAC2131801H T





180mm X 22.2mm Blade width:8mm Metal base thickness:1.2mm With flange plate Universal purpose:ceramic,tile,marble,brick Forbidden to use for Vitrified brick (nano glass) Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCS	20	40
PCS	20	40

#### Diamond cup wheels

#### TAC2421251



Diameter:125mm 20pcs blades Arbor:22.22mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
	2	20
PCS	1	20

## India's first 7777 One-Stop Tools Station One-Stop Tools Station

TAC231415





140mm(5-1/2") 24T,arbor:25.4mm Reduction ring:16mm Wood Cutting Suitable for Lithium-Ion circular saw TSLI401 Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	25	50

TCT saw blade



185mm(7-1/4") 40T,arbor:20mm Reduction ring:16mm Suitable for circular saw For item
TS1141856,TS11418526,TS11218576,T
S1161856 Wood cutting Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCS	25	50

#### TCT saw blade

#### TAC231413



185mm(7-1/4") 60T,arbor:20mm Reduction ring:16mm Suitable for circular saw For item TS1141856,TS11418526,TS11218576,T S1161856 Wood cutting Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	25	50

#### 210mm

TAC231521



TCT saw blade

TCT saw blade

210mm(8-1/4") 24T,arbor:30mm 241,arbor:summ 16mm and 25.4mm ring Suitable for mitre saw For item TS42142101 Wood cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	25	50

#### TCT saw blade

#### TAC231623



235mm(9-1/4") 60T,arbor:30mm 60T,arbor.30mm 16mm and 25.4 ring Suitable for circular saw item TS1222356,TS122235622 Wood cutting Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCC	_	25

PACK/QTY





254mm(10") 40T,arbor:30mm 16mm and 25.4 ring Suitable for table saw For item TS5152548,TS51825428 Wood cutting Packed by double

Unit	PACK/QTY	Qty/Ctn
PCS	5	25

#### TCT saw blade

254mm(10")

60T,arbor:30mm 16mm and 25.4mm ring Wood cutting Packed by double blister

PCS

40T

#### TAC231723

100mm



#### TAC231923

## INDUSTRIAL

INDUSTRIAL



305mm(12") 60T,arbor:30mm out, albot. 30mm l6mm and 25.4mm ring Suitable for mitre saw For item TS42163051,TS42183057 Wood cutting Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	5	10

#### TCT saw blade for aluminum

#### TAC233523

Qty/Ctn

25



210mm(8-1/4") 60T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For item TS42142101 Aluminum cutting Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	25	50

#### TCT saw blade for aluminum

#### TAC2337210



254mm(10") 100T, arbor, 30mm 16mm and 25.4mm ring Suitable for mitre saw For item TS42182551 TS42182552 Aluminum cutting Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	25

#### TCT saw blade for aluminum

## TAC2339212 305mm MILLER 120T)

305mm(12") 120T,arbor:30mm 16mm and 25.4mm ring Suitable for mitre saw For TOAL item TS42163051 Aluminum cutting Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	5	10

#### Wire cup brush

#### TAC31051.2



Dia: 125mm, 5" Thread: M10X1.5 Wire dia: 0.3mm Wire length: 30mm RPM: 6500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### Wire cup brush

#### TAC32042



Dia: 100mm, 4" Thread: M10x1.5 Wire dia: 0.5mm wire ala: U.Smm Wire length: 30mm RPM: 8500r/min Apply on: roughening, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel Suitable for: Steel, Cast steel

Unit	PACK/QTY	Qty/Ctn
PCS	10	60

#### Wire cup brush

#### TAC33021



Dia: 50mm, 2" Shank dia: 1/4" Wire dia: 0.3mm Wire length: 17mm RPM: 4500r/min

Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood Packed by double blister

....

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

#### Circular grinding wire brush

#### TAC34021



Dia: 50mm, 2" Shank dia: 1/4" Wire dia: 0.3mm Wire length: 10mm RPM: 4500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	20	240

#### Wire cup brush

#### TAC31031.2



Dia: 75mm, 3" Thread: M10X1.5 Wire dia: 0.3mm Wire length: 23mm RPM: 12500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	80

#### Wire cup brush

#### TAC32031.2



Dia: 75mm, 3" Thread: M10x1.5 Inread: MIDXLS
Wire dia: O.5mm
Wire length: 23mm
RPM: 12500r/min
Apply on: roughening, descaling/paint
stripping, weld seams
Suitable for: Steel, Cast steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	80

#### Wire cup brush

#### TAC32051.2



Dia: 125mm, 5" Thread: M10x1.5 Wire dia: 0.5mm wire dia: 0.5mm Wire length: 30mm RPM: 6500r/min Apply on: roughening, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

#### Wire cup brush

#### TAC33031



Dia: 75mm, 3" Shank dia: 1/4" Wire dia: 0.3mm Wire length: 20mm RPM: 4500r/min

Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood

Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

#### Circular grinding wire brush

#### TAC34031



Dia: 75mm, 3" Shank dia: 1/4" Wire dia: 0.3mm Wire length: 16mm RPM: 4500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Circular grinding wire brush

#### TAC34041



Dia: 100mm, 4"
Shank dia: 1/4"
Wire dia: 0.3mm
Wire length: 22mm
RPM: 4500r/min
Apply on: planing, deburring, edge honing,
descaling/paint stripping, weld seams
Suitable for: Steel, Cast steel, Soft wood, Hard wood

Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	60

#### Nylon brush

#### TAC33025



Dia: 50mm, 2" Shank dia: 1/4" Wire dia: 1.2mm Wire length: 17mm RPM: 4500r/min

Apply on: roughening, structuring, descaling/paint stripping Suitable for: Steel, Cast steel, Stainless steel, Non-ferrous metal, Aluminium, Soft wood,

Hard wood

Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

#### Nylon brush

#### TAC34045



Dia: 100mm, 4" Shank dia: 1/4" Wire dia: 1.2mm

Wire length: 10mm RPM: 4500r/min Apply on: roughening, structuring, descaling/paint stripping Suitable for Steel, Cast steel, Stainless steel, Non-ferrous metal, Aluminium, Soft wood, Hard wood

Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

#### Hard bristle brush

### TACH1401

4" Hard bristle







4" Hard bristle brush Shank: 1/4" Hex Ideal for cleaning masonry, concrete, rusted metal and other heavy duty applications Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	4	24

#### Soft bristle brush

#### TACS1401





4" Soft bristle brush Shank: 1/4" Hex Ideal for cleaning glass, plastic, laminate, flooring, porcelain, granite, tile, carpet Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	4	24

#### Pencil brush

#### TAC37011



Dia: 25mm, 1" Shank dia: 1/4" Wire dia: 0.3mm

Wire length: 25mm RPM: 4500r/min Apply on: planing, deburring, edge honing, descaling/paint stripping, weld seams Suitable for: Steel, Cast steel, Soft wood, Hard wood

Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	20	24 0

#### Nylon brush

#### TAC34035



Dia: 75mm, 3" Shank dia: 1/4" Wire dia: 1.2mm wire dia: LZmm Wire length: 10mm RPM: 4500r/min Apply on: roughening, structuring, descaling/paint stripping Suitable for: Steel, Cast steel, Stainless steel, Non-ferrous metal, Aluminium, Soft wood, Hard wood

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

#### Wire brusher

#### THT92102



Length: 250mm, 10" Length with wire: 130mm Wire dia: 0.3mm Wire length: 30mm

Apply on: planing, descaling/paint stripping, etching, brushing/dust removal, light cleaning work
Suitable for: Steel, Cast steel, Soft wood,

Hard wood Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	15	60

#### Medium bristle brush

#### TACM1041



#### 4" Medium bristle



4" Medium bristle brush Shank: 1/4" Hex Ideal for cleaning flooring, porcelain, granite, tile, carpet
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	4	24

#### Medium bristle brush

#### TACM1360



## Medium bristle



360-Degree medium bristle drill brush Shank: 1/4" Hex Ideal for cleaning flooring, porcelain, granite, tile, carpet
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	4	16





20.0

PCS

100

SFT

400

80.0





## India's first 7000 One-Stop Tools Station One-Stop Tools Station



Impact Screwdriver bits SL5\*0.8mm,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	400	80 0

## Impact screwdriver bits

Impact screwdriver bits





Impact Screwdriver bits SL6\*1.0mm,25mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	400	80 0

#### Impact screwdriver bits

#### TACIM71SL650

TACIM71SL625



Impact Screwdriver bits SL6\*1.0mm,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	200	40 0

#### TACIM71SL550



Impact Screwdriver bits SL5\*0.8mm,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	200	40 0

#### Impact screwdriver bit

### INDUSTRIAL

### TACIM71T2510 0





Impact Screwdriver bit T25,100mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	300	60 0

#### TACIM71T2515 0



Impact Screwdriver bit T25.150mm.lpcs S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	200	40 0

#### Impact screwdriver bit

Impact screwdriver bit

#### TACIM71T2520 0

#### IMPUSTRIAL!



#### TACIM71T2525 0



#### INDUSTRIA

INDUSTRIAL

30



Impact Screwdriver bit T25,200mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	150	30 0



Impact Screwdriver bit T25,250mm,1pcs S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	100	20 0

#### Impact screwdriver bits

#### TACIM16PH163

150mm 10PCS/SET

IMPAGT /S2 // C

INDUSTRIAL

Impact Screwdriver bit
PHI 150mm
10pcs/set
With high visibility sleeve
The larger optimized Shock Zone are reduces
tip breakages
S2 industrial steel
Black surface with magnet
Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	25	50

#### Impact screwdriver bits

#### ТАСІМ16РН183



Impact Screwdriver bit
PH1\*200mm
10pcs/set
With high visibility sleeve
The larger optimized Shock Zone are reduces
tip breakages
S2 industrial steel
Black surface with magnet
Packed by plastic box

Unit PACK/QTY Qty/Ctn

15

SFT

## India's first TLTTAL One-Stop Tools Station

#### Impact screwdriver bits

#### TACIM16PH1103





Impact Screwdriver bit PH1 \*250mm 10pcs/set With high visibility sleeve
The larger optimized Shock Zone are reduces
tip breakages
S2 industrial steel Black surface with magnet Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	15	30

#### Impact screwdriver bits

#### TACIM71SL450



Impact Screwdriver bits SL4\*0.5mm,50mm,2pcs/set S2 industrial steel Black surface with magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	200	40 0

#### Impact screwdriver bits

#### TACIM16PH285

INDUSTRIAL)



Impact screwdriver bits Size: PH2 Length: 200mm 10pcs/set lopcs/set With high visibility sleeve The larger optimized shock zone are reduces tip breakages Material: S2 industrial steel Black surface with magnet Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	15	30

#### Impact screwdriver bits

#### TACIM16T2583

INDUSTRIAL

INDUSTRIAL.



Impact Screwdriver bit T25 \*200mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages

52 industrial steel Black surface with magnet Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	15	30

#### 30 Pcs 25mm impact screwdriver bits set

#### TACSD18306



29pcs 25mm impact screwdriver bits PHI-2-2-2-3 SL3-4-5-6-7 PZI-2-2-2-3 TIO-15-20-25-27-30-40 H3-4-5-6 S1-2-3 lpcs quick release bit holder Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	10	40

#### TACIM16HL133



Impact Screwdriver bit PH2+SL6.0\*1.0 65m 65mm 10pcs/set

With high visibility sleeve
The larger optimized Shock Zone are reduces
tip breakages
S2 industrial steel

Black surface with magnet Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	25	10 0

#### Impact screwdriver bits

Impact screwdriver bits

#### TACIM16PH263



Impact Screwdriver bit PH2 150mm 10pcs/set With high visibility sleeve
The larger optimized Shock Zone are reduces tip breakages
\$2 industrial steel Black surface with magnet

Packed by plastic box PACK/QTY Unit Qty/Ctn

25

mpact	screwd	rivor	hitc

SET

#### **TACIM16T2563**



50

INDUSTRIAL



Impact Screwdriver bit T25 150mm 10pcs/set With high visibility sleeve
The larger optimized Shock Zone are reduces
tip breakages
S2 industrial steel Black surface with magnet Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	25	50

#### Impact screwdriver bits

### TACIM16T2510 3

250mm

10PCS/SET



Impact Screwdriver bit T25 \*250mm 10pcs/set With high visibility sleeve The larger optimized Shock Zone are reduces tip breakages S2 industrial steel

Black surface with magnet Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	15	30

#### Screwdriver bit holder

#### TAC461601



IMPAGT / S2 / C

60mm,2pcs/set Material: steel + Cr-v Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	25	10 0



#### 9 Pcs screwdriver bits set

#### TACSD3091



9 pcs Screwdriver Bits Set PH1,PH2,PH3,SL4.0,SL5.5,SL6.5,PZ1,PZ2 Material:S2 industrial steel
with magnetic
With 1 pcs bit holder with quick
release,Strong magnetic

Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	25	10 0

#### 3 Pcs impact magnetic nut set

#### TAC271031





10mm,3pcs/set Shank:1/4" Hex Length:65mm Material;50BV30 With strong magnet Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	25	10 0

#### 6 Pcs impact magnetic nut set

#### TAC2765061





6pcs/set 6mm,7mm,8mm,9mm,10mm,12mm Shank:1/4" Hex Length:65mm Material:50BV30 With strong magnet Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	10	50

#### 13mm Key chuck with adaptor

#### TAC451301.1

#### 13mm(1/2")



Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Including 1pcs adaptor Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	1	25

#### Planer blade

#### TAC618201







HSS

Size:82X5.5X1.2mm,HSS Suitable for electric planer TL1108236 TL1108236-4 TL1108236-7 UTL1108236 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	15	30 0

#### 3 Pcs impact magnetic nut set

#### TAC270831



8mm,3pcs/set Shank: 1/4" Hex Length: 65mm Material: 50BV30 With strong magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
CET	25	10.0

#### 3 Pcs impact magnetic nut set

#### TAC2703431



65mm,3pcs/set Diameter: 10mm, 13mm, 14mm Shank: 1/4" Hex Length: 65mm Material: 50BV30 With strong magnet Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	25	10 0

#### 13mm Key chuck

#### TAC451301



Chuck capacity:1.5-13mm Connection size:1/2"-20UNF Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	1	25

#### Chuck key

### TAC470131



Key for 13mm key chuck Length:80mm Packed in sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	25	10 0

INDUSTRIAL

10.0

#### Planer blade

#### TAC618202

2PCS/SET

82x29x3mm





Size:82X29X3.0mm,HSS Match with TL5508216 UTL5508216 TL7508226 TL7508226UP TL7508226-4 UTL7508226 Packed by double blister

Unit	PACK/QTY	Qty/Ctn

20

SFT

## India's first 7000 One-Stop Tools Station One-Stop Tools Station

#### Jig saw blade for wood

#### TAC51111C



Basic for wood 74mm 8TPI basic tol wodu, Arithijo, Ph HCS,milled, ideal for soft wood(4-50mm), chip-boards, wood core plywood, fibre boards, quick cut, 5pcs/set Packed by blister card

Unit	PACK/QTY	Qty/Ctn
SET	25	25 0

#### Jig saw blade set

#### TAC51051

#### 5PCS/SET



2PCS TJSBTIIIC for wood 2PCS TJSBTII8B for metal 1PCS TJSBTI27D for Alu 5PCS/set Packed by blister card

Unit	PACK/QTY	Qty/Ctn
SFT	25	25.0

#### 8 Pcs jig saw blades set

#### TACSD7386



1PCS 127D for cutting aluminum 1PCS TAC51101D for cutting wood ( clean

IPCS TACSIBILITY OF CULTING WOOD (clean surface)
2PCS TACSIII8B for cutting metal
4PCS TACSIIIIC for cutting wood (fast cut)
8pcs Jig saw blades set
Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET		24

#### Reciprocating saw blades for metal

#### TAC52922EF





flexible for metal 150mm(6") 18T-BIM-Milled 2pcs/set Suitable for TS100806 1/2" shank,2pcs/set
Cuts all metals including nonferrous pipe
(<100mm) conduit, stainless and sheet metals(1.5-4mm) Packed by blister card

Unit	PACK/QTY	Qty/Ctn
SET	25	10 0

#### Hole core bit

#### TAC430351



5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	24

#### Jig saw blade for wood

#### TAC51101D



Clean for wood Length of tooth:75mm,tooth space:4-5.2mm Softwood, chipboards, wood core plywood, fibre boards (10-45 mm),5pcs/set HCS,Ground teeth and taper ground Packed by blister card

Unit	PACK/QTY	Qty/Ctn
SET	25	25 0

#### Jig saw blade for metal

#### TAC51118B



Basic for metal length of tooth:50mm,tooth lengtn of tootn:Summ,tootn space:1.9-2.3mm HSS,wavy set,milled, Medium-thick sheet metal (2.5-6 mm) Spcs/set Packed by blister card

Unit	PACK/QTY	Qty/Ctn
SET	25	25 0

### Reciprocating saw blades for wood

#### TAC52644D



Basic for Wood 150mm\*19mm\*1.2mm 6TPI-HCS-Milled 2pcs/set 1/2" shank,2pcs/set Fast cutting for wood, composition materials and plastic(dia. Packed by blister card

Unit	PACK/QTY	Qty/Ctn
SET	25	10 0

#### Hole core bit

#### TAC430301



Diameter:30mm 4pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by

Unit	PACK/QTY	Qty/Ctn
SFT	1	24

#### Hole core bit

#### TAC430401



Diameter:40mm 5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET	1	24

#### Hole core bit

#### TAC430451

#### 45mm



Diameter:45mm 5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET	1	24

#### Hole core bit

#### TAC430501



Diameter:50mm 5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	24

#### Hole core bit

#### TAC430651



Diameter:65mm 8pcs TCT blades With lpcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET	1	24

#### Hole core bit

#### TAC430701



Diameter:70mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	2/

#### Hole core bit

#### TAC430801





Diameter:80mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	24

#### Hole core bit

#### TAC430551



Diameter:55mm 5pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SFT	1	24

#### Hole core bit

#### TAC430601



Diameter:60mm 6pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET	1	24

#### Hole core bit

#### TAC430681



Diameter:68mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by

Unit	PACK/QTY	Qty/Ctn
SET	1	24

#### Hole core bit

### TAC430751



Diameter:75mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	2/

#### Hole core bit

#### TAC430851



Diameter:85mm 8pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by

Unit	PACK/QTY	Qty/Ctn
PCS	1	12

#### Hole core bit

#### TAC430901



Diameter:90mm 9pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	12

#### Hole core bit

#### TAC4301051





Diameter:105mm 12pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SFT	1	12

#### Hole core bit

#### TAC4301201





Diameter:120mm 14pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	12

#### Hole core bit

#### TAC4301501





Diameter:150mm 16pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SFT	1	8

#### HSS bi-metal hole saw

BIM

#### TAC410161





Diameter:16mm (5/8") Diarneter:I6mm (5/8")
Cutting depth:38mm (1 1/2")
Material:HSS M3 Bi-metal
Variable teeth 4-6TPl
Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

#### Hole core bit

#### TAC431001

#### 100mm(4")





Diameter:100mm 10pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET	1	12

#### Hole core bit

#### TAC4301101

## 110mm[4-3/8"]



Diameter:110mm 14pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by color box

Unit	PACK/QTY	Qty/Ctn
SFT	1	12

#### Hole core bit

#### TAC4301251





Diameter:125mm 14pcs TCT blades With 1pcs 110mm adaptor With 1pcs 8X110mm masonry drill bit Packed by

Unit	PACK/QTY	Qty/Ctn
SET	1	12

#### SDS plus adaptor

## TAC43A13501



Shank:SDS Plus Thread:M22 Length:350mm With 1pcs 8X110mm drill bit Suitable for item TAC430501 TAC430651 TAC430801 TAC431001 Packed by plastic tube

Unit	PACK/QTY	Qty/Ctn
PCS	1	30

#### HSS bi-metal hole saw

BIM

#### TAC410191





Diameter:19mm (3/4") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

## India's first 7000 One-Stop Tools Station One-Stop Tools Station

#### HSS bi-metal hole saw

#### TAC410221





Diameter:22mm (7/8") Diameter:22mm (7/8")
Cutting depth:38mm (1 1/2")
Material:HSS M3 Bi-metal
Variable teeth 4-6TPl
Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

#### HSS bi-metal hole saw

#### TAC410291

## 29mm(1-1/8") BIM

Diameter:29mm (1-1/8") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
DCC	10	50

#### HSS bi-metal hole saw

BIM

#### TAC410351

## 19mm(3/4")



Diameter:35mm (1-3/8") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4-6TPl Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
DCC	10	50

#### HSS bi-metal hole saw

#### TAC410441

#### 19mm(3/4")



BIM

Diameter:44mm (1-3/4")
Cutting depth:38mm (1 1/2
Material:HSS M3 Bi-metal
Veriable teeth 4-6TPI
Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

#### HSS bi-metal hole saw

#### TAC410511





BIM Diameter:51mm (2")

Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPl Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

### TAC410251





Diameter:25mm (I") Cutting depth:38mm (I 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### HSS bi-metal hole saw

HSS bi-metal hole saw

#### TAC410321





Diameter:32mm (1-1/4") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### HSS bi-metal hole saw

#### TAC410381





Diameter.38mm (1-1/2") Cutting depth.38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCS	10	50

#### HSS bi-metal hole saw

#### TAC410461

## 46mm(1-13/16")/BIM/



Diameter:46mm (1-13/16") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### HSS bi-metal hole saw

### TAC410571







Diameter:57mm (2-1/4") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Veriable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### HSS bi-metal hole saw

#### TAC410641

## 64mm(2-1/2") BIM



Diameter:64mm (2-1-2") Cutting depth:38mm (11/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPl Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	50

#### HSS bi-metal hole saw

#### TAC410761



Diameter:76mm (3") Cutting depth:38mm (1 1/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPI Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	50

#### Arbor for hole saw

#### TAC4201



Arbor for hole saw Hex shank 3/8" Fit hole saws 14mm to 30mm Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

#### Arbor for hole saw

#### TAC4205



Arbor for hole saw SDS Plus shank thread size:1/2"-20UNF Fit hole saws :9/16"(14mm) to 1-3/16" (30mm) with 6mm HSS drill Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
DCS	10	12.0

#### Bi-metal hole saw set

#### TACSH1121



Hole saw 12pcs set
Size:20mm(25/32"),22mm(7/8"),25mm
(1"),29mm(1-1/8"),32mm(1-1/4"),35mm
(1-3/8"),38mm(1-1/2"),44mm
(1-3/4"),48mm(1-1/8"),50mm1-31/32 '
1 pcs arbor: 1/4" Round Shank, Fit Size :
9/16"-1-3/16"
1 pcs arbor: 7/16" Hex Shank, Fit Size :
1-1/4"-8-17/64"
Packed by Aluminum case

Unit	PACK/QTY	Qty/ Ctn
SET	ı	10

#### HSS bi-metal hole saw

#### TAC410681

## 68mm(2-11/16")/BIM/



Diameter:68mm (2-11/16") Cutting depth:38mm (11/2") Material:HSS M3 Bi-metal Variable teeth 4-6TPl Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	50

#### HSS bi-metal hole saw

#### TAC4111412



Diameter:114mm (4-1/2") Cutting depth:38mm(1-1/2") Material:HSS M3 Bi-metal Veriable teeth 4/6 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	10

#### Arbor for hole saw

#### TAC4206



Arbor for hole saw 7/16" hex shank thread size:1/2"-20UNF Fit hole saw: 9/16"(14mm) to 1-3/16" (30mm) with 6mm HSS drill Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

#### Arbor for hole saw

#### TAC4204



Arbor for hole saw SDS Plus shank Thread size: 5/8"-18UNF Fit hole saws: 1-1/4"(32mm) to 8-17/64" (210mm) With 6mm HSS drill Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	60

#### 3pcs Lock Installation Hole Saw Set

#### TACSH1031



opcs/set lpcs 5/4mm carbon steel hole saw lpcs 3/8" arbor for hole saw lpcs 7/8" flat wood drill bit packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	10	60

#### TACSH3071



7pcs hole saw set Size:26, 32, 38, 45, 50, 56, 63mm Height:50mm(2") Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	10	60

#### Carbide gritted hole saw

Hole saw set

#### TAC440431



43mm (1-11/16") Material: YG8C+A3 Match with TAC4203 Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

#### Carbide gritted hole saw

#### TAC440671



67mm (2-41/64") Material: YG8C+A3 Match with TAC4203 Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

#### Carbide gritted hole saw

#### TAC440831



83mm (3-17/64") Material: YG8C+A3 Match with TAC4203 Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

#### Tungsten carbide rotary burrs

#### TAKC1002



Torch H rotary file Shank specification :6mm Tool head specification 8mm Material: YG7 carbide tool head, 40Cr tool

Carbide Burs are used for shaping, grinding and for the removal of sharp edges, burrs and excess material (deburring) Used on pneumatic or electric die grinders Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
PCS	100	20 0

#### Carbide gritted hole saw

#### TAC440331



33mm (1-19/64") Material: YG8C+A3 Match with TAC4203 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### Carbide gritted hole saw

#### TAC440531



53mm (2-3/32") Material: YG8C+A3 Match with TAC4203 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### Carbide gritted hole saw

#### TAC440731



73mm (2-7/8") Material: YG8C+A3 Match with TAC4203 Packed by double blister

Unit	PACK /QTY	Qty/Ctn
OTIL	PACK/QIT	Qty/Ctri
PCS	3	20

#### Tungsten carbide rotary burrs

#### TAKC1004



HSS Rotary cutter Material: tungsten carbide Double cut Shank: 6mm Head size: 8mm Carbide Burs are used for shaping, grinding and for the removal of sharp edges, burrs and excess material (deburring) Used on pneumatic or electric die grinders Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	100	20 0

#### Tungsten carbide rotary burrs

#### TAKC1003



HSS Rotary cutter Material: tungsten carbide Double cut Shank: 6mm Head size: 8mm Carbide Burs are used for shaping, grinding and for the removal of sharp edges, burrs and excess material (deburring)
Used on pneumatic or electric die grinders

Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	100	20.0

#### Tungsten carbide rotary burrs

#### TAKC1005



HSS Rotary cutter Material: tungsten carbide

Material: tungsten carbide
Double cut
Shank: 6mm
Head size: 8mm
Carbide Burs are used for shaping, grinding
and for the removal of sharp edges, burrs
and excess material (deburring) Used on pneumatic or electric die grinders Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	100	20 0

#### Flap disc

#### TAC6310023



Size:100mm\*16mm.P60 Suitable for high steel,steel,cast iron and sheet steel Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	1	20.0

#### Sanding sheet set

#### TAC749241-1

#### 90x231mm





Size:90X231mm 3pcs P80,2pcs P120 5pcs/set Suitable for TF1301826 Packed by label

Unit	PACK/QTY	Qty/ Ctn
SET	25	10 0

#### Mix paddle

#### TAC331120



Diameter:120mm Length:600mm Tool fitting:M14x2 Mixing from top down Packed by paper

Unit	PACK/QTY	Qty/Ctn
PCS	2	10

### 12 Pcs router bits set

#### TACSR0121

#### 12PCS/SET



Shank diameter: 6mm 3pcs straight bit.6mm,12mm,16mm 2pcs round over bit6.35mm,9.5mm 1pcs 12.7mm flush trim bits 1pcs 12.7mm cove box bit 1pcs 6.35mm cove bit 1pcs 32mm 45°chamfer bit 1pcs 12.7mm 90°v-groove bit 1pcs 12.7mm dovetail bit 1pcs R-4 roman ogee bit Packed by plywood case

Unit	PACK/QTY	Qty/ Ctn
SET	ı	20

#### Tungsten carbide rotary burrs

#### TAKC1001



HSS Rotary cutter
Material: tungsten carbide
Double cut
Shank: 6mm
Head size: 8mm
Carbide Burs are used for shaping, grinding
and for the removal of sharp edges, burrs
and excess material (deburring)

Used on pneumatic or electric die grinders Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
PCS	100	20 0

#### Flap disc

#### TAC6310033



Size:100mm\*16mm.P80 Suitable for high steel,steel,cast iron and sheet steel Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	ı	20 0

#### Sanding sheet for random orbital sander

#### TAC731501



Size:150mm 3pcs P80, 2pcs P120 5pcs/set Suitable for item TF2041506 Packed by label

Unit	PACK/QTY	Qty/Ctn
SET	20	80

#### Mix paddle

### TAC331160



Diameter:160mm Length:600mm Tool fitting:M14x2 Mixing from top down Packed by paper

Unit	PACK/QTY	Qty/Ctn
PCS	2	10

#### 12 Pcs router bits set

## TACSR1121

## 12PCS/SET



Shank diameter: 8mm 3pcs straight bit:6mm,12mm,16mm 2pcs round over bit:6.35mm,9.5mm 1pcs 12.7mm flush trim bits 1pcs 12.7mm cove box bit 1pcs 6.35mm cove bit 1pcs 6.35mm cove bit 1pcs 12.7mm 90°V-groove bit 1pcs 12.7mm dovetail bit 1pcs R-4 roman ogee bit Packed by plywood case

Unit	PACK/QTY	Qty/Ctn
SET	'	20

## India's first 7000 One-Stop Tools Station One-Stop Tools Station

#### 12 Pcs router bits set

#### TACSR2121

#### 12PCS/SET



Shank diameter: 12mm 3pcs straight bit:6mm,12mm,16mm 2pcs round over bit:6.35mm,9.5mm 1pcs 12.7mm over bittas.5mm/s.5mm lpcs Iz./mm flush trim bitts lpcs I2.7mm cove box bit lpcs 6.35mm cove bit lpcs 32mm 45°chamfer bit lpcs I2.7mm 90°V-groove bit lpcs I2.7mm dovetail bit lpcs R-4 roman ogee bit Packed by plywood case

Unit	PACK/QTY	Qty/ Ctn
SET	1	20

#### Claw hammer

#### THCH61016



Weight:16oz/450g weightlios/4509 Magnetic nail function Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable grip Packed by label

Drop forged
-------------

Unit	PACK/QTY	Qty/ Ctn
PCS	6	18

#### Stoning hammer

#### THSTH61000

## 1000g Fiberglass handle



Weight:1000g Innovated drop-forged hammer head Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	6	12

#### Rubber and plastic hammer

#### THRUH6940

#### 40mm Fiberglass handle



Hammer diameter:40mm Soft face Soft face Protect workpiece surface Strong three-color fiberglass handle for comfortable gripe Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	10	30

#### Mini claw hammer

#### THTM7386D



Hammerhead same like 8oz claw hammer Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by color card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	48

#### Claw hammer

#### THCH61008



Weight:8oz/220g Magnetic nail function Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable grip Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Claw hammer

#### THCH61016L



Weight:16oz/450g Length:345mm Magnetic nail function Innovated overall forged drop-forged hammer head
Heat treatment,45# carbon steel
Strong three-color handle for comfortable

aripe Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	6	12

#### Ball pein hammer

#### THBPH61016

#### 16oz Fiberglass handle



Weight:16oz/450g vveignt:iboZ/450g Innovated drop-forged hammer head Heat treatment,45# carbon steel Strong three-color fiberglass handle for comfortable gripe Parked by Isbal Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	6	18

#### Sledge hammer

### THSLH6104

#### Fiberglass handle



Weight:4LB veugnt.4LB Innovated drop-forged hammer head Heat treatment.45# carbon steel Strong three-color fiberglass handle for comfortable gripe Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	4	8

#### Machinist hammer

#### THT711006



Drop-forged hammerhead Heat treatment, 45# carbon steel Two color Fiberglass handle Packed by Label

Unit	PACK/QTY	Qty/Ctn
PCS	6	48

## India's first TLTTAL

## THT712006

#### Fibreglass handle



Weight:200g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	6	48

#### Machinist hammer

Machinist hammer

#### THT715006

#### 500g Fibreglass handle



Weight:500g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### Machinist hammer

#### THT7115006

### 1500g Fibreglass handle



Weight:1500g Weight 1300 prop-forged hammerhead
Heat treatment, 45# carbon steel
Unique design fiberglass handle
Packed by label

Unit	PACK/QTY	Qty/ Ctr
PCS	6	12

#### Stoning hammer

## THT7215006

## 1500g Fibreglass handle



Weight:1500g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	6	12


#### Ball pein hammer

#### THT74166

#### 16oz Fibreglass handle



Weight:16oz/450g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label



#### Machinist hammer

## THT713006

#### **300**g Fibreglass handle



Weight:300g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Machinist hammer

#### THT7110006

## 1000g Fibreglass handle



Weight:1000g Weight Hood Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	6	12

#### Machinist hammer

#### THT7120006

#### 2000g Fibreglass handle



Weight:2000g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label



#### Stoning hammer

#### THT7220006

## 2000g Fibreglass handle



Weight:2000g Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label



Unit	PACK/QTY	Qty/Ctn
PCS	4	8

#### Ball pein hammer

## THT74246

#### 24oz Fibreglass handle



Weight:24oz/660g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label



Unit	PACK/QTY	Qty/Ctn
DCS	c	18

18

## India's first One-Stop Tools Station

## THT74486

#### 48oz Fibreglass handle



Weight:48oz/1300g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

Drop forged			
	Unit	PACK/QTY	Qty/Ctn
	PCS	6	12

#### THT76816

#### 8oz Fibreglass handle



Weight:8oz/220g Rubber hammerhead Rubber hammerhead Non-spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

#### Rubber hammer

Ball pein hammer

#### THT761616

#### 16oz Fibreglass handle



Weight:16oz/450g Rubber hammerhead Rubber nammerhead Non-spark Non-marring plastic faces Protect workpiece surface Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### Rubber hammer

Rubber hammer

#### THT76836



#### 8oz Fibreglass handle



Weight:8oz/220g Natural rubber hammerhead,soft type Natural rubber nammernead,son Non-spark Non-marring plastic faces Protect work piece surface Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

#### Rubber hammer

#### THT761636

THT786006

16oz

#### THT79021

## Dead blow mallet



Dead blow mallet Weight: 2LB Weight: 2LB Non-marring plastic faces Non-rebounding Non-spark Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	6	24



390mm

600g

Fibreglass handle

Weight:16oz/450g Natural rubber hammerhead,soft type Non-spark Non-marring plastic faces Protect work piece surface Unique design fiberglass handle Packed by label

Weight:600g Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

PACK/QTY

6

Qty/Ctn

12

Unit

PCS

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

## THT788006

### 800g





Weight:800g Drop-forged axe head Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	6	12

#### Axe

Axe

#### THT7812506

#### 1250g

#### Fiberglass handle



Drop-forged axe head Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	1	8

#### Sledge hammer

Axe

#### THT79026





vvergnt:2LB Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label



Unit	PACK/QTY	Qty/Ct
PCS	6	12

## India's first 7000 One-Stop Tools Station One-Stop Tools Station

### THT79036

#### 3LB Fibreglass handle



Weight:31 B Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label

	Drop	forged	
--	------	--------	--

Unit	PACK/QTY	Qty/ Ctn
PCS	6	12

#### THT79046

#### 4LB Fibreglass handle



Weight:4LB Weight ALB Drop-forged hammerhead Heat treatment, 45# carbon steel Unique design fiberglass handle Packed by label

Drop forged	
-------------	--

Unit	PACK/QTY	Qty/Ctn
PCS	4	8

#### Sledge hammer

Sledge hammer

## THT750416

#### 10LB Fibreglass handle



Weight:10LB Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
DCS	1	/1

#### Sledge hammer

Sledge hammer

#### THT750516

#### 12LB Fibreglass handle



Weight:12LB Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label



Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Stone hammer

#### THT720416

#### 4000g Fibreglass handle



vveignt:4kg 45# carbon steel Drop-forged Drop-forged hammerhead Heat treatment Two color 900mm Fiberglass handle Packed by label Weight:4kg

Unit	PACK/QTY	Qty/ Ctn
PCS	1	4

#### Stone hammer

#### THT720516

### 5000g Fibreglass handle



Weight:5kg Drop-forged hammerhead Heat treatment,45# carbon steel Unique design fiberglass handle Packed by label



Combination pliers

nit	PACK/QTY	Qty/Ctr
CS	1	4

#### Combination pliers

### THT110706P

#### 180mm(7")



Size: 7"/180mm Polish and anti-rust oil Two color handle Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

### THT110806P

200mm(8")





Size: 8"/200mm Polish and anti-rust oil Two color handle Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Diagonal cutting pliers

#### THT130606P

#### 160mm(6")



Size: 6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Long nose pliers

## THT120606P





Size: 6"/160mm Polish and anti-rust oil Two color handle Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

## India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### Bent nose pliers

#### THT1466P

#### 160mm(6")



Size: 6"/l60mm Polish and anti-rust oil Two color handle Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Combination pliers

#### THT210806



Size:8"/200mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Diagonal cutting pliers

#### THT230706



Size:7"/180mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Long nose pliers

### THT220606

INDUSTRIAL |



Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### High leverage combination pliers

#### THT210606S

INDUSTRIAL



Size: 6"/160mm Energy saving 30% than normal pliers
Material: Cr-V
Surface treatment: black finish and polish
TPR three color handle for strong grip and comfort

With crimping function With nail holder function With spanner function With deburring function Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Combination pliers

#### THT210706







Size 7"/180mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Diagonal cutting pliers

#### THT230606







Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Heavy-duty diagonal cutting pliers

#### THT27716





Size: 7"/180mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Bent nose pliers

#### THT24616



INDUSTRIAL

#### 160mm(6")



Size: 6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### High leverage combination pliers

#### THT210706S





Size: 7"/180mm

Energy saving 30% than normal pliers
Material: Cr-V
Surface treatment: black finish and polish
TPR three color handle for strong grip and comfort

With crimping function With nail holder function With spanner function With deburring function Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### High leverage combination pliers

#### THT210906S



Size: 9.5"/240mm Energy saving 30% than normal pliers Material: Cr-V

Material: Cr-V
Surface treatment: black finish and polish
TPR three color handle for strong grip and
comfort
With crimping function
With spanner function

With spanner function With deburring function Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### High leverage diagonal cutting pliers

#### THT230706S



Size: 7"/180mm Energy saving 30% than normal pliers Material: Cr-V

Surface treatment: black finish and polish
TPR three color handle for strong grip and
comfort
With crimping function

With deburring function Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### High leverage long nose pliers

#### THT220606S



Size: 6"/160mm Energy saving 30% than normal pliers Material: Cr-V

Surface treatment: black finish and polish TPR three color handle for strong grip and comfort
With crimping function
With nail holder function

With spanner function Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### High leverage long nose pliers

## THT220806S



Size: 8"/200mm Energy saving 30% than normal pliers Material: Cr-V Surface treatment: black finish and polish

TPR three color handle for strong grip and comfort

With crimping function With nail holder function With spanner function Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Mini combination pliers

#### THTMN156



Size:4.5"/115mm Polish and anti-rust oil Two color handle Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0

#### High leverage diagonal cutting pliers

#### THT230606S



Size: 6"/160mm Energy saving 30% than normal pliers Material: Cr-V

Surface treatment: black finish and polish TPR three color handle for strong grip and comfort With crimping function

With deburring function Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### High leverage heavy-duty diagonal cutting pliers

#### THT27716S



Size: 7"/180mm Energy saving 30% than normal pliers Material: Cr-V

Surface treatment: black finish and polish TPR three color handle for strong grip and comfort

With deburring function Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### High leverage bent nose pliers

#### THT24616S



Size: 6"/160mm Energy saving 30% than normal pliers Material: Cr-V

Surface treatment: black finish and polish Surrace treatment: black finish and polish TPR three color handle for strong grip and comfort With crimping function With nail holder function With spanner function Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Wire stripping pliers

## THT25616

INDUSTRIA

## 160mm(6") 🚮



Size:6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Plastic cutting pliers

#### THT230512

INDUSTRIAL

#### 140mm(5")



Size: 5"/140mm Black finish and polish With plastic handle Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

## India's first TLTTAL

THT2K0301

### THT1K0301

## 3PCS/SET



Size:
8" Combination pliers
6" Long nose pliers
6" Diagonal cutting pliers
Polish and anti-rust oil
Two color handle
Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
SET	5	20

#### 3 Pcs high leverage pliers set

3 Pcs pliers set

#### THT2K0301S



Size:
8" High leverage combination pliers
7" High leverage diagonal cutting pliers
6" High leverage long nose pliers
Cr-V black finish and polish
TPR three color handle
Saving 30% strength than normal pliers
Packed by D Packed by PP hanger

Unit	PACK/QTY	Qty/ Ctn
SET	5	20

#### Slip joint pliers

#### THT118062

#### 160mm(6")



Size: 6"/160mm Black finish and polish Packed by PP hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Slip joint pliers

### THT118102

INDUSTRIAL

#### 250mm(10")



Size: 10"/250mm Black finish and polish Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### **End cutting pliers**

#### THT260702

INDUSTRIAL

# 180mm(7")

Size: 7"/180mm Cr-V,black finish and polish Packed by PP hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

## 3PCS/SET 200mm(8") 160mm(6") 160mm(6")

3 Pcs pliers set

Size: 8" Combination pliers 8" Combination pilers
6" Long nose pliers
6" Diagonal cutting pliers
Cr-V,black finish and polish
Two color handle
Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	20

#### Pump pliers

#### THT281202

#### 300mm(12")



Size: 12"/300mm Cr-V,black finish and polish TPR two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Slip joint pliers

#### THT118082

#### 200mm(8")



Size: 8"/200mm Black finish and polish Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### End cutting pliers

#### THT260606

### 160mm(6") 🚮 🦷



Size: 6"/160mm Cr-V,black finish and polish Two color handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
DCS	c	76

### Rabbet pliers



#### 200mm(8")

THT2881



Size: 8"/200mm Cr-V,black finish and polish With plastic handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

## India's first TLTTAL

#### Rabbet pliers

#### THT2891



#### 228mm(9")



Size: 9"/228mm Cr-V,black finish and polish With plastic handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Fencing pliers

#### THT210102

250mm(10")



Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Insulated combination pliers

#### THTIP2171



Size:7"/180mm Black finish and polish Insulated handle Stand high pressure:1000V Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### 3 Pcs insulated pliers set

### THT2K0302



Size:

8" Insulated Combination pliers
6" Insulated Long nose pliers
6" Insulated Diagonal cutting pliers
Cr-V,black finish and polish
Insulated handle
Stand high pressure:1000V
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	5	20

#### Straight jaw plier

#### THT191002



Carbon Steel Size:10" Openings range: 0-50mm Same function as THTI91005 HRC38°-HRC48° Nickel plated Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	30

250mm(10")

#### THT28101



Rabbet pliers



Size: 10"/250mm Cr-V,black finish and polish With plastic handle Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Fencing pliers

#### THT210122

## 300mm(12")



Size: 12"/300mm Black finish and polish Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Insulated long nose pliers

#### THTIP2381

## 200mm(8") (200mm(8") (



Size:8"/200mm Black finish and polish Insulated handle Stand high pressure:1000V Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Curved jaw locking plier

### THT191003



Carbon steel Size: 10" Size: 10" Openings range: 0-50mm Same function as THT191001 HRC38°-HRC48° Nickel plated Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	30

#### Welding plier

#### THT1921003





Carbon steel Size: 10" Openings range: 0-42mm Weight: 592g Same function as THT1921001 Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Long nose locking plier

#### THT19902



Carbon steel Size: 9" Openings range: 0-60mm Same function as THT19901 HRC38°-HRC48° Nickel plated Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	30

#### Wire stripper

#### THT15606

#### 178mm(7")



Size:175\*85mm Stripper diameter:0.5mm~6mm With cutting function PP covered TPR handle 65Mn material blade Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

#### Intelligent voltage-detecting stripper

#### THT152429



Intelligent voltage-detecting stripper Non-contact voltage detection; stripping,cut-

ting and crimping
Stripping wires range:10AWG~24AWG
(02~6mm²)
Cutting function:copper and aluminum wires

Crimping function:
Crimp the insulated terminals 0.5-6mm²
(22-10AWG);
Crimp the non-insulated terminals: 0.5-6mm²

(24-10AWG)

Crimp the ignition terminals: 7-8mm<sup>2</sup> Durable and comfortable handle With 2pcs LR44 batteries Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Wire stripper

#### THT15101

INDUSTRIAL

#### 254mm(10")



With sharp edge for cutting wire With push down wire function
With wire stripping function
Can strip six kinds of wire size
Can cut five kinds of copper screw size
Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	12	72

#### Modular plug crimper

#### TMPCN5468R





Modular Plug Crimper Used for crimping terminals of network line and telephone line Crimping range:4P,6P,8P Length:8"

Design of labor-saving ratchet
Three functions:Crimping ,Stripping ,Cutting
Unique Design PVC handle
Packing by blister card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### C-clamp locking plier

#### THT111113



Carbon steel Size: 11" Openings range: 0-95mm Weight: 710g Nickel plated Same function as THT111112 Packed by half double blister

Unit	PACK/QTY	Qty/Ctn	
PCS	5	20	

#### Automatic wire stripper

#### THT15246



3 in 1 multi-function

Stripping, cutting and crimping Stripping wires range:10AWG~24AWG (0.2~6mm<sup>2</sup>)

(U.2-emm²)
Cutting function:copper and aluminum wires
Crimping function:
Crimp the insulated terminals 0.5-6mm²
(I0-22 AWG);
Crimp the non-insulated terminals: 0.5-6mm²

(4-22 AWG):

(4-22 AWO), Crimp the ignition terminals: 7-8mm<sup>2</sup> Durable and comfortable handle Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Wire stripper

#### THT1591



Size:7"/180mm Blade material:65Mn Zinc alloy Pack by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Modular plug crimper

#### TMPC4468P



Modular Plug Crimper
Used for crimping terminals of network line
and telephone line
Crimping range:4P,6P,8P
Length:8"
Three functions:Crimping Stripping,Cutting
Unique Design PVC handle
Packing by blister card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Ratchet crimping plier

#### THCPJ0506







INDUSTRIAL

Crimping range: 0.5-6mm<sup>2</sup>
For insulated terminals and butt connectors AWG:20-10
Length: 9"

Unique design ABS handle Pressure force can be adjusted, fit for various terminals Packing by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

#### Ratchet crimping plier

#### THCPG2510

**160mm(6")** Crimping range: 0.25-10mm²



terminals
AWG:23-7 Length: 6" Unique design handle
Pressure force can be adjusted, fit for various

Packing by sliding card

terminals

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

Crimping range: 0.25-10mm² For tubular bare terminals and pre-insulated

#### Circlip pliers THTJ21801



Straight head circlip Plier Straight head circlip Piler
External circlip piler
Size: 7"/180mm
Diameter of the head: 1.8mm
Material: Cr-V
Surface treatment: black finish and polish Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	60

#### Circlip pliers

#### THTJ21802





Bent head circlip Plier External circlip plier Size: 7"/180mm Size: 7/180mm
Diameter of the head: 1.8mm
Material: Cr-V
Surface treatment: black finish and polish Packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	60

#### Circlip pliers

4 Pcs circlip pliers set

Pipe wrench

THTJ21803



Straight head circlip Plier Internal circlip plier
Size: "/!80mm
Diameter of the head: 1.8mm
Material: Cr-V
Surface treatment: black finish and polish Packed by sliding card

PACK/QTY

Qty/Ctn

60

#### Circlip pliers

#### THTJ21804

#### 180mm(7")



Bent head circlip Plier Internal circlip plier Size: 7"/180mm Diameter of the head: 1.8mm
Material: Cr-V
Surface treatment: black finish and polish
Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	60

#### THTJ214042



4 Pcs circlip Plier Set

Unit

PCS

4 PCS cIrcilp Fluer Set 2 PCS of 180°, 2 pcs of 90° Size: "7/180mm Material: Cr-V Surface treatment: black finish and polish Packed by canvas bag

Unit	PACK/QTY	Qty/Ctr
SET	5	30

#### Pipe wrench

#### THT170806





Size:8"(200mm) Max clamping diameter:27mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36



1	VV.	
	Max Ø34mm	

Size:10"(250mm) Max clamping diameter:34mm Mobile jaw material:cr-mo Mobile Jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

INDUSTRIAL

#### Pipe wrench

#### THT171206

INDUSTRIAL

# Cr-IVIo



Size:12" (300mm) Max clamping diameter:42mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	3	18

#### Pipe wrench

#### THT171146

THT171006





Size:14" (350mm) Max clamping diameter:50mm Mobile jaw material:cr-mo Inactivate treatment
Body material:ductile cast iron
Black finish and polish
Solid rivet
Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	3	12

THT171246

#### THT171186



Size:18" (450mm) Max clamping diameter:60mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	2	10

#### Pipe wrench





Size:24" Size:24"
Max clamping diameter:76mm
Mobile jaw material:cr-mo
Inactivate treatment
Body material:ductile cast iron
Black finish and polish
Solid finish Solid rivet Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

#### Pipe wrench

Pipe wrench

#### THT171366

#### THT171486

#### Pipe wrench

45° Heavy duty swedish pipe wrench

45° Heavy duty swedish pipe wrench

**Bolt cutter** 



Aluminum Handle

Max clamping diameter:85mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish Packed by paper card

Aluminum Handle

Light weight Size:24" (600mm)

Solid rivet Packed by paper card

PCS

Unit	PACK/QTY	Qty/ Ctn
PCS	1	3

Max clamping diameter:76mm Mobile jaw drop-forged with high quality carbon steel

PACK/QTY

## Cr-IVIo



Max clamping diameter:110mm Mobile jaw material:cr-mo Inactivate treatment Body material:ductile cast iron Black finish and polish Solid rivet Packed by paper card

Solid rivet	Stronger Max Ø110mm

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

#### Aluminum handle pipe wrench

#### THTAL17246

24"

Qty/Ctn

8

#### THT172013





45° Heavy duty type Size:1" Size:|"
Max clamping diameter:40mm
Material:Carbon steel
Inactivate treatment
Solid rivet
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	24

#### 45° Heavy duty swedish pipe wrench

#### THT172153



45° Heavy duty type Size:1-1/2" Max clamping diameter:55mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	16

#### THT172023



45° Heavy duty type Size:2" Max clamping diameter:67mm Material:Carbon steel Inactivate treatment Solid rivet Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

INDUSTRIAL

#### Mini bolt cutter

#### THT11386



#### THT113126





Cr-Mo blade Black finish and polish TPR two color handle Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	20


#### 200mm(8")



Size:8" Cr-MO blade Black finish and polish TPR two color handle A lock at the end of handle Packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	48







Crimping range:Cu 16-300mm2 Crimping force: 70kN Crimping type: hexagon crimping Stroke: 18mm Length: approx 475mm Weight: approx.3.6kg Weight of box: approx.1.8kg ACCESSORIES Crimping dies: 16,25,35,50,70,95,120,150,185,240m

m2 m2 Sealing O-ring: one set packed by BMC

Unit	PACK/QTY	Qty/Ctn
SET	1	2

#### India's first One-Stop Tools Station

45KN

1.90kg Weight of case approx.0.56Kg packed by BMC

PACK/QTY

1

Qty/Ctn

5

Unit

SFT

# India's first TLTTAL

#### Hydraulic steel cutter blades

#### THSC012B



Cutting diameter: 4-12mm Material: CR12MOV heat treat Suitable for item THSC012 packed by sliding card

mms: AAIDI	
- 1	Uni
Ø4-12mm	SE

#### THSC022



Cutting range: φ4-φ22mm Output: 100KN Stroke: 24mm Length: approx.480mm Weight: 4:20kg Weight of case: approx.1.20Kg packed by BMC

Unit	PACK/QTY	Qty/Ctn
SET	1	2

#### Hydraulic steel cutter blades

#### THSC022B



Cutting diameter: 4-22mm Material: CRI2MOV heat treatment Suitable for item THSC022 packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
SET	10	30

PACK/QTY

10

Qty/Ctn

30

#### Electrician's scissors

Cable cutter

Cable cutter

Hydraulic steel cutter

#### THT117871



Size: 178mm 7" Size: 178mm 7"
Material: stainless steel
Unique design
Blade with teeth
Sand blast surface
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	72

INDUSTRIAL

#### Electrician's scissors

#### THT118871



Size: 200mm(8") Material: stainless steel
With cutting function
Unique design
Blade with teeth
Sand blast surface
Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	12	72



Size:6"/160mm Black finish and polish Carbon steel Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	90

#### Cable cutter

#### THT11581



#### THT115242

THT11561

#### INDUSTRIAL

#### 200mm(8")



Size:8"/200mm Black finish and polish Carbon steel
Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	60

#### 600mm(24")



Size:24"
Blades material:65Mn
Used for cutting copper and aluminum cable
Not for cutting ACSR, wire rope,steel or self
supporting strand
Cutting area:240mm2
Body heat treatment,cutting edges induction
quenched
Packed by paper card

Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

#### Cable cutter

#### THT115362

INDUSTRIAL

#### 900mm(36") Cutting Area 450mm



Size:36"
Blades material:65Mn
Used for cutting copper and aluminum cable
Not for cutting ACSR, wire rope, steel or self

Not for cutting ACSR, whe rope, steel or seir supporting strand Cutting area:450mm2 Body heat treatment, cutting edges induction quenched Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	1	2

#### Electrician's scissors

#### THT1155871

#### 145mm(5.5")



Size:145mm(5.5") Material: Stainless steel Blade thickness:3.0mm Unique design handle Sand blast surface Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	25	10 0

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### Cable stripping knife

#### THT51881

#### 200mm(8") Straight Blade



Size:200mm Size:200mm Straight blade Material: Stainless steel With plastic protective cover Unique design handle Sand blast surface Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	12	72

#### Scissors

#### THSCRS81280 1

#### 275mm(11")



Size:275mm(11") Material: Stainless steel Blade thickness:2.5mm Unique design handle Sand blast surface Packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
PCS	25	10 0

#### PVC pipe cutter

#### THT53351

#### 3-35mm Cutting Range





4013 mg 00 cac

One time cutting Length:210mm Cutting diameter:3-35mm Material: Aluminum Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	12	72

#### PVC pipe cutter

#### THT53422



Length:225mm Cutting diameter:3-42mm Material:Aluminum Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	4	24

INDUSTRIAL

#### Pipe cutter

#### THT531463





Copper and aluminum pipe cutter Cutting diameter:14-63mm With high Quality blade and Aluminum knob Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	18

#### Cable stripping knife

#### THT51882



Size:200mm Curved blade Material: Stainless steel With plastic protective cover Unique design handle Sand blast surface Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	72

#### Rubber grip long-blade scissors

#### THSCRS81210 8

Steel



Size: 210mm(8") Material:Titanium plated stainless steel Blade thickness:3.2mm Especially suitable For fabric/plastic/card-

Unique design handle Long edge titanium plated stainless steel blade Good at lightweight fabrics, plastics or paperboard Packed by blister card

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

#### PVC pipe cutter

#### THT534216



Length:193mm Cutting diameter:3-42mm Material:Aluminum Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	48

INDUSTRIAL

#### Pipe cutter

#### THT53321





Copper and aluminum pipe cutter Cutting diameter:3-32mm With high quality blade and aluminum knob Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Slotted screwdriver

#### THTDC2146



Cr-V, Round shank Slotted:5.0mm Diameter:5.0mm Length:100mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

# India's first TTTL One-Stop Tools Station One-Stop Tools Station

#### THTDC2156



CR-V. Round shank Slotted:6.0mm
Diameter:6.0mm
Length:125mm
Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

#### THTDC2166



Cr-V Round shank Slotted:6.0mm
Diameter:6.0mm
Length:150mm
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Phillips screwdriver

Slotted screwdriver

#### THTDC2256



Cr-V.PH2.Round shank diameter:6.0mm length:125mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

#### Phillips screwdriver

Slotted screwdriver

#### THTDC2266



Cr-V.PH2.Round shank diameter:6.0mm length:150mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCC	10	17.7

#### Slotted screwdriver

#### THT265100

#### THT266125

Slotted screwdriver

#### SL5.5x100mm



1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted:5.5mm Diameter:5.0mm Length:100mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4



1pcs screwdriver with 1pcs plastic hanger S2, Round shank

Slotted: 6.5mm Diameter: 6.0mm Length: 125mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Slotted screwdriver

#### THT266150



#### THT268200



#### INDUSTRIAL



1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted: 6.5mm Diameter: 6.0mm Length: 150mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	12	1/. //

## SL8x200mm 92

1pcs screwdriver with 1pcs plastic hanger S2, Round shank Slotted:8.0mm

Diameter:8.0mm Length:200mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Phillips screwdriver

#### THT26PH1100

INDUSTRIAL

#### THT26PH2125

#### Phillips screwdriver

#### INDUSTRIAL



1pcs screwdriver with 1pcs plastic hanger S2,PH1, Round shank Diameter: 5.0mm length: 100mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

#### PH2x125mm



1pcs screwdriver with 1pcs plastic hanger S2,PH2,Round shank diameter: 6.0mm length: 125mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

TSDSL6038

#### Phillips screwdriver

#### THT26PH3200





lpcs screwdriver with lpcs plastic hanger Diameter: 8.0mm length: 200mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4



Blade material: S2 Tip type: slotted SL6.5(magnetic) Tip type: slotted o \$L6.5(magnetic)
Tip size: 65mm
Blade length: 38mm
Blade clameter: 6.0mm
Shank type: round
Handle material: three-color ergonomic
IPcs screwdriver with Ipcs plastic hanger
With strong magnetic With strong magnetic Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Slotted screwdriver

#### TSDSL6125



#### TSDSL6150

#### Slotted screwdriver

Slotted screwdriver



Blade material: S2 Tip type: slotted SL6.5(magnetic) Tip size: 6.5mm Blade length: 125mm Blade diameter: 6.0mm Shank type: round Handle material: three-color ergonomic 1Pcs screwdriver with 1pcs plastic hanger With strong magnetic With strong magnetic Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

# SL6.5x150mm

Blade material: S2 Tip type: slotted SL6.5 (magnetic) Tip size: 6.5mm Blade length: ISOmm Blade diameter: 6.0mm Shank type: round Handle material: three-color ergonomic IPcs screwdriver with Ipcs plastic hanger With strong magnetic With strong magnetic Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Phillips screwdriver

#### TSDPH1100

#### TSDPH2038

#### Phillips screwdriver

Slotted screwdriver

#### INDUSTRIAL



Blade material: S2 Tip type: phillips PH1(magnetic) Blade length: 100mm Blade diameter: 5.0mm Shank type: round
Handle material: three-color ergonomic
Pcs screwdriver with 1pcs plastic hanger
With strong magnetic Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

# PH2x38mm

Blade material: S2 Tip type: phillips PH2(magnetic) Blade length: 38mm Blade diameter: 6.0mm Shank type: round Handle material: three-color ergonomic IPcs screwdriver with Ipcs plastic hanger With strong magnetic Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### 6 Pcs screwariver set

#### TKSDS0626



#### THT2146

#### INDUSTRIAL



6pcs screwdriver set 6pcs screwdriver set Blade material: S2 Shank type: round 1Pcs SL5.5\*5\*75mm 1Pcs PH1\*5\*75mm 1Pcs SL5.5\*5\*100mm IPcs PH1\*5\*100mm

IPcs PH2\*6\*150mm

IPcs PH2\*6\*150mm

Handle material: three-color ergonomic With strong magnetic Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	5	20

1pcs screwdriver with 1pcs plastic hanger Cr-V, Round shank Slotted: 5.5mm Diameter: 5.0mm Length: 100mm Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Slotted screwdriver

#### THT2156



INDUSTRIAL

#### THT2166

#### Slotted screwdriver

#### INDUSTRIAL



lpcs screwdriver with lpcs plastic hanger Cr-V, Round shank Slotted: 6.5mm Diameter: 6.0mm Length: 125mm Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4



1pcs screwdriver with 1pcs plastic hanger Cr-V, Round shank Slotted: 6.5mm Diameter: 6.0mm Length: 150mm Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4







#### THT2256

THTGTS6100

#### Phillips screwdriver





1pcs screwdriver with 1pcs plastic hanger CR-V,PHI, Round shank Diameter: 5.0mm length: 100mm Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4



lpcs screwdriver with lpcs plastic hanger

CR-V,PH2,Round shank diameter: 6.0mm length: 125mm Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Phillips screwdriver

Phillips screwdriver





#### Slotted Go-Through Screwdriver



1pcs screwdriver with 1pcs plastic hanger CR-V,PH2,Round shank diameter: 6.0mm length: 150mm Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
DCC	10	1//

1pcs screwdriver with 1pcs plastic hanger S2 industrial steel, Hex shank

Slotted: 6.5mm Shank: 6.0mm Length: 100mm Packed by poly bag

Unit

#### Slotted Go-Through Screwdriver

#### THTGTS6150



#### **PCS** 12 144

PACK/QTY



Phillips Go-Through Screwdriver

2 Pcs screwdriver set

#### THTGTSPH2100



Qty/Ctn



1pcs screwdriver with 1pcs plastic hanger S2 industrial steel, Hex shank Slotted: 6.5mm Shank: 6.0mm Length: 150mm Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
DCC	10	7//



1pcs screwdriver with 1pcs plastic hanger S2 industrial steel , Hex shank,PH2

Shank: 6.0mm length: 100mm Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Phillips Go-Through Screwdriver

#### THTGTSPH3150



Qty/Ctn

72

#### THTGTSPH3200

#### INDUSTRIAL



1pcs screwdriver with 1pcs plastic hanger S2 industrial steel, Hex shank,PH3 Shank: 8.0mm length: 150mm Packed by poly bag

PACK/QTY

12

Unit

PCS

	3. (	0 _
PIOL STOPA		TOTAL

lpcs screwdriver with lpcs plastic hanger S2 industrial steel , Hex shank,PH3

Shank: 8.0mm length: 200mm Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
	12	72

#### 2 Pcs screwdriver set

#### THTDC250201



2 pcs screwdriver set New design handle Material:Cr-V Round blade lpcs SL6X125mm lpcs PH2X125mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
SET	10	30

#### THT250201



1pcs screwdriver with 1pcs plastic hanger Material: CR-V Round blade lpcs SL6.5\*6\*125 lpcs PH2\*6\*125 Packed by plastic hanger

> Unit PACK/QTY Qty/Ctn SFT 10 30

#### 4 Pcs screwdriver set

#### THT250604



pcs screwdriver set New design Material:CRV handle Round Material: CRV Round blade lpcs SL5.5X100mm lpcs SL6.5X150mm lpcs PH1X100mm lpcs PH2X150mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
SET	10	30

#### crewariver set

#### THT250608



8 pcs screwdriver set New design handle Material:CR-V Round blade 1pcs SL3.5\*75 , 1pcs SL5.5\*100 incs SI 6 5\*150 1pcs SL6.5\*38 1pcs PH0\*75 1pcs PH1\*75 1pcs PH2\*125 1pcs PH2\*38 Packed by PP hanger

Unit	PACK/QTY	Qty/ Ctn
SET	5	20

#### 18 Pcs screwdriver and precision screwdriver set

#### THT250618



18 Pcs screwdriver and precision screwdriver

set New design handle Material:CR-V Round blade 8 Pcs screwdriver: 1pcs SL5.5\*5\*75 1pcs SL6.5\*6\*100 1pcs SL8.0\*8\*150 1pcs SL5.5\*6\*38 1pcs PH1\*75\*1 pcs PH2\*6\*100 1pcs PH3\*8\*150 1pcs PH2\*6\*38 10Pcs precision screwdriver SL1.5\*50

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### 26 Pcs screwdriver set

#### THT250626



Material: CR-V Round blade include: 11PCS Slotted screwdriver: SL6\*38; SL3\*75; SL4\*100 SL5.5\*75; SL5.5\*100; SL5.5\*125 SL6.5\*100 SL55700; SL55725 SL65700 L65725; SL65750 SL65750 ; SL8750; 10PCS Phillips screwdriver: PH2\*38 ; PH0\*60; PH0\*75 Ph1\*80 PH1\*100 PH1\*100; PH2\*100 PH2\*125 ; PH2\*150; PH3\*150 ; SPCS precision screwdriver: SL2.0\*50 ; SL3.0\*50; PH000X50 PH00X50 ; Qty/Ctn PACK/QTY SFT

26 pcs screwdriver set

#### Slotted go-through screwdriver

#### THGS61506



INDUSTRIAL.



lpcs screwdriver with lpcs plastic hanger S2 industrial steel, Hex shank Slotted: 6.5mm Shank: 6.0mm Length: 150mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

#### 6 Pcs screwdriver set

#### THT250606



6 pcs screwdriver set New design handle Material : CR-V Round blade lpcs SL5.5\*5\*75 lpcs SL6.5\*6\*150 lpcs PH1\*5\*75 lpcs PH1\*5\*100 lpcs PH2\*6\*150 Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	20

#### 10 Pcs screwdriver set

#### THT250610



10 pcs screwdriver set New design handle Material:CR-V Round blade 1pcs SL3.5\*75 1pcs SL4.0\*100 1pcs SL5.5\*125 1pcs SL6.5\*150 1pcs SL8.0\*200 1pcs SL6.5\*3 1pcs SL8.0\*200 1pcs SL6.5\*3 1pcs SL8.0\*200 1pcs SL6.5\*3 1pcs SL8.0\*200 SL6.5\*38 1pcs PH0\*60 1pcs PH1\*80 1pcs PH2\*100 1pcs PH3\*150 Packed by PP hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### 26 Pcs screwdriver set

#### THTDC252601



26 pcs screwdriver set Material: CR-V Round blade round blade include: 7PCS Slotted screwdriver: SL6\*38; SL3\*75; SL5.5\*100; SL5.5\*100; SL6.5\*125; SL6.5\*150; SL8\*200; IPCS Phillips screwdriver: PH2\*38; PH00\*75; PH0\*75; PH1\*75; PH1\*100; PH1\*100; PH2\*100; PH2\*125; PH2\*150; PH3\*150; PH3\*200; 6PCS Torx screwdriver: T15\*100; T20\*100; T25\*100; T27\*125; T30\*125; T40\*125

Unit	PACK/QTY	Qty/Ctn
SFT	2	4

#### 100 pcs screwdriver set

#### THT2506100



100 pcs screwdriver set Include: 8pcs Slotted screwdriver:SL3\*75; SL4\*100; SL5\*75; SL5\*100; SL5\*125; SL6\*100; SL6\*150; SL8\*150

8pcs Phillips screwdriver:PH0\*75; 8pcs Phillips screwariver:PHO\*75
PHO\*100; PHI\*75; PHI\*100;
PHI\*150; PH2\*100; PH2\*150;
PH3\*150
3pcs Torx screwdriver:TIO\*100\*3;
TIS\*100\*3.5; T2O\*100\*4

3pcs Pozidriy screwdriyer:P70\*100:

PZ1\*100; PZ2\*100 1pcs Screwdriver magnetic shank:7\*100 PACK/QTY Qty/Ctn 4

INDUSTRIAL

#### SFT

Slotted go-through screwdriver

#### THGS82006



lpcs screwdriver with lpcs plastic hanger S2 industrial steel, Hex shank Slotted: 8mm

Shank: 8.0mm Length: 200mm Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	72

# India's first TLTTAL

THTIS3075





1pcs screwdriver with 1pcs plastic hanger S2 industrial steel, Hex shank Size: PH3 Shank: 8.0mm length: 200mm

Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	72

Insulated screwdriver



Insulated screwdriver 1000V,VDE+GS Certification SL3.0×75mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Insulated screwdriver

#### THTIS4100

822

PH3x200mm

#### THTIS5125

#### Insulated screwdriver



Insulated screwdriver 1000V,VDE+GS Certification SL4.0\*100mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4

# SL5.5x125mm

Insulated screwdriver 1000V,VDE+GS Certification SL5.5×125mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Insulated screwdriver

#### THTIS6150

#### THTISPH060

#### Insulated screwdriver

#### INDUSTRIAL



Insulated screwdriver 1000V,VDE+GS Certification SL6.5×150mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

# PH0x60mm

Insulated screwdriver 1000V,VDE+GS Certification PH0×60mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Insulated screwdriver

#### THTISPH180

#### INDUSTRIAL

#### THTISPH2100

#### Insulated screwdriver

#### INDUSTRIA



Insulated screwdriver 1000V,VDE+GS Certification PH1×80mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

## PH2x100mm EN IEC6090 △ 1000∀

Insulated screwdriver 1000V,VDE+GS Certification PH2×100mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Insulated screwdriver

#### THTISPH3150

INDUSTRIAL

#### THTISPZ180

#### Insulated screwdriver

#### INDUSTRIAL



Insulated screwdriver 1000V,VDE+GS Certification PH3\*150mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	14 4



Insulated screwdriver 1000V,VDE+GS Certification PZ1\*80mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Insulated screwdriver

#### THTISPZ2100



Insulated screwdriver 1000V,VDE+GS Certification PZ2×100mm Cr-V,Round shank New design handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### 2 In 1 screwdriver set

#### THT250216



2 IN 1 Screwdriver set Shank size: 6.35X75MM,PH2+SL6 Material:CR-V With 1pcs interchangeable handle Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### 6 In 1 screwdriver set

#### THT2506076



6 IN 1 Screwdriver set 2 pcs two-way bit : 6.35\*65mm,PH1+SL5 8.00\*75mm,PH2+SL6 2pcs socket : 6mm , 8mm Material:CR-V With 1pcs interchangeable handle Packed by display color box

Unit	PACK/QTY	Qty/Ctn
SET	18	72

#### 4 Pcs pick and hook set

#### TPHSK0401





New design plastic box 4 Pcs screwdriver set Include: Product List:1Pcs Full Hook1Pcs 45-degree1Pcs 90-degree1Pcs Straight PickPacked by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	12	48

#### 8 in 1 stubby ratchet screwdriver set

#### TACSDS1726



8 IN 1 Stubby ratchet screwdriver set Material: Cr-V Include:

1 Pcs ratchet handle, high quality ratchet 7 Pcs 1/4\*\*25mm screwdriver bits Size: SL5,SL6,PH0,PH1,PH2,T10,T20 Packed by display color box

Unit	PACK/QTY	Qty/ Ctn
SET	12	48

#### 6 Pcs insulated screwdriver set

#### THTIS566



6 PCS Insulated Screwdriver Set SL3.0×75 \$ PCS Insulated Sciewariver Set \$15.50.75 \$14.0×100 \$ \$16.5×150 PH0×60 PH1×80 PH2×100 New design handle 1000V,VDE+GS Certification Use Aluminum frame with 4pcs Screw and

4pcs Screw Plug Round shank Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### 2 In 1 screwdriver set

#### THT250206



1pcs screwdriver with 1pcs plastic hanger 2 IN 1 Screwdriver set Shank size:6.35X160MM,PH2+SL6 Material:CR-V
With 1pcs interchangeable handle
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### 12 Pcs flexible shaft screwdriver set

#### THT250FL1206



12 Pcs Flexible shaft screwdriver set Material:Cr-V 1Pcs Flexible shaft handle 1Pcs 4-6mm(25mm)bits adaptor 10Pcs 6.35X25mm screwdriver bits: SL5,SL6,SL7,PH1,PH2,PH3,T10,T15,T20,T

Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
SET	12	48

#### 8 IN 1 Stubby screwdriver set

#### TACSDS0706



8 IN 1 Stubby screwdriver set Material: Cr-V Include: 1 Pcs handle 7 Pcs 1/4\*\*25mm screwdriver bits Size: SL5,SL6,PH0,PH1,PH2,T10,T20 Packed by display color box

Unit	PACK/QTY	Qty/Ctn
SET	12	48

#### 8 Pcs ratchet screwdriver set

#### TACSD30086



8 pcs Ratchet Screwdriver Set 1pcs High Quality Ratchet Handle(new design) 7pcs 25mm Screwdriver bitsSL5,SL6,PH1,PH2,PH3,T15,T20 Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
SET	12	72

#### 13 In 1 ratchet screwdriver set

#### TACSD30136



13 IN 1 Ratchet Screwdriver set Material:CR-V 1 Pcs ratchet handle Folding handle,high quality ratchet 12 Pcs 6.35\*25mm screwdriver bits Size:SL4,SL5,SL6,SL7, PH0, PH1,PH2,PH3,PZ0,PZ1,PZ2,PZ3 Material:CR-V

Packed by display color box

Unit	PACK/QTY	Qty/ Ctn
SET	12	48

#### 26 Pcs ratchet screwdriver set

#### TACSD30266



26 PCS Screwdriver bit set Material:CR-V 1pcs Unique design Ratchet Holder 18pcs 65mm Screwdriver bit PH0,PH1,PH2,PH3,PZ1,PZ2,PZ3,SL3,SL4, SL5,SL6,SL7,T10,T15,T20,T25,T27,T30

6pcs Power sleeve5mm,6mm,7mm,8mm,9mm,10mm, Material:CR-V

lpcs pouch Color box for presentation Packed by double blister

Unit PACK/QTY Qty/Ctn SET 24 6

#### 6 Pcs precision screwdriver set

#### THT250PS0601



6PCS precision screwdriver set New design handle, New plastic box Include:

SL2.0\*50, SL2.5\*50, SL3.0\*50, PH000\*50, PH00\*50, PH0\*50 Material:CR-V Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	12	48

INDUSTRIAL!

#### 32 Pcs precision screwdriver set

#### TACSD30326





32PCS precision screwdriver set 1Pcs Style handle 1Pcs 4x60mm bits holder 30PCS 4X28mm bits: SL1,SSL2,SL2,SL3,SL3,S,SL4,PH000,PH 00,PH0,PH1,T4,T5,T6,T7,T8,T9,T10,T15, T20,H0.9,H1.3,H1.5,H2,H2.5,H3,H4,Y2,U 2.6,Five Star0.8,Five Star1.2Five Star0.8,Five Star1.2 is suitable for iPhone and ipad Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	10	12 0

#### 24 Pcs T-handle wrench screwdriver set

#### TACSD30186







24PCS T-handle wrench screwdriver set Material:Cr-V 15pcs 6.35x25MM CR-V screwdriver bit: SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ1,P Z2,T15,T20,H4,H5,H6

1PC 5X100MM bit holder with strong

magnetic
1PC T-handle Ratchet wrench
1PC 4-6mm(25mm)adaptor
6PC 1/4" socket: 5,6,7,8,9,10 Packed by plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	6	36

#### 24 Pcs ratchet screwdriver set

#### TACSD30246



24 Pcs screwdriver set Include: 16 Pcs 6.35X25mm Screwdriver bit: SL3,SL4,SL5,SL6,SL6,SL7,PH1,PH2,PH2,PH 3,PZ1,PZ2,T10,T15,T20,T25 7Pcs 1/4" Power sleeve: 5MM 6MM 7MM 8MM 9MM 10MM 11MM 1Pcs ratchet handle Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### 9 Pcs interchangeable screwdriver set

#### THT250906



Interchangeable screwdriver set Include: 3pcs SL3X65 SL5X65 SL6X65 3pcs PH0X65 PH1X65 PH2X65 lpcs 5X65 tack remover lpcs 5X65 scratch awl Material: CR-V with lpcs interchangeable handle Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	12	48

#### 7 Pcs precision screwdriver set

#### THT250726







7PCS precision screwdriver set New design handle, New plastic box

clude:SL2.0\*50,SL2.5\*50,SL3.0\*50,PH0 0\*50,PH0\*50,T6\*50,T8\*50-Material:CR-VErgonomic comfort-grip handle Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	6	12 0

#### 37 Pcs precision screwdriver set

#### TACSD30376



37PCS precision screwdriver se 1Pcs handle 1Pcs 4X60mm bits holder 1 PCS sucker 1 PCS triangle 2pcs plastic pry bar 1 PCS card pin 30PCS 4X28mm bits: SI 15 SI 2 SI 2 5 SI 3 SI 3 5 SI 4 PH000 PH SLI.3,SLZ,SLZ.3,SL3,SL3,SL4,PH000,P 00,PH0,PH1,T4,T5,T6,T7,T8,T9,T10,T15, T20,H0.9,H1.3,H1.5,H2,H2.5,H3,H4,Y2,U 2.6,Five Star0.8,Five Star1.2 Five Star0 8 Five Star1 2 is suitable for

iPhone and ipad Packed by plastic box Unit PACK/QTY Qty/Ctn

60

INDUSTRIAL

#### 47 Pcs T-handle wrench screwdriver set

SFT

#### TACSD30476







47 Pcs T-handle wrench screwdriver set 47 PGS 1-Handle Wiellch Schewdriver Set Include: 35Pcs 6.35X25mm screwdriver bits: SL3 SL4 SL5 SL6 SL7 PH0 PH1X3 PH2X5 PH3X3 PZ0 PZ1 PZ2X2 PZ3X2 TI0 TI5

T20 T25 T27 T30 T40 H2 H3 H4 H5 H6 9Pcs 1/4"X20.5mm socket: 4 5 6 7 8 9 10 11 12mm 1Pcs adaptor 1Pcs 6.3X139mm bits holder

1Pcs ratchet handle Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### 15 IN 1 Ratchet screwdriver set

#### TACSD30156



15 IN 1 Ratchet Screwdriver set

1 Pcs Industrial ratchet handle.36T

Pcs G3X25mm screwdriver bit, size: SL4,SL5,SL6,PH1,PH2,PH3,PZ1,PZ2,PZ3 5 Pcs 1/4" socket: \$,6,8,10,12mm Material: CR-V

Packed by paper hander

Unit	PACK/QTY	Qty/ Ctn
SET	6	48

#### 55 Pcs screwdriver bits set

#### TACSD30556





55 Pcs screwdriver set Include:

21Pcs 6.35X25mm screwdriver bits: SL4 SL5 SL6 PH1 PH2 PH2 PH2 PH3 PZ1 PZ2 PZ3 T10 T15 T20 T25 T30 T40 H3 H4 H5 H6

20Pcs 4X28mm precision screwdriver bits:

20Pcs 4X28mm precision screwdriver t SLL5 SL2 SL25 SL3 PHO00 PHO0 PHO PH1 T6 T7 T8 T9 T10 T15 T20 H1.5 H2.0 H2.5 H3.0 H4.0 Pcs 4-6mm(25mm)bits adaptor 9Pcs 1/4\*X20.5mm socket.4mm 5mm 6mm 7mm 8mm 9mm 10mm 11mm 12mm 1Pcs 4X60mm bits holder

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### Ball point hex key

#### THT106291



9pcs ball point hex key set Material:S2

Size:1.5mm.2mm. 2.5mm. 3mm. 4mm.

5mm, 6mm, 8mm, 10mm. Long arm Heat treatment and chrome plate Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	6	48

#### Torx key

#### THT106391

INDUSTRIAL



9pcs torx key set Material:S2 Size:T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-4 5.T-50.

Extra-long arm Heat treatment and chrome plate Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	6	48

#### Hex key

#### THT1061826

#### 8PCS/SET





8pcs hex key( Pocket) Size: 2mm, 2.5mm,3mm,4mm,5mm,6mm,7mm,8mm.

Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
SET	12	96

#### 33 Pcs ratchet screwdriver set

#### TACSD30336



New design plastic box33 Pcs screwdriver set Include:

20Pcs 6.35X25mm screwdriver bits: PH0,PH1,PH2,PH2,PH3,SL3,SL4,SL5,SL6, SL6,HEX3,HEX4,HEX-5,PZ1,PZ2,T10,T15,T20,T25,T30

5,P2,F2,E1,II,IS,I2,II,E3,II Ples 4-6mm(25mm)bits adaptor 9Pcs 1/4\*X20.5mm socket:4MM 5MM 6MM 7MM 8MM 9MM 10MM 11MM 12MM 1Pcs 125mm bits holder with strong

magnetic IPcs 75mm bits holder with strong magnetic IPc 7 IN 1 Unique design Industrial ratchet handle

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### Hex key

#### THT106191



9pcs hex key set Material:S2 Size:1.5mm\*62.5mm,2mm\*76mm,2.5mm\* 85.5mm,3mm\*91mm,4mm\*102mm, 5mm\*118mm, 6mm\*139mm, 8mm\*155mm,10mm\*177mm.

Long arm

Heat treatment and chrome plate Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	6	48

INDUSTRIAL

#### Torx key

#### THT106392

**SPCS/SET** 

**S2** 



9pcs torx key set Material:S2 Size:T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-4 5,T-50.

Long arm Heat treatment and chrome plate Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	6	48

#### 18 Pcs hex key and torx key set

#### THT106KT0181



18 Pcs Hex Key And Torx Key Set 16 PCS HEX Key And 161X Key Set Include: 9 Pcs Hex Key Size:1.5mm,2.0mm,2.5mm,3.0mm,4mm,5

9 Pcs Torx Key Size:T-10,T-15,T-20,T-25,T-27,T-30,T-40,T-4 5,T-50 Extra-long arm

Material:S2

Heat treatment and chrome plate Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### Ball point hex key

#### THT10618<u>36</u>

#### 8PCS/SET





8pcs ball point hex key set( Pocket) Size: 2mm,

2.5mm,3mm,4mm,5mm,6mm,7mm,8mm.

Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctr
SET	12	96

#### Torx key

#### THT1061846

#### 8PCS/SET

T9, T10, T15, T20, T25, T27, T30, T40

8pcs torx key set( Pocket) Size: T9, T10, T15, T20, T25, T27, T30, T40. Material: Cr-V Heat treatment and chrome plate Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
SET	12	96

#### 8 Pcs T-handle ball point hex wrench set

#### THHW80826

8PCS/SET .5X100mm,3X100mm K150mm,BX150mm,



8 Pcs T-handle ball point hex wrench set Size:2X100,2.5X100,3X100,4X150,5X150,

6XI50,8X200,10X200 Material:S2,Heat treatment and chrome plate Brand exclusive shelf Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	2	10

#### 9 Pcs hand tools set

#### THKTHP90<u>096</u>



9pcs hand tools set Include: 1pcs 3mx16mm steel measuring tape 1pcs PH1x100mm phillips screwdriver 1pcs SL5.5 100mm slotted screwdriver

lpcs 8" adjustable wrench lpcs 6" long nose plier lpcs 7" combination plier lpcs Snap-off blade knife

1pcs 190mm Screwdriver Tester 1pcs 8oz Mini claw hammer Packed by canvas bag

Unit	PACK/QTY	Qty/ Ctn
SET	ı	10

#### 13 Pcs telecom tools set

#### TKTTSK0132



13 Pcs Telecom Tools set 220-240V~50/60Hz

Include:
1 Pcs 4.5" Long nose pliers
1 Pcs 4.5" Long nose pliers
1 Pcs 5.5" Diagonal cutting pliers
1 Pcs Slotted screwdriver SL5.5x100mm
1 Pcs Phillips screwdriver PHIX100mm

1 Pcs Precision screwdriver PH000x50mm 1 Pcs Precision screwdriver SL2.0x50mm

1 Pcs 5.5" Electrician's Scissors 1 Pcs 40w Electric Soldering Iron 1 Pcs Electric Soldering Iron bracket

1 Pcs 6" Soldering wire

1 Pcs Vacuum desoldering pump 1 Pcs Tweezers 125mm

PACK/QTY Qty/Ctn SFT 10

#### Stackable plastic box

#### THKTV02



SIZE: 340\*250\*60mm Can be stacked together Material: PP Plastic partition inside & Can separate the

area packed by carton box

Unit PACK/QTY 5 Qty/Ctn PCS 10

#### 6 Pcs folding nut driver set

#### THFND061



6 Pcs folding nut driver set Size: 5mm, 6mm, 8mm, 9mm, 10mm, 12mm Material: Cr-V+AL Heat treatment Packed by pp hangle

Unit	PACK/QTY	Qty/Ctn
SET	6	24

#### 8 Pcs T-handle torx wrench set

#### THHW80836

8PCS/SET T10X100mm,T15X100mm,T20X100mm, T25X150mm,T30X150mm,T40X150mm, 52

8 Pcs T-handle torx wrench set Size:T10X100,T15X100,T20X100,T25X150

Size:TIOX100,TISX100,T20X100,T2SX150 ,T30X150,T40X150,T45X200,T50X200 Material:S2,Heat treatment and chrome platePacked by double blister Brand exclusive shelf Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	2	10

#### 9 Pcs hand tools set

#### THKTHP90097



9pcs hand tools set Include: 1pcs 3mx16mm steel measuring tape 1pcs PH1x100mm phillips screwdriver

1pcs SL5.5x100mm slotted screwdriver

Ipcs St.5.5XIOUMM stotted screw Ipcs 6" long nose plier Ipcs 6" long nose plier Ipcs 7" combination plier Ipcs Snap-off blade knife Ipcs 190mm Screwdriver Tester Ipcs 8oz Mini claw hammer

Packed by canvas bag

Unit	PACK/QTY	Qty/Ctn
SET		10

#### 168 Pcs handtools set

#### THKTHP21686

#### 168PCS/SET



168 Pcs handtools Set Include:

1 Pcs 8Oz Claw hammer

Pcs 802 Claw hammer
1 Pcs 7" Combination Pliers
1 Pcs 6" Long nose pliers
1 Pcs 10" Pump Plier
1 Pcs 8.5" Wire stripper
1 Pcs SL5.5\*100 Screwdriver 1 Pcs PH1\*100 Screwdriver

2 Pcs Stubby screwdriver: PH2\*38 SL6.5\*38 4 Pcs precision screwdriver (SL2.0\*50mm,SL2.5\*50mm,PH000\*50m

m,PH00\*50mm) 1 Pcs Test Pencil(test volte :100-500V AC)

PACK/QTY Qty/Ctn SFT 4

#### 4 Pcs pliers set

#### THKTV02P041



4 Pcs Pliers set Include: 1 Pcs 8" Combination Pliers 1 Pcs 7" Diagonal Cutting Pliers 1 Pcs 6" Long Nose Pliers 1 Pcs 10" Pump Pliers Packed by stackable plastic box

Unit PACK/QTY Qty/Ctn SFT 10

#### 4 Pcs pliers set

#### THKTV02P042



4 Pcs Pliers set

Include:
1 Pcs 8" High leverage combination pliers
1 Pcs 7" High leverage diagonal cutting pliers
1 Pcs 8" High leverage long nose pliers
1 Pcs 8" High leverage long nose pliers
1 Pcs 10" Pump pliers
Packed by stackable plastic box

Unit	PACK/QTY	Qty/ Ctn
SET	5	10

#### 29 Pcs household tools set

#### THKTV02H291



29 Pcs Tools Set Include:

1 Pcs 7" Combination Pliers 1 Pcs 6" Diagonal Cutting Pliers 1 Pcs 8" Adjustable Wrench 1 Pcs Test Pencil (Test voltage:100-500VAC)

1 Pcs 3M Steel measuring tape

I Pcs 3M Steel measuring tape I Pcs Snap-off blade knife I Pcs 5.5" Scissors I Pcs 1/4" Magnetic shank 20 Pcs 1/4" Screwdriver bits SL3,SL4,SL5,SL6,PH0,PH1,PH2,PH3,PZ0, PZ1,PZ2,PZ3,T10,T15,T20,T30,H3,H4,H5

,H6 25mm 1 Pcs spirit bubble

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### 10 Pcs 1/4" socket set

#### THT1411023

INDUSTRIAL

INDUSTRIAL



10 Pcs 1/4" socket set include: 10 pcs 1/4"

socket:5-6-7-8-9-10-11-12-13-14mm Material:50BV30 High quality CrV steel

Mirror polish finish Heat treated Chromed plated

Supplied in a convenient storage rail Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	5	20

#### 12 Pcs 1/4" socket set

#### THT14114126



12 Pcs 1/4" socket set Include: 10 pcs 1/4"

sockets:5-6-7-8-9-10-11-12-13-14mm

1 pcs 1/4" 72T quick release ratchet handle 1 pcs 1/4" 100mm extention bar Material:50BV30 High quality Cr-V steel Heat treated

Chromed plated

Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	20

#### 12 Pcs 3/8" socket set

#### THT381121



12 Pcs 3/8" socket set Include: 10 pcs 3/8" Dr sockets: 8-10-11-12-13-14-15-16-17-19mm 1 pcs 3/8" 72T quick release ratchet handle I pcs 3/8" 6"(150mm) extention bar Material: 50BV30 High quality Cr-V steel Heat treated Chromed plated

Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	20

#### 11 Pcs household tools set

#### THKTV02H111



11 Pcs Tools Set Include:

Pcs Mini Claw Hammer
Pcs 7" Combination Pliers
Pcs 6" Adjustable Wrench
Pcs Test Pencil (Test voltage:

100-500VAC)
1 Pcs 3M Steel measuring tape
1 Pcs Snap-off blade knife
1 Pcs SL5.5x100 Screwdriver

1 Pcs PH1x100 Screwdriver

1 Pcs S12.0\*50mm Precision Screwdriver 1 Pcs PH000\*50mm Precision Screwdriver 1 Pcs spirit bubble Packed by stackable plastic box

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### 10 Pcs insulated hand tools set

#### THKTV02S101



10 Pcs Insulated hand tools set IO Pcs Insulated hand tools set Include: 1 Pcs SL3.0x75mm screwdriver 1 Pcs SL4.0x100mm screwdriver 1 Pcs SL5.5x125mm screwdriver 1 Pcs SL6.5x150mm screwdriver 1 Pcs PH0x60mm screwdriver 1 Pcs PH0x80mm screwdriver 1 Pcs PH1x80mm

screwdriver 1 Pcs PHZX100mm screwdriver 1 Pcs PZ1x80mm screwdriver 1 Pcs PZ2x100mm screwdriver 1 Pcs Test Pencil (Test voltage:

100-500VAC)
Packed by stackable plastic box

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### 10 Pcs 1/2" socket set

#### THT121101



10 Pcs 1/2" socket set

Include: sock

sock-ets:10,1112,13,14,15,17,19,21,24mm Material:50BV30 High quality CrV steel Mirror polish finish Heat treated Chromed plated

Supplied in a convenient storage rail Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SFT	5	10

INDUSTRIA

INDUSTRIAL

#### 27 Pcs 1/4" socket set

#### THT141271



27 Pcs 1/4" socket set Include

Include: 12 pcs 1/4" Dr socket: 4-4.5-5-6-7-8-9-10-11-12-13-14mm 14 pcs 1/4" bit socket: SL4-5.5-7; PH1-2; Ti0-15-20-25-30; H4-5-6-7 1 pcs 1/4" 72T quick release ratchet handle

Socket material: 50BV30 high quality Cr-V

steel
Bit material: S2 high quality steel With three-color soft handle

Heat treated Chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
SET	10	20

#### 12 Pcs 1/2" socket set

#### THT141121











12 Pcs 1/2" socket set Include: 10 pcs

Packed by plastic hanger

ets:10,11,12,13,14,15,17,19,21,24mm

ets:IU,III,II,IS,IA,IS,I7,IS,I2,I2,4mm I pcs 1/2" 72T quick release ratchet handle I pcs 5"(125mm) extention bar Material:SoBV30 High quality CrV steel Heat treated Chromed plated

Unit	PACK/QTY	Qty/Ctn
SFT	5	10

#### 17 Pcs 1/2" socket set

#### THT121171



Cr. V

-0-



17 Pcs 1/2" socket set nclude 12 pcs 1/2" Dr

sock-ets:10-11-12-13-14-15-16-17-18-19-21-24

mm 1 pcs 1/2" 72T quick release ratchet handle 2 pcs 1/2" Dr extension bar: 5"(125mm) &10"(250mm)

alo"(250mm) 1 pcs spark plug socket: 16mm 1 pcs 1/2" Dr universal joint Material: 50BV30 high quality Cr-V steel

Heat treated
Chromed plated
Packed by plastic hange

acrica by pic	astic riuriger	
Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### 46 Pcs 1/4" socket set

#### THT141462



46 Pcs 1/4" socket set Include:

1 pcs 1/4" 72T quick release ratchet handle 19cs 1/4" / 21 quick release ratchet handi 13 Pcs 1/4"Dr Socket: 4-4,5-5-5.5-6-7-8-9-10-11-12-13-14mm 1 Pcs 1/4"Dr Universal joint 2 Pcs 1/4"Dr Extension bar:2"(50mm) & 4"

(100mm) 1 Pcs 1/4\*\*150mm Spinner handle 22 Pcs 1/4\*\* Bit socket: H3-4-5-6-7-8;T8-10-15-20-25-30-40;SL4-5.

5-6.5:PH1-2-3:P71-2-3

1 Pcs 1/4"150mm Flexible extension bar 1 Pcs 1/4"114mm Sliding T bar 4 Pcs Hex key wrench: 1.5-2.0-2.5-3.0mm

PACK/QTY Unit Qty/Ctn SFT 6

#### 25 Pcs 1/2" socket set

#### THT121251





25Pcs 1/2" Socket set

Include: 1Pcs 1/2"Dr Ratchet wrench.72T IPCs 1/2 Dr Ratchet Wench, /21 IBPcs 1/2 "Dr Sock-et:10-11-12-13-14-15-16-17-18-19-20-21-22-23-24-27-30-32mm

1Pcs 1/2"Dr Universal Joint 2Pcs 1/2"Dr Extension Bar:125mm & 250mm 2Pcs Spark Plug Socket:16mm & 21mm

1Pcs 1/2\*\*250mm Sliding T bar Material:50BV30 High quality Cr-V steel With three-color soft handle Chromed plated tn

Unit	PACK/QTY	Qty/C
SET	1	4

#### 10 Pcs 1/2" socket set

#### THTL121101





10 Pcs 1/2" socket set Include: 9 Pcs 1/2" Cr-V DR. sockets: 10-12-13-14-17-19-21-22-24mm 1 Pcs 1/2" DR. 300mm L- Bar Material:Cr-V Heat treated Chromed plated Packed by metal box

Unit	PACK/QTY	Qty/Ctn
SET	5	10

INDUSTRIAL)

#### 15 Pcs 3/4" socket set

#### THT341151





(f) (34)

15 Pcs 3/4" socket set 10 Pcs 3/4"

10 Pcs 3/4" sock-ets:30-32-34-36-38-41-46-50-55-60mm 1Pcs 3/4" 24T ratchet handle 1Pcs 3/4" 500mm sliding T bar 1Pcs 3/4" 100mm extension bar 1Pcs 3/4" 200mm extension bar Material:Cr-V

Heat treated Cold extrusion

Chromed plated 24T/\



#### 20 Pcs 1/4" socket set

#### THT141201



20 Pcs 1/4" socket set

Include: lpcs 1/4" DR. Ratchet handle,72T 13pcs 1/4" DR. Sockets: 4,4.5,5,5.5,6,7,8,9,10,11,12,13,14mm

lpcs 1/4" DR. Extension bar,2"(50mm) lpcs 1/4" DR. Screwdriver handle 4pcs 1/4" DR. Deep hexagonal sockets:8,10,12,13mm Material:50BV30 High quality Cr-V steel With three-color soft handle

Chromed plated Heat treated Packed by BMC

Unit PACK/QTY Qty/Ctn SET 12

#### 20 Pcs 1/2" socket set

#### THT121201



20 Pcs 1/2" socket set Include: Include: lpcs 1/2" DR. Ratchet handle,72T l2pcs 1/2" DR. Sockets: 10,11,12,13,14,15,16,17,18,19,22,24m

m 1pcs 1/2" DR. Spark Plug Socket:16mm

lpcs 1/2 DR. Dajar Flag Schedishiii lpcs 1/2" DR. Universal joint lpcs 1/2" DR. Extension bar:10"(250mm) lpcs 1/2" DR. Three way joint 3pcs 1/2" DR. Deep hexagonal

sockets:13.17.19mm

Material:50BV30 High quality Cr-V steel With three-color soft handle Chromed plated

PACK/QTY Qty/Ctn SFT 6

#### 44 Pcs 1/4"&1/2" socket set

#### THT421441



44PCS 1/4"+1/2" Socket set

Include: 1Pcs 1/4"Dr Ratchet wrench.72T

IPcs J/4"Dr Ratchet wrench,72T I3Pcs J/4"Dr Ratchet wrench,72T Sock-et:4-5:-5:-5:-5:-5:-8-9-10-11-12-13-14mm IPcs J/4"Dr Universal Joint 2Pcs J/4"Dr Extension Bar:50mm &100mm IPcs J/4"H/4mm Sliding T bar IPcs J/4"Somm Flexible Extension Bar IPcs J/2"Dr Ratchet wrench,72T I8Pcs J/2"Dr Sock-

Sock-

et:8-10-12-13-14-15-16-17-18-19-20-21-2 2-23-24-27-30-32mm

PACK/QTY Qty/Ctn SET 1 4

MOUSTS

MOUSTRIAL

#### 24 Pcs 1/2" socket set

#### THT141253





24 Pcs 1/2" socket set Include: 18 Pcs 1/2" Cr-V DR. Sockets:

10,11,12,13,14,15,16,17,18,19,20,21, 22,23,24,27,30,32mm 2 Pcs 1/2" DR. Extension bar:125mm&250mm 1 Pcs 1/2" DR. Sliding T bar :250mm 1 Pcs 1/2" DR. Universal joint 1 Pcs 1/2" DR. Speeder handle 1 Pcs 1/2" DR. Quick ratchet handle

Material:Cr-V Heat treated Chromed plated Packed by metal box

Unit PACK /OTY Qty/Ctn SFT 4

#### 3 Pcs 1/2" non-marring lug nut socket set

#### THMLNS031



3 Pcs 1/2" non-marring lug nut socket set Material: CrMo Size:17,19,21 m m Heattreatment With nylon sheath Color mirror Processing Protect premium car's hub Packed by BMC

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

# India's first 7000 One-Stop Tools Station One-Stop Tools Station

#### 142 Pcs combination tools set

#### THKTHP21426



142 Pcs Combination Tools Se 142 Pcs Combination Tools Set Include: 1/2"Dr.Part: 19Pcs 1/2" Hexagonal Sock-et:8-10-12-13-14-15-16-17-18-19-20-21-2

et.6-10-12-13-14-13-16-17-16-19-20-21-2 2-23-24-25-27-30-32MM 5Pcs 1/2" Star Socket:E10 12 14 16 20 1Pcs 1/2" Tatchet wrench:72T 2Pcs 1/2" Extension bar:75mm(3") 250mm

(10")
1Pcs 1/2" Dr.Universal joint
1Pcs 1/2"(F)\*3/8"(M) three way adaptor
2Pcs Spark plug socket

Ur	nit PA	CK/QTY	Qty/Ctn
SE	ΞT	1	1

#### Tool bag

#### THT261325



Size: 13" Max load: 12kg HW1-133\*21\*8cm Rigid frame for easy opening and access external pockets for additional storage capacity With 6 pockets outside Packed by paper card

With	6	F	o	cl	kets
Max	Lo	be	1	2	kgs

Unit	PACK/QTY	Qty/ Ctn
PCS	20	40

#### Tool pouch

#### THT16P1011

#### 320x280mm



Size: L32\*W28cm With 10pcs pockets 2 pcs hammer holders Max load: 10kg Material:600D polyester Various pockets for tools Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	20	40

#### G clamp

#### THT13141



#### 100mm(4")



Body malleable cast iron T-shaped thread Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### F clamp with plastic handle

#### THT1320501



#### 150mm(6")



Clamp size:50x150mm Max clamp force: 170KGS Thickness and width of iron ruler:5X15mm Diameter of screw thread:11mm Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

#### Tool box

#### THT10701



Size:495\*200\*295mm

3 Layers Steel thickness: 0.6~0.8mm Packed by label

Unit	PACK/QTY	Qty/Ctn
DCC	1	1

#### Tools bag

#### THT16241



TUTTAL

Size: 24"

Size: 24"
Max load: 25kg
Rigid frame for easy opening and access
Reinforced plastic base for durability
Internal pockets for additional storage
capacity
Adjustable shoulder strap included

Packed by paper card

PACK/QTY Qty/Ctn Unit

6

#### Tool backpack

#### THBP02<u>01</u>



Size: L34cm\* W17cm\*H45cm With 1pcs handle bag inside Max load: 8kg

**PCS** 

Material: polyester oxford 600D Rigid frame for easy opening and access Internal External pockets for additional storage

capacity

Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	8

#### G clamp

#### THT13161



#### 150mm(6")

Max Load 8 kgs



Body malleable cast iron T-shaped thread Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	4	16

#### F clamp with plastic handle

#### THT1320502



INDUSTRIA

#### 200mm(8")



Clamp size:50x200mm Max clamp force: 170KGS
Thickness and width of iron ruler:5X15mm
Diameter of screw thread:11mm
Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

# India's first TLTTAL

#### F clamp with plastic handle

#### THT1320503

#### 250mm(10")



Clamp size:50x250mm Max clamp force: 170KGS
Thickness and width of iron ruler:5X15mm
Diameter of screw thread:11mm
Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### F clamp with plastic handle

#### THT1321201

#### 300mm(12")



Clamp size:120x300mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

#### F clamp with plastic handle

#### THT1321203

#### 500mm(20")




Clamp size:120x500mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	1	6

#### Quick bar clamp

#### THT1340602



Clamp size:63x300mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	1	12

#### Spring clamp

#### THT13342

#### 100mm(4")



Length: 100mm Clamping force:12KGS Black clip body Max open mouth: 50mm Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	60	240

#### F clamp with plastic handle

#### THT1320801

#### 300mm(12")



Clamp size:80x300mm Max clamp force: 270KGS
Thickness and width of iron ruler:6X22mm
Diameter of screw thread:13.5mm Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

#### F clamp with plastic handle

#### THT1321202

#### 400mm(16")




Clamp size:120x400mm Max clamp force: 450KGS Thickness and width of iron ruler:8X30mm Diameter of screw thread:15.3mm Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

#### Quick bar clamp

#### THT1340601




Clamp size:63x150mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label

Unit	PACK/QTY	Qty/Ctr
PCS	1	12

#### Quick bar clamp

#### THT1340603

12



Clamp size:63x450mm Max clamp force:60KGS Thickness and width of iron ruler:5X18mm Packed by label

PCS

Unit	DACK /OTV	Oty/Ctp

#### Spring clamp

#### THT13362



Length;150mm Clamping force:15KGS Black clip body Max open mouth;68mm Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	30	12 0

# India's first 7777 One-Stop Tools Station One-Stop Tools Station



#### THTGP236





Size:3" 2Jaws,Maxforce:2000KG zaaws, Maxiolice.2000AG material:Cr-v, heat treated surface treatment:chrome-plated range of application: A=80MM,L1=40MM,L2=44MM Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### THTGP246





Size:4"
2Jaws,Maxforce:3000KG
material:Cr-v.heat treated
surface treatment:chrome-plated
range of application:
A=IISMM,AI=12SMM,LI=40MM,L2=90M
MI=3-38MM,MI=60MM M.L3=38MM.L4=60MM Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Three jaws puller

#### THTGP336

#### THTGP346

#### Three jaws puller

Two jaws puller



3Jaws,Maxforce:3000KG SJaws, Maxforce:SUDUKG material:Cr-v.heat treated surface treatment:chrome-plated range of application: A=75MM,L1=40MM,L2=47MM Packed by color box

Size:6" 3Jaws,Maxforce:6000KG

Packed by color box

Unit

PCS

material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=175MM,A1=170MM,L1=50MM,L2=135 MM,L3=50MM,L4=95MM

PACK/QTY

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

# Cr. 7

Size:4" 3Jaws,Maxforce:4000KG Jaws, Maxnore-4-000K0 material:Cr-v,heat treated surface treatment:chrome-plated range of application: A=120MM,A1=125MM,L1=40MM,L2=87M M,L3=38MM,L4=60MM Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

#### Three jaws puller

#### THTGP366

Qty/ Ctn

6

#### THT6146



Swivel base size: 4" Weight:6.7kg Max force:1300KGS With anvil Packed by carton box



Unit	PACK/QTY	Qty/Ctn
PCS	1	1

#### Bench vice

#### THT6166

#### 150mm(6")

Swivel base size: 6" Weight:11.2kg Max force:1600KGS With anvil Packed by carton box

	1600kgs	Ductile
360:	1	Cast Iron

Unit	PACK/QTY	Qty/Ctn
0.00	_	-

#### THT4166

#### Wood chisel

Bench vice

#### INDUSTRIAL



Wood Chisel,Cr-V Widdh:6mm(1/4") Length:140mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### Wood chisel

#### THT4196

#### INDUSTRIAL

#### THT41126

#### Wood chisel

#### INDUSTRIAL



Wood Chisel,Cr-V Width:9mm(3/8") Length:140mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### 12mm[1/2"]



Wood Chisel,Cr-V Width:12mm(1/2") Length:140mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50



THT41226



Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### THT41166



Wood Chisel.Cr-V Width:16mm(3/4") Length:140mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCC	10	

#### Wood chisel

#### THT41196



Wood Chisel.Cr-V Width:19mm(5/8") Length:140mm Packed by double blister

Wood Chisel, Cr-V

Width:25mm(1") Length:140mm Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

#### Wood chisel

4 Pcs wood chisel set

Wrecking bar

Wood chisel



Wood Chisel.Cr-V Width:22mm(7/8 " ) Length:140mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

#### Wood chisel

#### THT41256

25mm[1"]

#### THT41K0401



Wood Chisel Wood Chisel,Cr-V Wood Chisel,Cr-V Width:6mm,12mm,19mm,25mm Length:140mm Packed by Sliding card

Unit	PACK/QTY	Qty/Ctn
SET	4	16

#### PACK/QTY Qty/ Ctn PCS 10 50

#### Cold chisel

#### THT4221226



Material:45# Carbon steel Head size:4mm Handle size:18mm Length:300mm Unique design handle Drop forged and heat treatment Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

THT431142

THT4211226



Material:45# Carbon steel Head size:24mm Handle size:18mm Length:300mm
Unique design Handle
Drop forged and heat treatment
Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### Wrecking bar

#### INDUSTRIAL

#### THT431482

#### INDUSTRIAL

#### 350x22x12mm



Size (AxBxC):
14"(350mm)x7/8"(22mm)x1/2"(12.0mm)
Oval shank with notch (30°, 68°)
Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	1	6

#### 1200x30x16mm 48"x1-1/5"x16/25"



Size (AxBxC): 48"(1200mm)x1-1/5"(30mm)x16/25" (16.0mm) Oval shank with notch (30°, 68°) Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

# India's first 7000 One-Stop Tools Station One-Stop Tools Station

#### THT32101



Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### 360°Swivel head-hand riveter

Hand riveter

#### THT32106



Size:10.5" Size:10.5" 360 degrees of rotation in the head Applicable rivet size:2.4mm,3.2mm,4mm,4.8mm Material:Steel+Aluminum Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### Folding hand riveter

#### THT32321





Size:815mm,32" Applicable rivet size:3.2mm,4mm,4.8mm,6mm,6.4mm Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	8

#### Leather hole punch



Punch hole sizes:2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm 30% Save energy comfortable PVC handle thickness:2.0mm Packed by Half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

#### Staple gun

#### THT31141



Iron staple gun Adjustable driving force Wire:0.7mm Crown:11.3mm Length:4-14mm Matched with Staple items: THT3981,THT39101 and THT39121 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

#### Hand riveter

#### THT32105



Size:10.5" Aluminium alloy body Applicable rivet size:2.4mm, 3.2mm,4mm,4.8mm Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

#### Hand riveter

#### THT32131



Size:13" Applicable to stainless steel,aluminum and


Applicable to stainless steel, auf minum a steel rivet Stainless steel rivet \( \psi \) 3.2mm, 4.0mm, 4.8mm, 6.0mm Aluminum&steel rivet \( \psi \) 3.2mm, 4.0mm, 4.8mm, 6.0mm, 6.4mm

Hand riveter material:Steel+Aluminium Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

#### Leather hole punch

#### THT3351



Auto-release feature ergonomic handle Punch hole sizes : 2.5mm, 3mm, 3.5mm, 4mm, 4.5mm, 5mm. Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### 3 In 1 staple gun

#### THT31143



3 in 1 staple gun Adjustable driving force Sta-

ples:Wire:1.2mm,Crown:11.3mm,Length:4-14mm U-Shape

Sta-

Sta-ples:Wire:1.2mm,Crown:6.3mm,Length:10-12mm Brad Nails:Wire:1.2mm,Length:10-14mm With 200pcs Staples/200pcs U-Shape Staples/200pcs Brad Nails Matched with Staple items:THT3982/THT39102/THT39122 U-Shape Staples:THT39124

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

#### Staples

#### THT39124





1000pcs/color box Length:12mm Staple crown:6.3mm Width:1.2mm Suitable for THT31143 Packed by color box



Unit PACK/QTY Qty/Ctn SFT 20 20.0

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### THT3981

#### 8mm1000PCS



1000pcs staples(for THT31140, THT311425) size:8mm width:0.7mm Packed by color box



Unit	PACK/QTY	Qty/ Ctn
SET	20	20 0

#### Staples

Staples

#### THT39121

#### 12mm 1000PCS



1000pcs staples(for THT311425) Size:Izmrii width:0.7mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
SET	20	20 0

#### Mini hacksaw frame

#### THMHF1504

#### 300mm(12")



MiNi Hand Frame
With Ipcs 300 mm (12") 24 TPI M2+D6A
bi-metal blade
Handle material:ABS plastics
Suitable for cutting metal, plastic, wood
Easy to handle
For difficult-to-reach positions or access areas
Packed by apper card

Packed by paper card

Metal	PVC	Wood

Unit	PACK/QTY	Qty/ Ctn
PCS	24	14 4

#### Hacksaw frame

#### THT541036



Size:300mm/l2"
With lpcs 300 mm (12") 24 TPI M2+D6A bi-metal blade
Handle material:\ABS plastics
Suitable for cutting metal, plastic, wood Soft grip design
Comfortable, easy to use, lightweight Packed by paper card

Meta	PVC/	Wood/

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

#### Hacksaw frame

#### THT541026



Size:300mm/12"
With 1pcs 300 mm (12") 24 TPI M2+D6A
bi-metal blade
Handle material:Aluminum +TPR plastics
Suitable for cutting metal, plastic, wood
Soft grip design,strong and comfortable
Adjustable saw blade Angle: 0°890°
Adjustable saw blade tension
Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

#### Staples

#### THT39101

#### 10mm 1000PCS



1000pcs staples(for THT311425) size:10mm width:0.7mm Packed by color box



Unit	PACK/QTY	Qty/Ctn
SFT	20	20 0

#### Mini hacksaw frame

#### THMHF1501

#### 150mm(6")



Mini Hacksaw Size: 150mm (6") With 1 pcs blade Packed in paper card

Unit	PACK/QTY	Qty/Ctn
PCS	24	14 4

#### Mini hacksaw frame

#### THMHF15<u>03</u>

#### 150mm(6")



Size:150mm(6") With 1 pcs M2+6150 BI-metal blade Aluminium body+TPR handle Suitable for cutting plastic, wood,steel Soft grip design Packed in paper card

Unit	PACK/QTY	Qty/Ctn
PCS	12	96

#### Hacksaw frame

#### THT54166



Size:300mm/12" With 1pcs 300 mm (12") 24 TPI M2+D6A bi-metal blade Handle material:ABS plastics +TPR plastics

Suitable for cutting metal, plastic, wood Soft grip design Comfortable, easy to use, lightweight hacksaw Packed by paper card

4	Unit	PACK/QTY	Qty/Ctn
1	PCS	6	24

#### Hacksaw frame

#### THT54106



Size:300mm/12"


With 1pcs 300 mm (12") 24 TPI M2+D6A bi-metal blade Handle material:Aluminum +ABS plastics+TPR plastics

INDUSTRIAL

plastics
Unique design INDUSTRIAL Hacksaw frame
Suitable for cutting metal, plastic, wood
Soft grip design,strong and comfortable
Adjustable saw blade Angle: 45°8.90°
Adjustable saw blade tension
Viet Robers blade starting mochanisms Quick-release blade changing mechanism Packed by paper card

Unit PACK/QTY 6 Qty/Ctn PCS 24





# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

#### THWBSW626



Size:6"/150mm Material: 65Mn 8TPI Triple teeth(Precision ground teeth 3 edges) Fast cut Packed by Color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	10	60

#### Snap-off blade knife



Blade:9mm(W)x80mm(L)(THT5190901) Blade:9mm(W)x8Umm(L)(I Stainless steel body With 1 pcs blade,Auto-Lock Length:135mm With flat push button Packed by Color box

Unit	PACK/QTY	Qty/Ctn
DCS	/.0	57.6

#### Snap-off blade knife

Wall board saw

#### THT5110925



Blade Size:9mmx80mm With 1 pcs blade (THTS190901) Auto-Lock Length:140mm With flat push button Packed by Sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	12	14 4

#### Snap-off blade knife

Snap-off blade knife

Utility knife





Blade Size:18mmx100mm With 1 pcs SK4 blade (THTS19112) Length:179mm With flat push button Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	12	96

#### Snap-off blade knife

#### THT511826



Blade Size:18mmx100mm With 1 pcs blade(THT519112) Length:173mm With round push button Packed by sliding card

Unit	PACK/QTY	Qty/ Ctn
PCS	12	96

#### THT511836



Blade Size:18mmx100mm With 3 pcs blades (THT519112) Length:169mm With flat push button Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	12	96

#### Snap-off blade knife

#### TG5121806



Blade Size:18mmx100mm Length:185mm With 6 pcs SK5 blades (THT519112) With blade locking bolt With flat push button Aluminum body Net weight:190g Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	48

INDUSTRIAL

#### THT5126128



Blade size:61x19mm SK5 blade With 6PCS blades (THT519001) Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	72

#### Utility knife

#### TG5126101



Blade size:61mmx19mm Length:175mm With 6pcs SK5 blade (THT519001) Zinc alloy body Net weight:256g Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	48

#### 10 Pcs blades set

#### THT5190901





Size: 9X80mm Suitable for item THT5110906 Packed by plastic box



Unit PACK/QTY Qty/Ctn SFT 20 40 0

# India's first 7000 One-Stop Tools Station One-Stop Tools Station

#### 10 Pcs 18mm knife blades set

#### THT519112

#### 10PCS/BOX 18X100mm



10Pcs/Set Size: 18X100mm Suitable for item
THT511816/THT511826/THT511836/T
G5121806/THT511815 Packed by plastic box

пп	м	000000000000000000000000000000000000000	- TO THE R. P. LEWIS CO., LANSING, MICH.
	100	a - No. Holdino	<b>BRIDE</b>

Unit	PACK/QTY	Qty/ Ctn
SET	20	12 0

#### 10 Pcs utility knife blades set

#### THT519001



10Pcs/Set Size: 61X19mm Suitable for item TG5126101/THT5116118/THT5126128 /THT5136236/THT5136288

Packed by plastic box



Unit	PACK/QTY	Qty/ Ctn
SET	20	20 0

#### Folding knife

#### THT5136138



Folding knife Aluminum alloy handle Blade size:61x19mm With 5PCS SK5 blades (THT519611) Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	12	72

#### Multi-function knife

#### THMFK0156



Multi-function Knife Multi-function Knife
Strong Aluminium Handle
Product size: 9.5cm
With 15 Function
Large knife 2.Can opener 3.Phillips
screwdriver 4.Leather punch 5.Bottle
Opener 6.Scissors 7.Needle 8.Slotted
Screwdriver 9.Fish scaler 10.Hook remover
11.Saw 12.corkscrew 13.Nail cleaner
14.Nail file 15.Key ring
Strong Aluminium Handle Strong Aluminium Handle Packed by display color box

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Glass cutter

#### THT561301

#### 130mm



Wooden handle Glass cutter with 6pcs wheels blade Cutting length:3000x6=18000m length:130mm Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	240

#### 10 Pcs blades set

#### THT5192501





10Pcs/Set SK4 Size: 25\*127MM Packed by plastic box

Unit	PACK/QTY	Qty/Ctn
SET	10	10 0

#### Folding knife

#### THT513613



Blade size:61mmx19mm With 5pcs SK5 blades Folding kinfe Aluminum alloy handle Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	72

#### Metal scraper

#### THT183201



Material:aluminium alloy knife plate With 6pcs SK5 knife Blade Blade size:14\*100mm Length:310mm Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	50

#### Foldable multi-function tool

#### TFMFT01151



Steel

Stainless steel handle with soft rubber grip Stainless steel components Stainless steel components
Foldable,easy to carry
Includes Ipcs nylon belt pouch
Overall size:155mm
closed size:100mm
With 15 Function
1.15 Function
1.5 Function 13.Phillips Screwdriver 14.Can Opener 15.Metal/Wood File

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

#### Heavy duty glass cutter

#### THT561781



Iron body Auto oil feed cutter With 1pcs oil suction pipe Total cutting length:5000m length:178mm Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	12 0

# India's first 7777 One-Stop Tools Station One-Stop Tools Station

#### TGCT16001

#### MAX Cutting 600mm



Material:6pcs YG6X knife Rubber suction cups. metal scale ruler Cutting diameter:60cm Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	2	40

#### Sucker

Compasses glass cutter

#### TSP02501



Handle material: ABS Max. pull: 50kg Cup diameter: 115mm Packed by color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	3	18

#### Aviation snip

#### THT522106

#### 250mm(10")



Unique design two tone soft handle Aviation snip Straight Length:250mm 10" Max.cutting thickness:

Packed by half double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	40

#### Long straight aviation snip

#### THT525106

INDUSTRIAL

#### 300mm(12")



Aviation snip Straight Length:300mm 12" Unique design two tone soft handle Cutting plastic or rubber or 0.5mm brass wire net
Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	40

#### 3 Pcs aviation snip set

#### THT520106K

#### 3PCS/SET 250mm(10")



Unique design two tone soft handle 3Pcs Aviation snip (Left,Straight,Right) Length:250mm (10") Max.cutting thickness:

Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
SET	4	16

#### Sucker

#### TSP01251



Handle material: ABS Max. pull: 25kg Cup diameter: 115mm Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	3	36

#### Aviation snip

#### THT521106

#### 250mm(10")



Unique design two tone soft handle Aviation snip Left Length:250mm 10" Max.cutting thickness:

Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	40

#### Aviation snip

#### THT523106

INDUSTRIAL

INDUSTRIAL

#### 250mm(10")




Unique design two tone soft handle Aviation snip Right Length:250mm 10" Max.cutting thickness:

Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	40

#### Aviation snip

#### THTJ531106





Unique design two tone soft handle Aviation snip (Left) Length:250mm (10") Max.cutting thickness

Packed by half double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	40

#### 3PCS Abrasive Brush Set


#### TAC38033



Plastic handle
Three mini cleaning brushes with
nylon,brass,and wire bristles
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SET	12	12 0





# India's first 7777 One-Stop Tools Station One-Stop Tools Station





Length:235mm Steel Q195 Planing width&depth:44x2mm Packed by hanger card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

#### THT9391BL



Length:80x44 Matched with THT9391 Packed by bulk

Planer blade

Caulking gun

Grease gun

Putty trowel

Unit	PACK/QTY	Qty/Ctn
PCS		20 0

#### Caulking gun

Caulking gun

Planer

#### THT21809



Suitable for:

9" Caulking gun Iron shank with teeth Length:230mm(9") Thickness: 0.8mm Diameter: 55mm Packed by label

Unit	PACK/QTY	Qty/ Ctn
DCS	12	2/

#### THT20409



9" caulking gun Thickness:1.0mm Length: 230mm Diameter:55mm Iron shank with teeth With cutting function Packed by label

Suitable		
or:	- ASA	

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

INDUSTRIAL

#### THT21309



9" caulking gun Aluminum handle Double push plate With needle
Thickness:2.2mm
Length:230mm
Diameter:55mm
Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	12	24



Heavy-Duty Grease Gun
Taiwan Quality
Capacity: 400CC /14oz
Loading way: 14O2 Cartridge / 400CC Bulk
Working Pressure: 4500psi
Burst Pressure: 10000psi
Burst 1:12mm Steel tube + Aluminum-Cast
Standard Accessory:
1pcs 12" High Pressure Flexible Nylon Hose
1pcs Metallic Bend Spout
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS		10

Suitable for :

#### THT836326





Size:63mm(2.5") Carbon steel Heat treatment Fine polished Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0

#### THT8312526



Size:125mm(5") Carbon steel Heat treatment Fine polished Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0

#### **Putty trowel**

Putty trowel

#### THT836316



Size:63(2.5")mm Carbon steel Heat treatment Fine polished Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	12.0

#### Putty trowel


#### THT837516




Size:75(3")mm Carbon steel Heat treatment Fine polished Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0







#### THT82766

NDUSTRU



Size: 7"/188mm Diameter of connecting rod:9.5mm Unique design handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Bricklaying trowel

#### THT82826



Size: 8"/200mm Diameter of connecting rod:9.5mm unique design handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

#### Plastering trowel with teeth

#### THTT832306

#### 230x100mm



Size:230x100mm Teeth:10\*6mm Carbon steel Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	10	40

#### Drywall taping knives

#### THPUT78300



# 300mm(12") Stairless steel

Size:12"/300mm Stainless steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by labe

Unit	PACK/QTY	Qty/ Ctn
PCS	10	40

#### Drywall taping knives

#### THPUT38250

#### 250mm(10")



Size:10"/250mm Blade thickness:0.5mm Aluminum backing plate Unique design handle Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	10	60

#### THT82816





Size:8"/200mm Diameter of shank:9.5mm Unique design handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

#### Plastering trowel

Bricklaying trowel

#### THT832306

230x100mm



Size:230x100mm Carbon steel Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

INDUSTRIAL

INDUSTRIA

#### Plastering trowel with teeth(Plastic handle)

#### THTT81286

#### 280x130mm



Size:280x130mm Teeth:10\*10mm Blade material:stainless steel Unique design handle Slight bow in blade good for working Packed by label



Unit	PACK/QTY	Qty/Ctn
PCS	10	40

#### Drywall taping knives

#### THPUT78350



Size:14\*/350mm Stainless steel blade Reinforced aluminium profile Blade thickness:0.5mm Unique design handle Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

#### Drywall taping knives

#### THPUT38300

#### 300mm(12")



Size:12"/300mm Blade thickness:0.5mm Aluminum backing plate Unique design handle Packed by label

 Unit
 PACK/QTY
 Qty/Ctn

 PCS
 10
 40

#### India's first **TLTTAL** One-Stop Tools Station

#### Fine rubber float

#### THT8320106



Size:230mm(L)\*100mm(W) Size:250mm(L)-100mm(W)
Rubber Thickness:15mm
Pure PP handle
Aluminium base plate
Cleaning function
Sanding cement wall function
Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

THT8324106

#### 240x100mm Tile Grouting Smooth Finish



Size:240mmx100mm EVA Thickness:19mm Pure PP handle Aluminium base plate Packed by label



Unit	PACK/QTY	Qty/Ctn
PCS	10	40

#### Chalk line reel

#### THT661301



Chalk line reel Length:30m With1bottle chalk With1pcs spirit bubble With1 pcs blue powder bottle: 4oz/113g Rubber-covered housing Packed by double blister

Unit	PACK/QTY	Qty/Ctn
SFT	10	40

#### Paint brush

Paint brush

Rubber grout float

#### THT846016



Width:1 For Oil-Based paint Unique design plastic handle Bristle length: 45mm Thickness: 10mm Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	36 0

#### Paint brush

#### THT846026



Width:2 For Oil-Based paint Unique design plastic handle Bristle length: 51mm Thickness: 11mm Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	12	240

#### THT846036



Width:3" For Oil-Based paint Unique design plastic handle Bristle length: 57mm Thickness: 12mm Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0

#### Paint brush

#### THT846046



Width:4" For Oil-Based paint Unique design plastic handle Bristle length: 57mm Thickness: 14mm Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0

INDUSTRIAL |

#### Paint brush (Plastic handle covered rubber) THT84016

INDUSTRIA



Size:1"(25mm) Length: 51mm Thickness: 16mm High quality bristles Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	12	24 0

INDUSTRIAL

#### Paint brush (Plastic handle covered rubber)

#### THT84026



Size: 2"(50mm) Bristle length: 57mm Thickness: 18mm High quality bristles Packed by color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	12	240

#### Paint brush (Plastic handle covered rubber)

#### THT84036



Size: 3"(75mm) Bristle length: 64mm Thickness: 22mm High quality bristles Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	12	12 0

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station





Size: 4"(100mm) Bristle length: 70mm Thickness: 22mm High quality bristles Packed by color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	12	12 0

#### Mini cylinder brush(Inner wall)

#### THT8541



Material:Acrylic Size:100mm/4"
Fibre height:12mm
Suitable for inner wall
6mm central shank
With 1pcs roller cover
Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 0

#### Cylinder brush(Inner wall)

#### THT8594



Material:Acrylic Size:230mm/9' Fibre height:7mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	20	40

#### Cylinder brush 11 in 1 set(Inner wall)

#### THT81121001



Material:Micro Fibre + polyester foam Size:100mm/4" Suitable for inner wall and smooth surface 5.8mm central shank With 5pcs 12mm acrylic mini rollers With 5pcs polyester foam rollers Packed by double blister

Wat	Unit	PACK/QTY	Qty/ Ctn
hartone.	SET	20	40

#### Combination spanner

#### TCSPA081

О





Length:120mm Material:Cr-V Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	12	36 0

#### THT8414091

# 9PCS/SET Bristle

9pcs paint brush set

3pcs 1"
2pcs 1.5"
2pcs 2.0"
1pcs 3.0"
1pcs 4.0"
Wooden handle

Unit

SET

Packed by double blister

PACK/QTY

Qty/Ctn

24

#### Cylinder brush(Inner wall)

9 Pcs paint brush set

#### THT8592



Material:Acrylic Size:230mm/9" Fibre height:12mm Suitable for inner wall 6mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	20	40

#### Cylinder brush(Outer wall)

#### THT8593



Material:Acrylic Size:230mm/9" Fibre height:18mm Suitable for outer wall 8mm central shank With 1pcs roller cover With 4pcs assistant shank Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	20	40

#### Telescopic rod

#### THTEP0201



Material: aluminum Folding size: 110cm Extended length: 200cm Two section telescopic design With screw connection function With insert function Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	1	24

INDUSTRIAL

#### Combination spanner

#### TCSPA101



Length:140mm Material:Cr-V Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	12	36 0

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station





TCSPA271

27mm



#### PACK/QTY Unit Qty/Ctn PCS 6 60

Size:27mm Length:320mm Material:Cr-V Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/Ctn
DCS	G	60

#### Combination spanner

#### TCSPA301



Size:30mm Length:336mm Material:Cr-V Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	30

#### Combination spanner set

Combination spanner

THT102286



8pcs combination spanner set Spcs combination spanner set Size:6-19mm 6mm,8mm,10mm,12mm,14mm,15mm,17 mm,19mm Fine polished Packed by plastic hanger

PACK/QTY

Unit

SFT

#### THT102286-I



8pcs combination spanner set spcs combination spanner set Size6-19mm 6mm,8mm,10mm,13mm,14mm,15mm,17 mm,19mm Fine polished Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### Double open end spanner set

Ratchet spanner

Ratchet spanner

THT102386

Qty/Ctn

10



8pcs double open end spanner set Size:6-22mm Size:6-22mm 6x7mm,8x9mm,10x11mm,12x13mm, 14x15mm,16x17mm,18x19mm,20x22mm Fine polished Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### Offset ring spanner set

Combination spanner set

#### THT102486

INDUSTRIAL



8pcs offset ring spanner set Size:6-22mm 6x7mm,8x9mm,10x11mm 12x13mm,14x15mm,16x17mm,18x19mm, 20x22mm Fine polished Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
SET	5	10

#### TCSPAR061

INDUSTRI



Size:6mm Length:128mm Material:Cr-V Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

#### Ratchet spanner

#### TCSPAR071

INDUSTRIAL

#### TCSPAR081





Material:Cr-V Length:140mm Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

#### 8mm



Size:8mm Length:140mm Material:Cr-V CrMo Ratchet Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0





# India's first 7777 One-Stop Tools Station One-Stop Tools Station

TCSPAR271

27mm

### Ratchet spanner

### TCSPAR221



Size:22mm Material:Cr-V Length:290mm Chrome plated,matt finish Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	5	60

# Bent wrench

Ratchet spanner

Adjustable wrench

Adjustable wrench

Adjustable wrench

Size:27mm

Unit

PCS

Length:359mm Material:Cr-V Chrome plated,matt finish Packed by paper card

# 8 Pcs ratchet spanner set

### THT102RK086



8pcs Ratchet Spanner Set High quality Cr-Mo Ratchet High quality Cr-M Ratchet Size:8-19mm 8mm,10mm,12mm,13mm,14mm,15mm,17 mm,19mm Fine polished ,CR-V Packed by plastic Hanger

Unit	PACK/QTY	Qty/ Ctn
SET	5	10

THT10309328



1 PCS double open end wrench, 1 PCS aduois open end wrench, 9-14mm,15-22mm 1 PCS single open end wrench, 23-32mm Chrome plated TPR two color handle Packed by sliding card

PACK/QTY

5

Qty/Ctn

30

Unit	PACK/QTY	Qty/Ctn
SET	5	20

### Adjustable wrench

### THT101063

### 150mm(6")



Length:150mm(6") Adjustable clamp size:0-24mm Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

# THT101083



Length:200mm(8") Adjustable clamp size:0-29mm Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

INDUSTRIAL

INDUSTRIAL

### Adjustable wrench

# THT1010123

### 300mm(12")



Length:300mm(12") Adjustable clamp size:0-40mm Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	6	24

# 150mm(6")

THT101066



Unique design Handle Length:150mm(6"),CrV Adjustable clamp size:0-28.5mm Two color rubber handle Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	60

### Adjustable wrench

### THT101086

### INDUSTRIAL

# 200mm(8")



Unique design Handle Enique design Handle Length:200mm(8"),CrV Adjustable clamp size:0-34mm Two color rubber handle Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	36

# THT101106



Unique design Handle Length:250mm(10"),CrV Adjustable clamp size:0-40mm Two color rubber handle Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

# India's first TOTAL One-Stop Tools Station One-Stop Tools Station

### Adjustable wrench

### THT101126



Unique design Handle Length:300mm(12"),CrV Adjustable clamp size:0-45mm Two color rubber handle Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	4	16

### 1/2" Hexagonal socket

### THTST12091





1/2" Dr.6pt.socket.9MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	10	20 0

### 1/2" Hexagonal socket

### THTST12111



1/2" Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	10	20.0

### 1/2" Hexagonal socket

### THTST12131



1/2" Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	20.0

### 1/2" Hexagonal socket

### THTST12151

IMPUSTRIAL!





Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	10	20 0

### 1/2" Hexagonal socket

### THTST12081









1/2" Dr.6pt.socket.8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	20 0

### 1/2" Hexagonal socket

### THTST12101











1/2" Dr.6pt.socket.10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	20 0

### 1/2" Hexagonal socket

### THTST12121

INDUSTRIA

INDUSTRIAL









1/2" Dr.6pt.socket,12MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	20 0

### 1/2" Hexagonal socket

### THTST12141





1/2" Dr.6pt.socket,14MM Material:50BV30,Heat treatment,black nickel plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	10	20.0

# 1/2" Hexagonal socket

### THTST12161











1/2" Dr.6pt.socket,16MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	20 0



# India's first TCTTAL One-Stop Tools Station One-Stop Tools Station

### 1/2" Hexagonal socket

### THTST12171



1/2" Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	8	16 0

### 1/2" Hexagonal socket

### THTST12191







1/2" Dr.6pt.socket.19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	8	16.0

### 1/2" Hexagonal socket

### THTST12211



1/2" Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	8	16 0

### 1/2" Hexagonal socket

### THTST12231



1/2" Dr.6pt.socket,23MM Material:50BV30,Heat treatment,black nickel plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	12 0

# 1/2" Hexagonal socket

### THTST12251

INDUSTRIAL

# 25mm 😯 🖺 🚮



Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	5	10 0

### 1/2" Hexagonal socket

### THTST12181









1/2" Dr.6pt.socket,18MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	Ω	16.0

### 1/2" Hexagonal socket

### THTST12201











Unit	PACK/QTY	Qty/Ctn
PCS	8	16 0

### 1/2" Hexagonal socket

### THTST12221









1/2" Dr.6pt.socket,22MM Material:50BV30, Heat treatment, black nickel plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	8	16 0

### 1/2" Hexagonal socket

# THTST12241









1/2" Dr.6pt.socket,24MM Material:50BV30,Heat treatment,black nickel plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	6	12.0

### 1/2" Hexagonal socket

### THTST12261

INDUSTRIAL











1/2" Dr.6pt.socket,26MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	10 0

### 1/2" Hexagonal socket

### THTST12271

### THTST12281







1/2" Dr.6pt socket 27MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	10.0

# 28mm 😉 🗐 🚮





1/2" Hexagonal socket



1/2" Dr.6pt.socket,28MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn	
DCS		80	

### 1/2" Hexagonal socket

### THTST12291

### THTSTI2301

### 1/2" Hexagonal socket













1/2" Dr.6pt.socket.29MM Materials:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	4	80











1/2" Deep hexagonal socket

1/2" Deep hexagonal socket

1/2" Dr.6pt.socket.30MM Material: 508V30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn	
PCS	4	80	

### 1/2" Hexagonal socket

### THTST12321







### THTSTI2083L

8mm

Cr

THTSTI2113L



1/2° Dr.6pt.socket,32MM Material50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	4	80



1<sub>2</sub> 6 PT

1/2" Deep Dr.6pt.socket,8MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	12.0

### 1/2" Deep hexagonal socket

# THTSTI2103L





1/2" Deep Dr.6pt.socket,10MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	12.0

# 1/2" Deep hexagonal socket



1/2" Deep Dr.6pt.socket,11MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	6	12.0

### THTST12123L



### THTSTI2133L



1/2" Deep hexagonal socket







Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	12 0

# 1/2" Deep Dr.6pt.socket,13MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	12 0

# India's first TLTTA

### 1/2" Deep hexagonal socket

### THTST12153L



1/2" Deep Dr.6pt.socket,15MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

1/2" Deep Dr.6pt.socket,18MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit

PCS

Unit	PACK/QTY	Qty/ Ctn
DCS	6	12.0


### 1/2" Deep hexagonal socket

1/2" Deep hexagonal socket

### THTST12183L

18mm 😘

THTST12193L







1/2" Deep Dr.6pt.socket,17MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	12.0

### 1/2" Deep hexagonal socket

1/2" Deep hexagonal socket

THTST12173L



1/2" Deep Dr.6pt.socket.19MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	10.0

PACK/QTY

5

### THTST12203L

Qty/Ctn

10 0





1/2" Deep Dr.6pt.socket,20MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	5	10 0

### 1/2" Deep hexagonal socket

### THTST12223L

INDUSTRIAL



1/2" Deep Dr.6pt.socket,22MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	4	80


### 1/2" Deep hexagonal socket

### THTST12273L

27mm (1/2) (6

INDUSTRIAL





THTST12213L



1/2" Deep Dr.6pt.socket,21MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	10 0

INDUSTRIA

### 1/2" Deep hexagonal socket

# THTSTI2243L





Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	/.	80

### 1/2" Deep hexagonal socket

### THTST12323L

INDUSTRIAL



1/2" Deep Dr.6pt.socket,32MM Material:50BV30,Heat treatment,black nickel plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	2	40







1/2" Spark plug socket Size:16mm Material:50BV30 Heat treatment Chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	12 0

### THSPS12216





1/2" Spark plug socket Size:21mm Material:50BV30 Heat treatment Chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	5	80

### 1/2" Universal joint

### THHUJ1121



### THEB12051

### 1/2" Extension bar

1/2" Spark plug socket



1/2" Universal Joint Material:50BV30 Heat treatment,chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	20	60

# 1/2" Cr.

1/2" Extension bar Material:50BV30
Heat treatment,chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	20	60

### 1/2" Extension bar

### THEB12101

### THTSTB12106

### 1/2" Sliding T-Bar

# INDUSTRIAL



1/2" Extension bar Material:50BV30
Heat treatment,chromed plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	10	30

1/2"DR. Sliding T-bar (J2"DR. Silding 1-bar Length: 10"(250mm) Material:50BV30 Heat treatment Chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	30

### 1/2" Dr L type socket wrench

### THLHD12121

### INDUSTRIAL

### THTFX12151

### 1/2" Flexible handle

### INDUSTRIAL



1/2"DR. L-Handle Length: 12"(300mm) Material : 50BV30 Heat treatment Chromed plated Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	6	30

# 🐠 🐠

1/2" Flexible handle Length:15"(375mm)
Material:50BV30
Heat treatment,chromed plated
Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
DCS	G	70

### Ratchet wrench

### THT106146

### INDUSTRIAL

### THT106386

### Ratchet wrench

### INDUSTRIAL



Size:1/4" 72T Length:158mm Material: Cr-V+CrMo Heat treatment Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	10	80

### 3/8



Length:205mm Material: Cr-V+CrMo Heat treatment Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

# India's first TLTTA





Length:260mm Material : Cr-V+CrMo Heat treatment Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

### T-handle socket wrench

### THTSW1206



Size: 12mm Socket material: Cr-V Length: 200\*310mm Surface: chrome-plated Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

### T-handle socket wrench

### THTSW1906

INDUSTRIAL



Size: 19mm Socket material: Cr-V Length: 200\*310mm Surface: chrome-plated Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

### L-angled socket wrench

# THWL1706

INDUSTRIAL



Material: Cr-V Whole body drop foged non welding Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

### Tile cutter

# THT576004



Tile cutter Max cutting length:600mm Max cutting thickness:12mm Steel base size:815x195cm Thickness of the base:2mm Inickness of the base:zmm With 2 pcs tungsten carbide blade Blade size:16x6x3mm Multi-function:direct line cutting, diagonal line cutting Diameter of sliding bar:19mm Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	4

### 1/2" Extendable ratchet wrench

THT106128L 1/2 Size:1/2" 72T Length:340-450mm Material : Cr-V+CrMo Heat treatment chromed plated Packed by plastic hanger 67 72T 🐷 Unit

### T-handle socket wrench

### THTSW1306

Ga V

PACK/QTY

4

Qty/Ctn

16

INDUSTRIAL

INDUSTRIAL



Size: 13mm Socket material: Cr-V Length: 200\*310mm Surface: chrome-plated Packed by paper card

PCS

Unit	PACK/QTY	Qty/Ctn
PCS	10	50

### L-angled socket wrench

### THWL1406



Size: 14mm Material: Cr-V Whole body drop foged non welding Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	10	10 0

### Rapid cross wrench

### THTRCW40231



Size: 16" With 4 pcs 1/2" Socket:17mm 19mm 21mm 23mm
Drop forged and chrome plate
Cross save power design provides extra
leverage and torque
Packed by leather bag

Unit	PACK/QTY	Qty/Ctn
SFT	4	12

### Tile cutter blade

# THT576004B

### Ø16xØ6x3mm



Material:tungsten carbide Blade size:Ø16xØ6x3mm Suitable for THT576004 Packed by blister card

Unit	PACK/QTY	Qty/Ctn
PCS	1	50

### THT578004

### 800mm



Tile cutter Max cutting length:800mm Max cutting thickness:14mm With 1 pcs bag Steel base size:993x165mm 2pcs steel support frame

Thickness of the base 25mm With 1 pcs tungsten carbide ball bearing blade

Blade size:22x10.5x2mm Multi-function:direct line cutting,diagonal line cutting
With aluminium gauge
Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

### Tile cutter blade

### THT578004B



### Ø22xØ6x2mm



Tile cutter blade

With ball bearing Material:tungsten carbide Blade size:Ø22xØ6x2mm Suitable for THT578004 Packed by blister card

Unit	PACK/QTY	Qty/Ctn
PCS	1	50

### Hydraulic bottle jack

Tile cutter

### THT109022





2Ton With safety valve Min. height: 180mm Max. height: 333mm Travel:153mm Net weight: 2.5kg Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

### Hydraulic bottle jack

Hydraulic bottle jack

Hydraulic bottle jack

### THT109102



10Ton With safety valve Min. height: 230mm Max. height: 460mm Travel:230mm Net weight: 5.8kg Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

INDUSTRIAL

INDUSTRIAL

### Hydraulic bottle jack

### THT109122

12Ton





12Ton With safety valve Min. height: 235mm Max. height: 470mm Travel:235mm Net weight: 6.7kg Packed by color box

Unit	PACK/QTY	Qty/ Ctn
DCC		7



20Ton With safety valve Min. height: 240mm Max. height: 460mm Travel:220mm Net weight:8.7kg Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

### Hydraulic bottle jack

# THT109302



30Ton With safety valve Min. height: 260mm Max. height: 430mm Travel:170mm Net weight: 15.9kg Packed by color box

Unit	PACK/QTY	Qty/ Ctn
DCS	1	1

# THT109502



50Ton With safety valve Min. height: 280mm Max. height: 470mm Travel:190mm Net weight: 22.6kg Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	1

### Hydraulic floor jack

### THT10821

### THT10832

### Hydraulic floor jack INDUSTRIAL

### 2Ton



2Ton Min. height: 140mm Max. height: 340mm Travel:200mm Net weight: 8.5kg Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1



3Ton Min. height: 135mm Max. height: 410mm Travel:275mm Net weight:16kg Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

# Hydraulic garage jack

### THT10833



Min. height:145mm Max. height:500mm Travel: 355mm Net weight:37kg Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Jack stand

### THJS0201



2pcs/pair 2Ton Min. height: 250mm Max. height: 380mm Net weight: 4.7kg Large saddle,more stable Packed by color by Packed by color box

Unit	PACK/QTY	Qty/ Ctn
DAID	1	1

### Chain block

### THT1621



Rating lift weight:2Ton Number of load chain:2 Hook to hook distance:380 mm Chainpull to lift full load:345 N Net weight:13.5kg Packed by wooden case

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### Steel measuring tape

# TMT37316M



Length & width:3mx16mm Self lock function One button Only metric Pure ABS material cover Packed by plastic hanger

Self Lock Function	800
Continuous Marking	Blade

Unit	PACK/QTY	Qty/ Ctn
PCS	12	60

### Steel measuring tape

### TMT34316



Length & width:3mx16mm One button With metric and inch Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	60



Bomm Low Profile

Fast lifting ,dual pump Min. height: 85mm Max. height: 515mm Travel: 430mm Net weight:32kg Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### Jack stand

Hydraulic floor jack

### THJS0301

THT10834



2pcs/pair 3Ton Min. height: 270mm Max. height: 410mm Net weight: 6.1kg Large saddle,more stable Packed by color by Packed by color box

Unit	PACK/QTY	Qty/Ctn
PAIR	1	1

### Steel measuring tape

### TMT37519



Continuous Marking Blade

Length & width:5mx19mm Self lock function With metric and inch One button Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	60

Qty/Ctn

60

### Steel measuring tape

# TMT37519M



Continuous Marking Blade

Length & width:5mx19mm Self lock function One button Only metric Pure ABS material cover Packed by plastic hanger

10	Unit	PACK/QTY
	PCS	12

### Steel measuring tape

### TMT34519



Length & width:5mx19mm One button With metric and inch Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	60

### Steel measuring tape

# TMT34525 5mx25mm Inch Metrig Double ede pretrag

Continuous Marking Blade

Length & width:5mx25mm One button With metric and inch Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	60

### TMT34316M



Length & width:3mx16mm One button Only metric Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	60

### Steel measuring tape

### TMT34525M



Length & width:5mx25mm One button Only metric Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	60

### Steel measuring tape

Steel measuring tape

Steel measuring tape

Steel measuring tape

# TMT34825M



Length & width:8mx25mm One button Only metric Pure ABS material cover Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

### Steel measuring tape

### TMT126031



Length & width:3mx16mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	12 0

### TMT126051



Length & width:5mx19mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	60

### Steel measuring tape

# TMT126052



Length & width:5mx25mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	60



Length & width:8mx25mm With metric and inch With 3 stop button function With rubber cover Packed by plastic hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

INDUSTRIAL

# Steel measuring tape

### TMT126651

### INDUSTRIAL



Length & width:5mx19mm Nylon blade Double side printing With metric and inch Double hook of blade Stronger clip Unique design Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	40

### Steel measuring tape

### TMT126652



Length & width:5mx25mm Nylon blade Double side printing With metric and inch Double hook of blade Stronger clip Unique design Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	40

# One-Stop Tools Station

### TMT126681

INDUSTRIA



Length & width:8mx25mm Nylon blade Double side printing With metric and inch Double hook of blade Stronger clip Unique design Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	30

### Steel measuring tape

Steel measuring tape

### TMT126652M

INDUSTRIAL



Length & width:5mx25mm Only metric Nylon blade Double side metric printing Double hook of blade Stronger clip Unique design Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	5	40

### Steel measuring tape

### TMT11206



3:1 Gear ratio for fast rewind Length & width:20mx12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	10	40

### Steel measuring tape

### TMT710506



3:1 Gear ratio for fast rewind Length & width:50mx12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Ergonomic handle Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

### Fibreglass measuring tape

### TMTF13306

INDUSTRIAL



3:1 Gear ratio for fast rewind Length & width:30mx12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	10	40

# Steel measuring tape

INDUSTRIAL



Length & width:5mx19mm Only metric Nylon blade Double side metric printing Double hook of blade Stronger clip Unique design Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	40

### Steel measuring tape

### TMT126681M

TMT126651M

INDUSTRIAL



Length & width:8mx25mm Only metric Nylon blade Double side metric printing Double hook of blade Stronger clip Unique design Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	5	30

### Steel measuring tape

### TMT11306



3:1 Gear ratio for fast rewind Length & width:30mx|2.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

### Fibreglass measuring tape

### TMTF13206

INDUSTRIA



3:1 Gear ratio for fast rewind Length & width:20mxl2.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

### Fibreglass measuring tape

### TMTF13506

INDUSTRIAL



3:1 Gear ratio for fast rewind Length & width:50mx12.5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing Ergonomic handle Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

### Fibreglass measuring tape

### TMTF131006



3:1 Gear ratio for fast rewind Reinforce fiberglass tape Length & width:100mxl2:5mm With metric and inch Pure material retracting gear With all rubber cover Integrated handle good for using and convenient storing convenient storing Ergonomic handle Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

# **Cordless Scale**

### TES1203



Voltage: 12V or 220-240V 50/60Hz Max. weight:300kg(660LB) With 50g graduation Without lead battery and Lithium-ion battery Without lead battery and Lithium-loi Display:LED screen Table size:400\*500mm Charging voltage:220-240V 50/60Hz Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
DCS	1	1

### Body scale

### TESA41802

### 0.2-180kg 100g



Size: 280\*280mm range: 0.2-180kg unit: kg/lb division value: 0.1kg power supply: 3\*AAA packed by: color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

### Mini spirit level

### TMT2235



Length:225mm With magnetic With 3 vials Material:Aluminum and ABS plastic Packed by color sleeve

	ACCURACY
Solidx3	1mmm

Unit	PACK/QTY	Qty/ Ctn
PCS	10	10.0

### Spirit level

### TMT26016

### 60cm



Length:60cm Aluminum Aluminum thickness:1mm Unique design Packed by color sleeve



### Unit PACK/QTY Qty/Ctn PCS 1 40

### Digital display measuring wheel

### TMT19923



### 0-99999.9m



Display resolution:0.1m Tolerance:±5% Tolerance:±5% Measuring range:0-99999.9m Wheel diameter: 320mm Wheel perimeter: 1000mm With digital display and memory With metric and inch dual system With stand With:2pcs LR03 AAA batteries Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

### **Body Scale**

### TESA41801



Size:260\*320mm range:0.2-180kg unit:kg/lb division value:0.1kg power supply:3\*AAA packed by :color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

### Hand level

### TMT20105M

INDUSTRIAL



Length:10cm With strong magnet 0.5mm/m solid shockproof arcylic vial Thickness:1.5mm Shockproof end caps Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	10 0

### Spirit level

# TMT24016

### 40cm



Length: 40cm Aluminum
Aluminum thickness:1mm
Unique design
Packed by color sleeve



Unit	PACK/QTY	Qty/Ctn
PCS	1	40

### Spirit level

### TMT2306





Length: 30cm Double side milled 0.5mm/m accurate vials Thickness:1.5mm V-shape slot for measuring objects with round surface Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### TMT2406

### TMT2606



Length: 40cm
Double side milled
0.5mm/m accurate vials
Thickness:.15mm
V-shape slot for measuring objects with round

surface

PACK/QTY

Packed by color sleeve

Unit

PCS

<u>)</u> 4 6	P.C.	D 43
<b>₽</b>	<b>4 0</b>	

Length: 60cm
Double side milled
0.5mm/m accurate vials
Thickness;15mm
V-shape slot for measuring objects with round

surface

Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Spirit level

Spirit level

### TMT2806



Qty/Ctn

20

### TMT21006

### Spirit level

Spirit level



Length: 80cm Double side milled 0.5mm/m accurate vials Thickness.1.5mm V-shape slot for measuring objects with round

surface

PACK/QTY

Packed by color sleeve

Unit

PCS

) 0 (m) 👼 (m)	<b>B L</b>
III See Asserts Vagnes Relation Tradevase	

Length: 100cm Length. 100cm
Double side milled
0.5mm/m accurate vials
Thickness1.5mm
V-shape slot for measuring objects with round
surface

Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Spirit level

### TMT21206



Qty/Ctn

20

### TMT21506

### Spirit level

Spirit level with powerful magnets



Length: 120cm
Double side milled
0.5mm/m accurate vials
Thicknessi.5mm
V-shape slot for measuring objects with round

surface Packed by color sleeve

Unit

PCS

PACK/QTY

1

III September 1	

Length: 150cm
Double side milled
0.5mm/m accurate vials
Thickness:1.5mm
V-shape slot for measuring objects with round
surface
Packed by color player

Packed by color sleeve

<b>(</b>	

Unit	PACK/QTY	Qty/Ctn
PCS	1	14

### Spirit level

# TMT23086

Qty/Ctn

20

### TMT20605M





Length:30cm Length:30cm
Double side milled
0.5mm/m accurate vials
Thickness:1.5mm
V-shape slot for measuring objects with round

surface



Unit	PACK/QTY	Qty/ Ctn
PCS	1	20

# · 🚇 🚜

Length: 60cm 3 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness1.5mm Double flat surfaces design Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
DCS	1	20

# Spirit level with powerful magnets

### TMT20805M



### TMT21005M

### Spirit level with powerful magnets

# INDUSTRIAL

# K G . C . C . A

Length: 80cm 4 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design Packed by color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	1	20



Length: 100cm 4 Pcs powerful magnets Double side milled O.5mm/m accurate vials
Aluminum thickness:1.5mm
Double flat surfaces design
Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Spirit level with powerful magnets

### TMT21205M



Length: 120cm Length: 120cm 5 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design

Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Heavy-duty mason's level

### TMT221606

### 60cm



Length: 60cm Net weight:790g Accuracy:0.5mm/m

Finely milled bottom surface and front surface Heavy-duty cast aluminum tapered body Shock-absorbing rubber strike pads & end caps To withstand trowel blows and protect the

level's integrity Horizontal & vertical spirit bubbles Packed by color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	10	30

### Ruler

### TMT636002

### 600mm



Length:60cm Width:5cm Material:Anodized aluminum Only metric
Printed scale accurate 0.7mm/m
Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	1	60

### Angle square

### TMT61126





Length:300mm(12") Blade Width:40mm Blade Thickness:1.5mm Stainless steel blade Stainless steel blade
With unique support ledge
High-impact polymer handle
Stainless steel blade
Marking point for pencil
Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

### Test pencil

### THT291908



Test Voltage:AC 100-500V Slotted size:4x190mm Packed by plastic hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	24	28 8

### Spirit level with powerful magnets

### TMT24086M









Length:40cm Length:40cm 2 Pcs powerful magnets Double side milled 0.5mm/m accurate vials Aluminum thickness:1.5mm Double flat surfaces design Packed by color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS		20

### Ruler

### TMT633002

# 300mm(12")





Length:30cm Width:3cm Material:Anodized aluminum With metric and inch Printed scale accurate 0.7mm/m Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	ı	12 0

### Measure mate

### TMT646003



Length:60cm Material:Aluminum Strong triangular profile Strong triangular profile 2pcs easy-to-read vials Sliding knife guide Electrical & plumbing scale for power sockets and faucets 1pcs nail gripper and drill bit diameter

Packed by paper hanger

Unit	PACK/QTY	Qty/Ctn
PCS		10

INDUSTRIA

### PVC insulating tape

# THPETII02





Real Length:10yards(9.15m) Color:Black Width:18mm Thickness:0.19mm Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	30 0

### Test pencil

# THT292201



Test Voltage:AC 12-250V Digital dispaly:12V/36V/55V/110V/220V Size:135mm\*23mm\*17mm Induction test to find phase line,ground line and breakpoint of phase line
No need to install battery
Packed by double blister

Jnit	PACK/QTY	Qty/Ctn
PCS	12	96

### AC voltage detector

### THT2910003



AC Voltage: 12V~1000V(High sensitivity) 48~1000V(Low sensitivity) Frequency:50/60Hz Frequency:50/60Hz Alarm mode: Sound and light alarm Flash light: White LED Low battery indication Auto power off Switchable battery cover Auto distinguish the Live line and Netural line With 2pcs RO3 AAA batteries Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	20	40

### TESST30002

### **VDE Plug** 30mA






VDE plug RCD test:>30mA Seven testing situations feedback Correct connection Open ground Open neutral Open live Live wire and ground wire reverse Live wire and neutral wire reverse Live wire and ground wire reverse,missing

ground wire Packed by double blister

Unit	PACK/QTY	Qty/Ctn
DCS	20	80

### Digital caliper

### TMT321506



Range:0-150mm Reading:0.01mm IP54 housing Battery 3V Metric/inch system conversion at any position Packed by plastic box

[88] n	mae #	i e	ij
--------	-------	-----	----

Unit	PACK/QTY	Qty/ Ctn
PCS	10	50

### Laser distance detector

Digital multimeter

Socket tester

### TMT56016





Measuring Range:0.05-60m
Measuring Accuracy:±2.0mm
Laser Type:635m, <a href="https://link.class.2">https://link.class.2</a>
Operating temp-:10°C ~ +50°C
Function:Distance,area,volume,height
With power off function
Unique design
With Incs canyas had With 1pcs canvas bag Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS		20

### Self-leveling line laser

### TLL156503

2 Lines



Red laser level





Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### TMT46001

### CAT III 600V



2000 counts LCD display DC Voltage 200m//2V/20V/200V/600V AC Voltage 200V/600V DC Current 200µ A/2mA/20mA/200mA/10A

Diode test data hold Battery test Low battery indication Backlight With 2pcs LR03 AAA batteries

acked by color box		
Unit	PACK/QTY	Qty/Ctn
PCS	10	40

### Digital multimeter

# TMT47503



6000 counts true RMS digital multimeter Non-contact voltage detection live line or neutral Line distinguish DC Voltage: 600mV/6V/60V/600V/1000V ±(0.5% +3) AC Voltage:6V/60V±(0.8%+3) 600V/750V±

(1.0%+10)

(1.5%+13) DC Current: 60µA/60mA/600mA ± (0.8%+3) 10A ±(1.2%+3) AC Current: 60mA/600mA ±(1.0%+3) 10A ±(1.5%+3)

±(0.8% +3)

Capacitance:10nf ±(4.0%+30)

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

### Digital multimeter

# TMT47504



6000 counts true RMS digital multimeter Non-contact voltage detection live line or neutral Line distinguish Data hold DC Voltage: 600mV/6V/60V/600V/1000V ±(0.5% +3)

±(0.5% +3) AC Voltage: 600mV/6V/60V/600V/750V± (0.8%+5) DC Current: 600µ A/6mA/60mA/600mA/10A ±(1.2% +3) AC Current: 600µ A/6mA/60mA/600mA/10A ±(1.5% +3)

Capacitance: 10nf/100nf/1000nf/10µ

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

### Digital AC clamp meter

### TMT42002







Display:2000 counts AC Current:2A/20A/200A ±(2.5% +8) AC Voltage:2V/20V/200V/600V ±(1.0% +5) DC Voltage:200mV/2V/20V/200V/600V ±(0.5% +5)

Data Hold Diode test Low battery indication Auto power off With 2ncs RO3 AAA hatteries Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	20	40

### Digital AC clamp meter

### TMT46003









Data Hold
Display:6000 counts
LCD with double color backlight
AC Current:4A/40A/400A/600A
AC Voltage:4V/40V/400V/600V
DC Voltage:400mV/4V/40V/400V/600V

Capacitance:4nf/40nf/400nf/4µF/40µ F/400µF/4mf Non-contact voltage detection Diode test Data Hold Auto power off With backlight function

Unit PACK/QTY Qty/Ctn 5 PCS 20

### Digital AC clamp meter

### TMT410004



6000 Counts Data Hold Data Hold AC Current : 60A/600A/1000A±(2.0% +6) AC Voltage : 60mV/600mV/6V/60V/600V±(0.8% +3)

750V±(1% +4) DC Voltage : 60mV/600mV/6V/60V/600V±(0.7% +3)

Capacitance : 10nF/100nF/1000nF/10?F/100?F/100 0?F/10mF/100mF±(4.0% +5) Frequency : 0~ 10KHz ±(1.5% +5)

1000V±(0.8% +2)

requeriey. o	1010112 2(1.570 -5)	
Unit	PACK/QTY	Qty/Ctn
PCS	5	20

### Test lead

### TMT423



Length:100cm Pen length:143mm Suitable for all multimeter and clamp meter (Except TMT460013) Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
SFT	1	10.0

### Digital gas indicators

### TETGA01









Range:0~9999ppm(methane) Detecting gas:Combustible gas

Response time:<2sec Warm-up time:Approx 120sec Display: LCD Flexible probe:450mm With 3pcs LR03 AAA batteries Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	20

### Digital sound level meter

TETLU01









Measuring range:30-130dB
Dynamic range:50dB
Sound pressure accuracy:±1.5dB
(94dB@1KHz),±1.5dB(94dB@8KHz)
Frequency response:30Hz-8KHz
Microphone:Polarized capacitance microphone
With backlight function
With lower battery indication function
With 3pcs LR03 AAA batteries
Packed by color boy Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	20

INDUSTRIAL.

### Digital light luxmeter

### 0~100000Lux(0~10000FC)



Range: 0~10000Lux(0~10000FC) Resolution: 1LUX/1FC Accuracy: ±(5%+5Lux) (at 2854°K incandescent lamps) ±(6%+5Lux) others Cosine angle deviation characteristics:30° (±2%);60°(±6%);80°(±25%) Spectral range: 320  $\sim$  730nm With 3pcs LR03 AAA batteries Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	20

### 1000Amp AC Digital Clamp Meter

### TMT410002



6000 Counts 6000 Counts
Data Hold, Display Backlight, Flash Light
AC Current
60A/600A/1000A±(2.0% +6)
AC Voltage
60mV/600mV/60V/600V/600V±(0.8% +3)

750V±(1% +4) DC Voltage 60mV/600mV/6V/60V/600V±(0.7% +3) 1000V±(0.8% +2) Resistance

Capacitance 10nF/100nF/1000nF/10?F/100?F/1000

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

### Digital anemometer

### TETAN01









Range of Air speed: 0.40-30.00m/s Resolution 0.01 ±(2.0%+30) Data hold

With backlight function
With lower battery indication function
With 3pcs LR03 AAA batteries Packed by color box

Unit	PACK/QTY	Qty/Ctn
DCS	1	20

### Wood moisture meter

# TETWM01









Moisture measurement range: 2~70% Moisture measurement accuracy: ±2% Temperature range: 0~40°C Temperature accuracy: ±1°C Environment humidity: 20~90%RH Environment temperature: 0~40°C Response time: <1sec With 3pcs LR03 AAA batteries

Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

INDUSTRIA

# Digital humidity & temprature

# TETHT01





Ambient temperature:-20°C~60°C(-4°F

~140°F)
Ambient humidity:0~100%
Web bulb temperature:-20°C~60°G

°F ~140°F)

Dew point temperature:-20°C~60°C4 °F ~140°F)
With backlight function With lower battery indication function With 3pcs LR03 AAA batteries

Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Extension socket

# THES03041V

# UNIVERSAL PLUG



4 ways extension socket Maximum current 13A 3 meters 3\*1.25mm2 power cable With overload protection Flame retardant material
With 4pcs separate switch
Copper wire inside construction
Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

### THES23042V

### UNIVERSAL PLUG



4 ways extension socket A ways extension socket Maximum current ISA 3 meters 3\*1.25mm2 power cable Flame retardant material With overload protection With lpcs switch Copper wire inside construction Packed by sliding card

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

### THES13041VSB





3 ways extension socket Maximum current 13A 3 meters 3\*1.25mm2 power cable 3 meters 3"1.25mm2 power cable 2.1A USB Flame retardant material With overload protection With 1pcs separate switch Copper wire inside construction Packed by sliding card

Unit	PACK/QTY	Qty/Ctn	
PCS	6	24	

### Switch

Extension socket

### THESSH18111



Product size: 118\*80mm Installation size: 84mm 1-Gang 16A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	10 0

### Switch

Switch

Socket

Extension socket

### THESSH18121



Product size: 118\*80mm Installation size: 84mm 2-Gang 16A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	10 0

### Switch

### THESSH18131



Product size: 118\*80mm Installation size: 84mm 3-Gang 16A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	10 0

### THESSH18311

45A



Product size: 118\*80mm Installation size: 84mm 1-Gang 45A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	10 0

### Socket

# THESST181101





Product size: 118\*80mm Installation size: 84mm 16A universal socket 16A 250V~ Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	10.0

### THESST181111





Product size: 118\*80mm Installation size: 84mm 1-Gang 16A universal socket 16A 250V~ Single pole switch Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	10.0

### Socket

### THESST181101 US



Product size: 118\*80mm Installation size: 84mm 2USB & 3pin Max 2.1A 16A universal socket 16A 250V~ Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	10.0

### Socket

### THESST183201



Product size: 118\*80mm Installation size: 84mm 3pin & 3pin 16A USA socket 16A 250V~ Packed by plastic bag

> Unit PACK/QTY Qty/Ctn PCS 10 10.0





Product size: 118\*80mm Installation size: 84mm

Installation size. 84mm 2USB & 3pin Max 2.1A 16A USA universal socket 16A 250V~ Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	10 0

### THESST182111



Product size: 118\*80mm Installation size: 84mm Installation size: 84mm I-Gang I6A VDE socket I6A 250V~ Single pole switch Packed by plastic bag

Socket

Unit	PACK/QTY	Qty/Ctn
PCS	10	10 0

### Fan controller

Socket

### THESFC180250 2



Product size: 118\*80mm Installation size: 84mm Installation size: 84mm I-Gang I6A 250V~ 250W 220V~ Single pole switch Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
DCS	10	10.0

### Switch



Product size: 86\*86mm Installation size: 60mm

1-Gang 16A 250V~ 1-Way Packed by plastic bag

Switch

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

### Switch

### THESSH02101



Product size: 86\*86mm Installation size: 60mm 2-Gang 16A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

### THESSH03101

THESSH01101



Product size: 86\*86mm Installation size: 60mm 3-Gang 16A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	12.0

# Switch

### THESSH04101



Product size: 86\*86mm Installation size: 60mm 4-Gang 16A 250V~ 1-Way Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12.0

### THESSH01452



Product size: 86\*86mm Installation size: 60mm 1-Gang 45A 250V~ 1-Way Double pole with neon Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

### Switch

### THESSH01103



Product size: 86\*86mm Installation size: 60mm 1-Gang 16A 250V~ 2-Way Packed by plastic bag

> Unit PACK/QTY Qty/Ctn PCS 10 12 0

### Switch

### THESSH02103



Product size: 86\*86mm Installation size: 60mm 2-Gang 16A 250V~

2-Way Packed by plastic bag

Unit PACK/QTY Qty/Ctn PCS 10 12 0

# India's first TLTTA **One-Stop Tools Station**

### THESSH11161



Product size: 86\*86mm Installation size: 60mm 1-Gang 16A 250V~ Bell symbol on product

Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

# THESST0113A



Product size: 86\*86mm Installation size: 60mm 1-Gang 13A BS socket 13A 250V~ Single pole switch

Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
DCC	10	12.0

### Universal socket with switch

Bell switch

### THESSTII16A



Product size: 86\*86mm Installation size: 60mm I-Gang 2pin & 3pin I6A universal socket I6A 250V~ Single pole switch Parked by plastic ban Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

### Socket

Cable TV socket

Fan controller

Socket

### THESST0213A

147x86mm

FOR BS PLUG



Product size: 147\*86mm Installation size: 120mm Installation size. 120m 2-Gang 13A BS socket 13A 250V~ Single pole switch Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	5	10.0

### Computer socket

### THESST301CO



Product size: 86\*86mm Installation size: 60mm Computer Socket Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

### THESST401TV



Product size: 86\*86mm Installation size: 60mm Cable TV Socket Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

### Universal socket with USB outlet

# THESSTIII6AU S



Product size: 86\*86mm Installation size: 60mm 1-Gang Max 2.1A Max 2.IA 2USB & 3pin 16A universal socket 16A 250V~ Single pole switch Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

### THESFC10001



Product size: 86\*86mm Installation size: 60mm 1000W 220V~ Packed by plastic bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	12 0

### TV and telephone socket

### THESST502TT



Product size: 86\*86mm Installation size: 60mm TV and Telephone socket Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	10	12 0

### Fan controller

# THESFC02501



Product size: 86\*86mm Installation size: 60mm 250W 220V~ Packed by plastic bag

Unit	PACK/QTY	Qty/Ct
PCS	10	12 0

### Single lever washbasin mixer

### TSLBM11501



Spout height:92mm Height:158mm Height: 158mm Outer diameter: \$\phi 45mm 1/2" input flexible hose connector Reliable flow regulator insert High quality ceramic cartridge Best brass material of faucet body Multiple polishing and chrome finish Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	8

### Single lever sink mixer

### TSLBM23401



Spout height:229mm
Height:36lmm
Outer diameter:qs0mm
1/2" input flexible hose connector
Reliable flow regulator insert
High quality ceramic cartridge
Best brass material of faucet body
Bent hose made of stainless steel
Multiple polishing and chrome fini Multiple polishing and chrome finish Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	8

### Single lever bath-shower mixer

### TSLBM31001



Size:178\*175\*103mm Reliable flow regulator insert High quality ceramic cartridge Best brass material of faucet body Multiple polishing and chrome finish Packed by color box

Unit	PACK/QTY	Qty/ Ctn
SET	1	8

### **PU Coated Gloves**

# TSPUG02





Size:XL Liner Material:Polyester Coating material/Finish: PU Gauge:13 Protection level:113XX Protection Teven Install 12pairs/paper Use for oil environment (Less oil)worker etc. Fingertip dip glue, more suitable for fine work Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	240

### Nitrile gloves

### TSP12102





Size:XL Liner Material:Polyester Coating material/Finish: Nitrile Gauge:13 Protection level:4121X 12pairs/paper
Use for oil environment (Less oil) worker etc.
Nitrile coated palm, smooth and rough-texture palm finish. Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	12	12 0

### Single lever washbasin mixer

### TSLBM12702



Spout height:241mm Height:303mm Height:303mm Outer diameter:q45mm 1/2" input flexible hose connector Reliable flow regulator insert High quality ceramic cartridge Best brass material of faucet body Multiple polishing and chrome finish Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET		8

### Single lever shower mixer

### TSLBM41201



Size:177\*130mm Reliable flow regulator insert High quality ceramic cartridge Best brass material of faucet body Multiple polishing and chrome finish Packed by color box

Unit	PACK/QTY	Qty/Ctn
SET		8

### Knitted&PVC dots gloves

### TSP11102



Size:10 (XL) Liner Material:lampshade cotton Coating material/Finish: PVC Gauge:10 Use for transporting and cargo handling worker, recycling worker, repairer etc. Weight:58g/pair; 700g/dozen Cotton class: A

Packed in poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	14 4

### **PU Coated Gloves**

# TSPUG01





Size:XL Liner Material:Polyester Coating material/Finish: PU Gauge:13 Protection level:3131X Use for oil environment (Less oil)worker etc. Palm dip PU adhesive, convenient to use in

the work Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	30 0

### Nitrile frosted coated gloves

TSPTG01



Liner Material:polyester thread Coating material/Finish: Nitrile frosted coated Gauge:15 Protection level:4121X

1pair/paper

Ipair/paper
Use for oil environment (Less oil)worker etc.
Nitrile coated palm, smooth and rough-texture
palm finish.
The fingertips can be used on the touch

Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PAIR	12	12 0

### Nitrile frosted coated gloves

### TSPNF01



Size:XL Liner Material:polyester thread Coating material/Finish: Double Nitrile frosted coated Gauge:15 'pair/paper polyester glove core, semi-dipped in yellow nitrile + palm dipped in black nitrile scrub

Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	12 0

### Latex gloves

### TSP13102

### 1Pair/Paper Size:XL



Size:XL Liner Material:Polyester Coating material/Finish: Latex

Coating material/Finish: Latex
Gaugeil0
lpair/paper
Use for heavy cargo handling worker, slight
sharp objects carrier etc.
Cotton/polyester seamless knitted shell.

Textured palm dip for extra grip and durability. Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	12	12 0

### Cut-resistance gloves

### TSP1702-XL

Size:XL

1Pair/Paper

Size:XL Liner Material:HPPE shell,Level 5 cut-resistant glove core Coating material/Finish: PU

Gauge:13

Protection level:4X43C

Plotection Tever 4,445C Ipair/paper Use for timber and glass cutting worker, heavy sharp objects carriers etc. PU coated palm,flexible and good feeling. HPPE shell, cut-resistance and abrasion.

Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	12 0

### Mechanic gloves

# TSP1806-XL

CE ENSB



Size:XL Material:Sponge, microfiber, polyester, stair cloth, rubber,pvc

1pair/paper Microfibre material palm with PVC leather reinforced on palm enhance extreme abrasion resistance. Rubber on back prevent hand from hazards in

dark

Pack by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	12	12 0

### Welding leather gloves

### TSP15161



Length:16"
Use for professional welding worker etc. Cow split leather welder gloves, one piece back, full lining full palm with double palm Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	24	48

### Latex gloves

### XL

TSP13103



Size:XL Liner Material:Polyester Coating material/Finish: Latex Gauge:13

Cauge:IS
Protection level:2132X
12pairs/paper
Use for heavy cargo handling worker, slight sharp objects carrier etc.
Cotton/polyester seamless knitted shell.

Textured palm dip for extra grip and durability.
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	12 0

### Latex gloves

### TSP13106-XL

# 1Pair/Paper



Size:XL Liner Material:Polyester Coating material/Finish: embossed latex Gauge:13 Protection level:2131X Protection level:2(3)X |pair/paper | Use for heavy cargo handling worker, slight sharp objects carrier etc. From pressing.longer life time than normal. | Polyester seamless knitted shell. Textured palm dip for extra grip and durability.
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	12 0

### **Cut-resistant gloves**

### TSP1701-XL



Size:XL Liner Material:HPPE shell,Level 5 cut-resistant glove core Coating material/Finish: PU

Protection level:4X42C

Protection level; xx4.2.C. lpair/paper
Use for timber and glass cutting worker, heavy sharp objects carriers etc.
PU coated palm, flexible and good feeling. HPPE shell, cut-resistance and abrasion.

Antistatic.
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	12	12 0

# Leather gloves

# TSP14101

### 1Pairs/Paper



Use for carriers, machining operators, garden work etc. Cow split leather gloves Cotton back & rubberized cuff,half lining Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
DΔID	36	72

### Welding leather gloves

### TSP15216



INDUSTRIAL

Size:16 inch can withstand 350 degrees AB grade royal red leather, palm and back with blue leather,

white diagonal neck with mixed velvet hanging

inside, Kevlar fire thread sewing,can prevent sparks from splashing, can withstand 350 degrees Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	'	36

### Grain goatskin gloves

### TSP19141



Size:16"
white head layer goatskin palm and back, two layers of natural ox hand neck, thumb leather, no inside, Kewlar fire thread sewing, Goat skin is soft and heat resistant;
These gloves are ideal for tough tasks that

demand durability and feel. Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	96

### Safety boots

### TSP201SB.42



Sizes assortment:42 Sizes assortment:42 Category of protective footwear: SB:steel toe cap Split leather upper Dual density PU sole Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6

### Safety harness

### THSH501806

# Ø12mmX1.8m



1 falling arrest dorsal D-ring
2 D-dings on waist for work positioning
1 energy absorber lanyard
Webbing width:50mm
Safety rope size : 414mm\*1.95m
Materialhigh strength polyester
Safety rope material:polyester
Upper body with reflective filament
Comfort pad on thigh strap and waist st Comfort pad on thigh strap and waist strap Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	10

### Jackets

### TJCTC2282.XL



Size: XL Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH�O Air permeability: 3000g/m²/24hr,good

breathability
Zipper closure,warm and windproof
Roomy pockets
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

INDUSTRIAL

### Rain coat

### THTRC031.M



Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size:M Waterproof, breather freely Two down pockets with flap With reflective strip at back Packed by polybag

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

### Safety boots

### TSP201SB.39



Sizes assortment:39 Category of protective footwear: SB:steel toe cap Split leather upper Dual density PU sole Packed by color box

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Safety harness

### THSH501506

### Ø13mmX1.5m (Safety Rope Size)



1 anti-falling dorsal D-ring Muebbing width: 50mm Safety rope size: 614mm\*1.5m Material: high strength polyester Safety rope material: polyester Adjustable thigh, waist and chest strap Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS	1	10

### Jackets

### TJCTC2282.L



Size: L Fabric: 228 taslan with mesh lining raunic. 226 tasian with mesh lining Waterproofing index: 5000mmH∳O Air permeability: 3000g/m/24hr,good breathability Zipper closure,warm and windproof Roomy pockets Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

# Jackets

# TJCTC2282.XX L



Size: XXL Fabric: 228 taslan with mesh lining Waterproofing index: 5000mmH♣O Air permeability: 3000g/㎡/24hr.good breathability Zipper closure,warm and windproof Roomy pockets Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

INDUSTRIAL

### Rain coat

### THTRC031.L



Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size: L Waterproof, breath freely Two down pockets with flap With reflective strip at back Packed by polybag

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

# One-Stop Tools Station

THTRC031.XL



Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size: XL Waterproof, breathe freely Two down pockets with flap With reflective strip at back Packed by poly back Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

# THTRC031.XXL







Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size:XXL Waterproof, breathe freely Two down pockets with flap With reflective strip at back Packed by poly bag Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	5	20

### Rain coat

Rain coat

### THTRC031.XXX L





Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size: XXXL Waterpook, breathe freely Two down pockets with flap With reflective strip at back Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PCS	5	20

### Rain suit

Rain suit

Rain suit

### THTRS031.M



Material: PVC+polyester 100% New PVC Thickness: 0.33mm Size: M Waterproof, with breather holes Two down pockets with flap With reflective strip at back Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
SET	5	20

### Rain suit

### THTRS031.L



Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size: L Waterproof, with breather holes Two down pockets with flap With reflective strip at back Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
SET	5	20

### THTRS031.XL



Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size: XL Waterproof, with breather holes Two down pockets with flap With reflective strip at back Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
SET	5	20

INDUSTRIAL

### THTRS031.XXL



Material: PVC+polyester, 100% New PVC Length: 120cm Thickness: 0.33mm Size: XXL Waterproof, breathe freely Two down pockets with flap With reflective strip at back Packed by poly bag

	Unit	PACK/QTY
0.33mm // Perket	CET	_

### THTRS031.XXX L



Material: PVC+polyester 100% New PVC Thickness: 0.33mm Size: XXXL Waterproof, with breather holes Two down pockets with flap With reflective strip at back Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
SET	5	20

### Rain boots

Rain suit

### TSP303L.39



Size: 39 Material:100% Virgin PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	12

### Rain boots

### TSP303L.40

Qty/ Ctn

20



Size: 40 Material:100% Virgin PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag

Unit	PACK/QTY	Qty/Ctr
PAIR	1	12

### TSP303L.41

Size: 41 Material:100% Virgin PVC Materianicow, virgin PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	12



Material:100% Virgin PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face

Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
DΔID	1	12

### Rain boots

Rain boots

### TSP303L.44



Size: 44 Material:100% Virgin PVC Material:100% virgin PVC Height: 20cm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
DAID	1	12

### Rain boots

Rain boots

Rain boots

Rain boots



TSP303L.43



Material:100% Virgin PVC Materianious virgin PVC Height: Zocm High level oil, acid, alkali resistance 100% Waterproof Gloss face Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	12

### Rain boots

### TSP302L.39



Size:39 Material:100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6

### TSP302L.40



Material:100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Rain boots

### TSP302L.41



Material:100% Virgin PVC

Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

PAIR

Unit PACK/QTY Qty/Ctn

6



Material:100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Rain boots

### TSP302L.44



Size:44 100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6

### Rain boots

### TSP302L.45



Size:45 100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

> Unit PACK/QTY Qty/Ctn PAIR 1 6

### TSP302L.46



Size:46 100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
DΔID	1	6





Material:100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Rain boots

Rain boots

### TSP302LAB.42



Material:100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6

### Rain boots

Rain boots

### TSP302LAB.43

TSP302LAB.41



Size:43 Material:100% Virgin PVC Height:37cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
DAID	1	6

### Safety boots

### TSP302SB.39



INDUSTRIAL

INDUSTRIAL



Size:39 SB:steel toe cap Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6

### Safety boots



INDUSTRIAL

INDUSTRIAL



Size:41 SB:steel toe cap Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Safety boots

### TSP302SB.42



40 cm

Size:42 SB:steel toe cap Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### TSP302SB.43



Size:43 SB:steel toe cap Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Safety boots

### TSP302SB.44



Size:44 SB:steel toe cap Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6

### Safety boots

### TSP302S1P.40



Size:40 S1P:steel toe cap and steel midsole Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### TSP302S1P.41





Size:41
Size:41
SiP:steel toe cap and steel midsole
Material:100% Virgin PVC
Height:40cm
High level oil, acid, alkali resistance
100% Waterproof
Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
PAIR	1	6



Size:42 SIP:steel toe cap and steel midsole Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof

Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PAIR	1	6

### Safety boots

Safety boots

### TSP302S1P.43







S1P:steel toe cap and steel midsole SIP:steel toe cap and steel midsole Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
DAID	1	6

### Safety boots

Safety helmet

Safety helmet

Safety boots

### TSP302S1P.44

TSP302S1P.42



SIP:steel toe cap and steel midsole Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
DΔID	1	6

### Safety boots

### TSP302S1P.45





S1P:steel toe cap and steel midsole Material:100% Virgin PVC Height:40cm High level oil, acid, alkali resistance 100% Waterproof Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
DAID		-

### TSP2608



HDPE shell with vents Lining material: plastic Chin strap included Color:blue
Weight:330g
8 Point suspension
Adjust head size by buckle

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Safety helmet

# TSP2609



PE shell with vents Lining material: plastic Chin strap included Color:white Weight: 330g 8 Point suspension Adjust head size by buckle

Unit	PACK/QTY	Qty/ Ctn
DCS	1	20



PE shell with vents Lining material: plastic Chin strap included Color; ellow Weight; 330g 8 Point suspension Adjust head size by buckle

Unit	PACK/QTY	Qty/Ctn
DCC		20

INDUSTRIAL

# Safety helmet

### TSP2602

White







PE shell with vents Lining material: ribbon Chin strap included Color:white Weight 380g
"V"-type top reinforcement
4 Point suspension
Adjust head size by ratchet knob

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Safety helmet

### TSP609



PP shell Lining material: Plastic Chin strap included Color: White Weight: 330g "V"-type top reinforcement 4 point suspension Adjust head size by buckle Class G

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### TSP602



ABS shell Lining material: Ribbon Chin strap included Color: White Weight: 380g "V"-type top reinforcement 4 point suspension Adjust head size by ratchet knob

Unit	PACK/QTY	Qty/ Ctn
PCS	1	20

### Face shield

Safety helmet

### TSP610



Impact resistant visor Brim protects forehead from outside injure Headgear with adjustable knobs, with antibacterial sweatband Packed by label

Unit	PACK/QTY	Qty/ Ctn
PCS	1	20

### Auto-darkening welding goggle

### TSP9403

### Viewing area:90x35mm

Viewing area: 90x35mm Cartridge size: 108x 51x 5mm Sensors: 2 Light state: 4 Dark state: 11 UV/IR protection: up to DIN 11 ON / OFF: automatic Switch time(Light to dark): <1ms

Operating temperature: -5°C~ +55°C Storing temperature: -20°C~ +70°C Power supply: solar panel & lithium battery

CR1025 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

### Auto-darkening welding helmet

### TSP9309





Viewing area:90×35mm Cartridge size:110×90×10mm Cartridge size:II0\*90\*I0mm Arc sensor:2 Light state:DIN 4 Dark state:fixed shade 11 Shade control: unadjustable Power ON/OFF:fully automatic Sensitivity control: unadjustable,auto UV/IR protection: DIN 16 Power supply: solar cells & replaceable lithium batteries
Switching time://5000s,from light to dark Dark to light: 0.15-0.45s auto

(AC)		
Unit	PACK/QTY	Qty/Ctn
PCS	1	6

### Auto-darkening welding helmet

### TSP9103





Optical rating: 1/1/1/1 The biggest view area: 100 x 67 mm Sensors: 4 Light state: DIN 3 Dark state: DIN 5-9 / 9-13 UV/IR protection: up to DIN 16 Switch time (Light to dark): <0.04ms Shade control: inside & stepless Sensitivity control: inside & stepless
Delay control (Dark to light): inside & stepless,
0.15-0.80s

Grind mode: yes, inside Material of helmet: nylon

Veight: 560g:	±5%	
Unit	PACK/QTY	Qty/Ctn
PCS	1	6

### Face shield

### TSP631



Impact resistant visor Brim protects forehead from outside injure Headgear with adjustable knobs, with antibacterial sweatband Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	1	20

### Welding mask

### TSP9216



Welding mask Material:100% PP Glass size:110\*90\*3mm,movable type glass 1 Pcs clear protection glass Packed by label

Unit	PACK/QTY	Qty/Ctn
PCS	10	20

### Auto-darkening welding glasses

### TSP9405

### Viewing area:90x35mm



Viewing area: 90x35mm Cartridge size: 108x 51x 6mm Sensors: 2 Light state: 3 Dark state: 11 UV/IR protection: up to DIN 13 UV/IR protection: up to DIN 13
ON / OFF: automatic
Switch time(Light to dark): 0.4-1ms
Operating temperature: -5°C- +55°C
Storing temperature: -0°C- +70°C
Power supply: solar panel & lithium battery 2xCR1025 Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	10	40

### Auto-darkening welding helmet

# TSP9306



Viewing area:92×42mm Cartridge size:110×90×9mm Arc sensor:2 Arc sensor.2 Optical class:1/1/1/2 Light state:DIN 4 Dark state:variable shade, 9 ~13 Shade control:external,variable Power ON/OFF:fully automatic Sensitivity controllauto
UV/IR protection:DIN 16
Power supply:solar cells+2\*CR2032 lithium batteries Switching time:1/15000s,from light to dark Dark to light(Delay):0.1-1.0 auto

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

### Safety goggles

### TSP342

### 4 Different positions



Material: PC The length of temple can be adjusted in 4 different positions, temple line can be added for easier and safer use.

Integrated encircling type design gives flank protection Packed by poly bag

Unit	PACK/QTY	Qty/Ctr
PCS	30	90

### Safety goggles

### TSP301

### 4 Different positions



Material: PC
The length of temple can be adjusted in 4
different positions, temple line can be added
for easier and safer use.
Integrated encircling type design gives flank

Packed by double blister

	ATTENDED TO THE REAL PROPERTY.
	10000
/ ee / PC /	
	_

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

### Safety goggles

### TSP309

### 180° Field of view



180° large field of view

isυ" large neld of view Has supple and lightweight PVC frame as well unique air hole design. High-impact polycarbonate lenses have high transparency comfortable for wearing. Packed by plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	20	10 0

### Safety goggles

### TSP305

### Din 4



Material: PC Dark shade:4

Light weight, comfortable to wear, wide visual field
Packed by double blister

	STREET, SQUARE, SEC.
/ 🕪 // PC /	SECTION 1
	Olan Sagara

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

### Non-medical mask

### TSP413



Adjustable nose clip offers a secure fit Materials: polypropylene,PP filter fibre,and polveste

Suggested applications for grinding, sanding, and sweeping jobs.

Packed by color box,50pcs/box

Unit	PACK/QTY	Qty/ Ctn
PCS	50	50 0

INDUSTRIAL |

### Non-medical mask

### TSP412



Class: FFP2 Made with grade FFP2 four layer Materials: polypropylene,PP filter fibre,and

Suggested applications for grinding,sanding, and sweeping jobs. Packed by plastic bag,lpcs/plastic bag

Unit	PACK/QTY	Qty/ Ctn
PCS	20	12 0

### Safety goggles

# TSP304

### Full-view Full-slice



Conforms to ANSI Z87.1 and CE EN166 Full-view full-slice structure prevents UV and

withstands impact
Fit to wearing the corrective glasses,also can
be used as visitors glasses
Can defend against splash particles in the

round

Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	60

### Safety goggles

### TSP302

### Elastic headband



Has supple and lightweight PVC frame as well

unique air hole design.
High-impact polycarbonate lenses have high
transparency comfortable for wearing.
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	32	64

### Welding goggles

### **TSP303**



Flexible PVC body, indirect ventilation design.

Dark shade:8 Flip design with open-close locking positioning,

easy to use.

Inner lenses are clear, outer lenses adopt colored inorganic glass.

Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	20	40

# Dust mask

### TSP403

### 50PCS/BOX



Adjustable nose clip offers a secure fit Suggested applications for dusty operations and gardening
Material: polyester
Packed by color box,50pcs/box

Unit	PACK/QTY	Qty/Ctn
PCS	50	10 00

INDUSTRIAL

### **Dust mask**

### TSP401





Class: FFP2 Made with grade P2 four layer Materials: polypropylene,PP filter fibre,and

Suggested applications for grinding, sanding, and sweeping jobs.
Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	20	40 0

TSP408

# TSP402

# 1PCS/SET



Class: FFP2 With valve
Made with grade P2 four layer
Materials: polypropylene,PP filter fibre,and
polyester
Suggested applications for grinding,sanding, and sweeping jobs. Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	12	240

# 1PCS/SET Anti-Virus TUTAL

Class: FFP2
With valve
With activated carbon fibre
Made with grade P2 four layer
Materials: polypropylene,PP filter fibre,and
polyester
Suggested applications for grinding,sanding,
and atwaction in the

and sweeping jobs. Packed by poly bag

Unit	PACK/QTY	Qty/Ctn	
PCS	12	240	

### Earplug

Dust mask

### TSP707



Made from polyurethane foam,smooth and

ultra supple
Conforms to ear structure,safe and sanitary
Superior noise reduction effect, let operators
keep acute hearing in noise ambient Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn	
PCS	100	10 00	

### Earmuff

Dust mask

### TSP701

### NRR:24dB



Impact-resistant ABS shell body,soft foam pad NRR:24dB Packed by header card

Unit	PACK/QTY	Qty/Ctn
PCS	15	60

### Kneepads

### THKPT0201

6



Size: 215x180mm PVC outer shell provides maximum impact resistance

Moulded foam body provides extra comfort Two elastic straps and flexible buckles ensure a comfortable fit

Ergonomic design Packed by color box

Unit	PACK/QTY	Qty/ Ctn
DΔID		6

### Ratchet straps

### THTRS2101



Load:2T Length:10m Width:35mm Width 33/1111 Sibbon material: PES, secure your equipent With ratchet and double J hooks Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
SET	1	10

### Ratchet straps

# THTRS3061



Length:6m Width:50mm

S.F.:2:1 Ribbon material: PES,secure your equipent With ratchet and double J hooks Packed by poly bag

Unit	PACK/QTY	Qty/ Ctn
SET		12

### Ratchet straps

# THTRS3101



Load:3T Length:10m Width:50mm Ribbon material: PES, secure your equipent With ratchet and double J hooks Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
SET	1	10

INDUSTRIAL

### Ratchet straps

### THTRS4101



Load:4T Length:10m Width:50mm S.F.:2:1

S.F.J.C.I Ribbon material: PES,secure your equipent With ratchet and double J hooks Packed by strap

Unit	PACK/QTY	Qty/ Ctn
SET	ı	10

### Pruning shear

# THT0601



Size:8.5"(220mm) SK5 Entire metal frame,more durable High-Quality Garden Pruning Shear

Heat treatment Telfon coating PP handle coverd TPR grip Packed by blister card

Unit	PACK/QTY	Qty/Ctn
PCS	12	48





# Head material: SK5 Length:23"(575mm) Wavy blade for more efficiency when cutting large areas Heat treatment blade Blade painted teflon Packed by paper hanger PACK/QTY Unit Qty/Ctn SK5

### Lopper THT1527101

730mm(29")

12

Head material: SK5 Length:29"(730mm) Max cutting diameter:23mm Heat treatment blade Blade painted teflon Packed by paper hanger

PCS

Unit	PACK/QTY	Qty/ Ctr
DCC	_	10

6

### Folding saw

# THFSW1806

SK5



Size:7/180mm Material: Taiwan SK5 7TPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With hand protection function Fast cut and long life Packed by sliding card

TPI/	Unit	PACK/QTY	Qty/ Ctn
	PCS	6	48

### Pruning saw

THT5113306

# 330mm(13")



Size:13"/330mm Material: SK5 TTPI,heat treatment teeth Triple teeth(Precision ground teeth 3 edges) With Extension bar function Fast cut and long life Packed by color sleeve

INDUSTRIAL

Unit PACK/QTY Qty/Ctn PCS 6 36

### THT1516001

# 575mm(23")

Head material: SK5

Length:23'(575mm)
For exact shaping and precise cutting results
Heat treatment blade
Blade painted teflon Packed by paper hanger


Unit PACK/QTY Qty/Ctn PCS 6 12

### Telescopic hedge shear

Hedge shear

### THTS1516306

SK5



Head material: SK5 Length:710-860mm/28"-34"

Lengtn: 70-Boumm/28\*-3-4\*
Wavy blade for more efficiency when cutting large areas
Heat treatment blade
Blade painted teflon
Packed by Paper hanger

Unit	PACK/QTY	Qty/Ctn
PCS	6	12

### Lopper

### THT1527401

# 770mm(30")

SK5



SK5 Max Head material: Length:30"(770mm) cutting diameter:28mm Heat treatment blade Blade painted teflon Stress function on blade Packed by paper hanger

Unit	PACK/QTY	Qty/Ctr
PCS	6	12

INDUSTRII

### Pruning saw

# THT5113006

300mm(12")



Size:12"/300mm Material: SKS
TTPl, heat treatment teeth
Triple teeth(Precision ground teeth 3 edges)
Fast cut and long life
Packed by color sleeve



Unit	PACK/QTY	Qty/Ctn
PCS	6	60

### Trowel

# THFTT858

### 340x85mm



length:340mm Unique design patent handle Width:85mm Thickness:1.5mm Material:carbon steel Packed by paper card

> Unit PACK/QTY Qty/Ctn PCS 12

48

### THFTF38

### 320x80mm



length:320mm Unique design patent handle Width:80mm Thickness:2.5mm Material:carbon steel Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

### THFTR1008



length: 270mm Unique design patent handle Width:82mm Main rod:8.0mm Material:carbon steel Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

### Garden rake

Fork

### THGT979K

### 290x75mm



length:290mm Unique design patent handle Fork Width:75mm Main rod:8.0mm Material:carbon steel Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

# Garden stretch tie tape

### THTPTM1251T



Tape for THTPTM1251 20roll/set Length: 25m/roll Width: 11mm Lightweight, stretchy, NON-sticky Not damage the plant's stems Packed by lable

Unit	PACK/QTY	Qty/ Ctn
SET	10	20

### Sprayer trolley

### THSPP31201



12.0L sprayer trolley Easy to move with wheels Metal pump lever, high performance pump large loop handle with comfort grip Pressure: 2.5bar Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Knapsack sprayer

### THSPP41602



16L Y trigger with fiber glass lance Pressure:4.5BAR Adjustable nozzle from jet to mist Large container specifically designed for spraying larger areas Comfortable padded straps Packed by color box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### ТНТРТМ1251



Plant Tying Machine
Size: 12.5"
Apply for tape size:WIlmm\*L25-30M
Apply for staple size:
C7mm\*L4mm\*W0.55mm
One hand operation The opening of the tape
circle can be adjusted Applicable to all kinds
of branches, vines crop
such as grapes, tomatoes, cucumbers,
melon, eggplant
With 1pcs WIlmm\*L25m Stretch Garden
Tie Tape

Tie Tape With 200pcs C7mm\*L4mm\*W0.55mm

staples
With 1 set extra spare part include: 1pcs

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

### Pressure sprayer

Garden rake

Plant Tying Machine

### THSPP3051



SL
Safety valve
Handy carry strap
Pressure: 2.5BAR
1.2m length flexible hose
Stainless lance and plastic nozzle
ON/OFF trigger with trigger lock
Adjustable sprayer pattern mist to stream
Packed by color box

Unit	PACK/QTY	Qty/Ctn
PCS		6

### Pressure sprayer

# THSPP20202

2L



2L Safety pressure release valve Strong Aluminum pump lever Pressure:2.5BAR Press and release fuction Adjustable nozzle with straight jet and mist

spray Packed by poly bag

Unit	PACK/QTY	Qty/Ctn
PCS		20

### Knapsack sprayer

### THSPP42002



20L Y trigger with fiber glass lance Pressure: 4.5BAR Adjustable nozzle from jet to mist Large container specifically designed for spraying larger areas Packed by color box

Unit PACK/QTY Qty/Ctn PCS

### THSPP0155

### 1.5L



1.5L Watering Can Net weight : 0.2KG Packed by Poly bag

Unit	PACK/QTY	Qty/ Ctn
PCS		28

# Plastic trigger nozzle

Water can

### THWS010301



3-Way Plastic Nozzle TPR insulated comfortable soft grip Nylon lever Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

### Plastic trigger nozzle

# THWSG6091

### 9-Way Nozzle



Double color 9 pattern spray nozzle with 3/4"

Double color 9 pattern spray nozze with 3/4 tool adaptor 9 spray patterns, including shower, angle, center, fan, cone, jet, mist, soaker, flat. Zinc alloy base with pearl silver. "U" style on/off design. Comfortable rubber grip. Parked by naper banger. Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

### 3 Pcs hose quick connectors set

# THWS030301

### 3 PCS/SET



3pcs Hose quick connectors set With 1pcs 1/2" plastic hose quick connector with water stor With 1pcs 1/2" plastic hose quick connector With 1pcs 1/2" tap Adaptor with 3/4" tap adaptor Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	12	48

### Plastic hose connector

### THHCS01122

1/2"



1/2" Plastic Hose Quick Connector Meterial:ABS,PP,POM Net weight:24g Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	20	12 0

### Water can

### THSPP0505

5L



5L Watering Can Net weight : 0.5KG Packed by Poly bag

Unit	PACK/QTY	Qty/Ctn
PCS	1	18

### Plastic trigger nozzle

### THWS010901

### 9-Way Nozzle



9-spray patterns TPR insulated comfortable soft grip Nylon Lever Packed by paper hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

### Water wand

### THWW092



Adjusetable angle,powder-coated metal head Size: 28"
9-spray patterns for all watering needs:mist,soaker,flat,vertical,shower,cone,fan,center,jet
TPR insulated comfort grip
"U" style ON/OFF design
Packed by paper hanger

Unit	PACK/QTY	Qty/Ctn
PCS	1	12

INDUSTRIAL

### 5 Piece twist nozzle set

# THHCS05122



5 pcs Twist Nozzle set
With 1pcs 1/2" Plastic Hose Quick Connector
with Water Stop
With 1pcs 1/2" Plastic Hose Quick Connector
With 1pcs 3/4" TAP ADAPTOR AND
1/2"-3/4" REDUCER
With 1pcs 5" Snap-in Twist Nozzle
Packed by paper hanger

Unit	PACK/QTY	Qty/Ctn
PCS	12	48

### Plastic hose connector

### THHC1202



1" Plastic 2-Way Hose Connector With Shut-off and Plastic Swivel Nut 3/4"-1"Reducer Meterial Breakdown: ABS and PP Dimension: 10.5\*9.5\*4.8cm Packed by paper hanger

> Unit PACK/QTY Qty/Ctn PCS 1

12

### Plastic 3 arm rotatory sprinkler

### THPS23602



Plastic Base With Plastic 3 Arm Rotatory Sprinkler With 3/4" tool adaptor Meterial Breakdown: ABS and PP Dimension: 16.5"14\*8cm Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	1	6

### 3/4" PVC hose

### THPH50341



3/4" X50M PVC Hose 3/4 X50M PVC Hose PVC Opaque light duty hose Bursting value: 300psi Pull test value: 45KG Net weight: 10.2KG Wall thickness: 2.4mm Packed by paper hanger

Unit	PACK/QTY	Qty/ Ctn
PCS	1	2

### Steel ladder

### THLAD09041



Material:steel,4Steps Step size:380\*260mm Open Size:830\*490\*1290mm Max.Load:150kg Packed by carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	4

### Steel ladder

# THLAD09061



Material:steel,6Steps Materialisteel, osteps Step size:380"260mm Open Size:1225"510"1705mm Folding Size:505"140"1935mm Thickness of tube:0.9mm Max.Load:150kg Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

### Household ladder

### THLAD06051



Material:Aluminum Steps:5 steps
Distance between two steps:219mm
Distance between top step and nandle:611mm Distance from ground to top step:1097mm Top aluminum step,size:260x250x30mm Approx.Wt:3.9kg Max.Load: 150kg Packed by brisisk handle:611mm Packed by shrink

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Plastic auto gear sprinkler

# THPS13601





Plastic Auto Gear sprinkler head 3/4" tool adaptor 5/4" tool adaptor 3 Pin plastic spike With 360° rotary function Freely adjust ranges/distance to adjust Dimension:38"17.4"6.4cm Meterial Breakdown: ABS+PP Packed by paper hanger

Unit	PACK/QTY	Qty/Ctn
PCS	1	12

### Steel ladder

### THLAD09031



Material:steel,3Steps Step size:380\*260mm Open Size:665\*490\*1065mm Max.Load::150kg Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	4

### Steel ladder

### THLAD09051



Material:steel,5Steps Step size:380\*260mm Open Size:1030\*490\*1515mm Max.Load:150kg Packed by carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	2

### Household ladder

# THLAD06041



Material:Aluminum Steps:4 steps Distance between two steps:219mm Distance between top step and handle:611mm Distance from ground to top step:877mm
Top aluminum step;size:260x250x30mm
Approx.Wt:3.3kg
Max.Load: 150kg

Packed by shrink

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### Household ladder

### THLAD06061



Material:Aluminum Steps:6 steps
Distance between two steps:219mm
Distance between top step and handle:611mm handle:6ilmm Distance from ground to top step:1316mm Top aluminum step,size:260x250x30mm Approx.Wt:4.25kg Max.Load: 150kg Packed by shrink

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### Multi-purpose aluminium ladder

### THLAD04<u>43</u>1



Material: Aluminium Surface finish:Oxidation No of step:4\*3 Step rise:27cm Length:338cm Step ladder height:162cm Scaffold height:91cm Fold height:91cm Fold width:35cm With 2pcs Scaffold Plate Approx.Wt.15.0kg Packed Max.Load:150kg by color sleeve

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Telescopic ladder

### THLAD08061




Steps:6steps Material:Aluminium Ext.Height:1980mm Step Rise:300mm Fold Height:645mm Fold Width:470mm Max.Load:150kg Easy carry Packed in carton box

Unit	PACK/QTY	Qty/ Ctn
DCS	1	1

### Telescopic ladder

### THLAD08101



Steps:10steps Material:Aluminium Ext.Height:3180mm Step Rise:300mm Fold Height:775mm Fold Width:485mm Max.Load:150kg Easy carry Packed in carton box

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Wheel barrow

# THTWB84008



Load (kg):130
Water Capacity(L):65;
Sand Capacity(CBF):5;
Two tone soft grip handle
Wheel:16"X4.00-8,pneumatic wheel, 4PR,Tyre with diamond lines, L\*H\*C\*A\*B\*h (mm):1440\*550\*550\*830\*680\*230 Tray with 0.8mm thickness,handle with 1.2x32mm 1900pcs/40HO

Packed by bulk

Unit	PACK/QTY	Qty/ Ctn
DCC	2	1

### Foldable platform hand truck

### THTHP11502

### 150kg



Capacity:150kgs Steel handle with comfortable foam 4"PU wheel Platform size:725X472mm over size:H820Xh135XL725XW472MM Over Size: ROZUMISSAE 723XW472MM Pb-free and UV resistant powder coating non-slip PVC mat GS certification Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Multi-purpose aluminum ladder

### THLAD04441




Material: Aluminium Material Aluminium
Surface finish: Oxidation
No of step: 4'4 Step
rise: 28cm Length: 475cm
Step ladder height: 226cm
Fold height: 127cm Fold
width: 37cm With 2pcs
Scaffold Plate
Approx.Wt: 18.9 leg
Max Load: 150kg Packed Packed Max.Load:150kg hy color sleeve

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### Telescopic ladder

### THLAD08081



Steps:8steps Material:Aluminium Ext.Height:2580mm Step Rise:300mm Fold Height:716mm Fold Width:478mm Max.Load:150kg Easy carry Packed in carton box

Jnit	PACK/QTY	Qty/Ctn
200	7	1

### Telescopic ladder

### THLAD08121



Steps:12steps Material:Aluminium Ext.Height:3780mm Step Rise:300mm Fold Height:843mm Fold Width:494mm Max.Load:150kg Easy carry Packed in carton box

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

# Solid wheel

### THTWB84008- 1DW

# 16"X4.00-8



MAX Load (kg):130 Wheel:16"X4.00-8,Solid Wheel Suitable for item THTWB84008,THT-WB84008-1D,THTWB84010-1D Packed by Label

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

### Foldable platform hand truck

### THTHP13002



Capacity:300kgs Steel handle with comfortable foam 5"PU wheel Platform size:907X608mm over size:H850Xh195XI 907XW608MM Over Size: Resources Size and UV resistant powder coating non-slip PVC mat GS certification Packed by paper card

Unit	PACK/QTY	Qty/Ctn
PCS	1	1

# One-Stop Tools Station

# THTHT20771



Capacity(kg) : 200kg High grip plastic handles L/H/W: 430 x 590 x 1105 mm L/H/W:430 x 390 x 1105 mm Frame tube thickness:1.2 x 25mm Footplate size: 420 x 200 mm Extra Footplate size: 540 x 400mm Plate thickness: 3.5mm Wheel: 10" x 3.50-4 2PR(Pneu 2PR(Pneumatic wheel)

Packed by paper card

Unit	PACK/QTY	Qty/ Ctn
PCS	1	1

### Hand pallet truck

### THT301251



Capacity Q.2500kg
Fork size BxL550×1150mm
Distance between forks D:230mm
Min. fork height H.85mm
Max. fork height H.1200mm
Steering wheel Φ200×50mm
Load roller tandem Φ80×70mm
Dolursethane wheel Polyurethane wheel Packed by plywood case

Unit	PACK/QTY	Qty/Ctn
PCS	1	6

### Iron padlock

Hand trolley

### TLK31321





Size:32mm Material:Iron Material:Iron
Weight:95g
With 3 pcs iron keys
Brass lock cylinder
With waterproof rubber cover
Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
DCS	6	12.0

### Iron padlock

Iron padlock

Heavy duty brass padlock

### TLK31381



Size38mm Material:Iron Material:Iron
Weight:146g
With 3 pcs iron keys
Brass lock cylinder
With waterproof rubber cover
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	12 0

### Iron padlock

### TLK31631





HEAVY-DUTY

Size:63mm Material:Iron Material:Iron
Weight:508g
With 3 pcs iron keys
Brass lock cylinder
With waterproof rubber cover
Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	48

# TLK31751



Size:75mm Material:Iron Material:Iron
Weight:714g
With 3 pcs iron keys
Brass lock cylinder
With waterproof rubber cover
Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

INDUSTRIAL

INDUSTRIAL

### Heavy duty brass padlock

Size:30mm Material:brass

Unit

PCS

Weight:84g With 3 pcs brass keys Packed by double blister

# TLK32302

30mm

BRASS



PACK/QTY

12

### TLK32402 INDUSTRIAL

Qty/Ctn

14 4

# HEAVY-DUTY





Material:brass Weight:142g With 3pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	12	96

### Heavy duty brass padlock

### TLK32502





Material:brass Weight:270g With 3 pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/ Ctn
PCS	6	48

### Heavy duty brass padlock

# TLK32602





Material:brass Weight:385g With 3 pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

### Heavy duty brass padlock

### TLK32702



Size·70mm Material:brass Weight:542g With 3pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

### Heavy duty brass block padlock

### TLK32703

### 70mm HEAVY-DUTY



Size:70mm Material:brass Weight:411g With 3 pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	36

### Heavy duty brass block padlock

### TLK32903

### 90mm HEAVY-DUTY



Size:90mm Material brass Weight:609g With 3 pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

### Cable ties

### THTCT2001





Color:White Material: Nylon 66 Length:200mm Width:3.6mm 100pcs/set two year warranty Packed by label

Unit	PACK/QTY	Qty/Ctn
SET	50	20 0

### Cable ties

### THTCT6001

### 600x9.0mm PAG6 100PCS/SET



Color:White Material: Nylon 66 Length:600mm Width:9.0mm 100pcs/set two year warranty Packed by label

> PACK/QTY Qty/Ctn SET 6 24

### Heavy duty brass block padlock

# TLK32603

### 60mm HEAVY-DUTY



Size:60mm Material:brass Weight:234g With 3 pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	48

### Heavy duty brass block padlock

### TLK32803

80mm

### HEAVY-DUTY



Size:80mm Material:brass Weight:568g With 3 pcs brass keys Packed by double blister

Unit	PACK/QTY	Qty/Ctn
PCS	6	24

### Cable ties

PAGG

PA66

### THTCT1001

### 100x2.5mm 100PCS/SET



Color:White Material: Nvlon 66 Material: Nylon 66 Length:100mm Width:2.5mm 100pcs/set two year warranty Packed by label

Unit	PACK/QTY	Qty/Ctn
SET	125	50 0

### Cable ties

# THTCT3001

### 300x4.8mm 100PCS/SET



Color:White Material: Nylon 66 Length:300mm Width:4.8mm 100pcs/set two year warranty Packed by label

Unit	PACK/QTY	Qty/Ctn
SET	50	10.0





Same Battery 580+ Tools















# **One-Stop Tools Station**



# Head Office



# HAKIMI ENGINEERING & INDUSTRIAL SUPPLIES LLP



2985/5/4, LAKOD COMPLEX, OPPOSITE LUCKY RESTAURANT, MAKARPURA GIDC, VADODARA - 390010, GUJARAT



# **Contact Person**



MR. MOHAMMED NAJMUDDIN



+91 9714690776



+91 9328859096



MR. KAYED ZOHER MOHAMMEDI



+91 9106795738



+91 7984192388



Scan this for contact





Scan this for website visit



餓 www.hakimienterprisegujarat.in



🧖 hakimiengineeringvadodara@gmail.com